

# FAUNA EUROPAEA PROJECT

## Checklist of the land and freshwater Gastropoda of Albania and former Yugoslavia

Prepared by Ruud A. Bank

(Chopinlaan 21, 9603 AM Hoogezand, the Netherlands, phone +31-598-852132)

Last update: July 24<sup>th</sup>, 2011

Send remarks/additions/corrections to Ruud.Bank@quicknet.nl

### Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See [www.faunaeur.org](http://www.faunaeur.org) for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the [www.faunaeur.org](http://www.faunaeur.org) is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24<sup>th</sup>, 2011. Futhermore, the systematic framework of the Gastropoda of [www.faunaeur.org](http://www.faunaeur.org) is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abonded. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

---

|    |   |   |
|----|---|---|
| AL | = | Albania   |
| BA | = | Bosnia and Herzegovina                          |
| HR | = | Croatia   |
| MK | = | Macedonia                                       |
| SI | = | Slovenia  |
| YU | = | Serbia (incl. Kosovo, but excluding Montenegro) |

MO = Montenegro

Phylum Mollusca CUVIER, 1795  
Classis Gastropoda CUVIER, 1795  
Subclassis Neritimorpha KOKEN, 1896  
Ordo Cycloneritimorpha FRÝDA, 1998  
Superfamilia Neritoidea RAFINESQUE, 1815  
Familia Neritidae RAFINESQUE, 1815  
Subfamilia Neritinae POEY, 1852  
Tribus Theodoxini BANDEL, 2001

**Genus *Theodoxus* MONTFORT, 1818**

**Subgenus *Theodoxus* MONTFORT, 1818**

- *Theodoxus (Theodoxus) danubialis danubialis* (C. PFEIFFER, 1828) – SI, HR, BA, YU, MO  
[*chrysostomus* A.J. WAGNER]
- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – AL, MK, SI, HR, MO, BA, YU  
[*dalmatinus*; *scutarensis*]
- *Theodoxus (Theodoxus) prevostianus* (C. PFEIFFER, 1828) – SI
- *Theodoxus (Theodoxus) transversalis* (C. PFEIFFER, 1828) – MK, YU

**Subgenus *Neritaea* ROTH, 1855**

- *Theodoxus (Neritaea) subterrelictus* SCHÜTT, 1963 – HR, BA
- *Theodoxus (Neritaea) varius varius* (MENKE, 1828) – AL

Superfamilia Hydrocenoidea TROSCHEL, 1857  
Familia Hydrocenidae TROSCHEL, 1857

**Genus *Hydrocena* KÜSTER, 1844**

**Subgenus *Hydrocena* KÜSTER, 1844**

- *Hydrocena (Hydrocena) cattaroensis* (L. PFEIFFER, 1841) – HR, MO  
[*bourguignati* LETOURNEUX, 1888; *sirkii* L. PFEIFFER, 1847; *tanousi* LETOURNEUX, 1888]

Subclassis Caenogastropoda COX, 1960  
Ordo Architaenioglossa HALLER, 1890  
Superfamilia Cyclophoroidea J.E. GRAY, 1847  
Familia Cyclophoridae J.E. GRAY, 1847  
Subfamilia Cyclophorinae J.E. GRAY, 1847  
Tribus \*\*\*\* (unnamed)

**Genus *Pholeoteras* STURANY, 1904**

- *Pholeoteras euthrix* STURANY, 1904 – HR, BA, MO
- *Pholeoteras zilchi* SUBAI, 1993 – AL

Familia Cochlostomatidae KOBELT, 1902

**Genus *Cochlostoma* JAN, 1830**

**Subgenus *Cochlostoma* JAN, 1830**

- *Cochlostoma (Cochlostoma) braueri braueri* (A.J. WAGNER, 1897) – HR
- *Cochlostoma (Cochlostoma) braueri latestriatum* (A.J. WAGNER, 1897) – HR
- *Cochlostoma (Cochlostoma) cinerascens cinerascens* (ROSSMÄSSLER, 1837) – HR
- *Cochlostoma (Cochlostoma) cinerascens beauforti* (CLESSIN, 1887) – HR, MO

- *Cochlostoma (Cochlostoma) elegans elegans* (CLESSIN, 1879) – HR
- *Cochlostoma (Cochlostoma) elegans imoschiense* (A.J. WAGNER, 1906) – BA, HR
- *Cochlostoma (Cochlostoma) elegans irregularis* (A.J. WAGNER, 1897) – HR
- *Cochlostoma (Cochlostoma) elegans spectabilis* (A.J. WAGNER, 1897) – HR
- *Cochlostoma (Cochlostoma) elegans oostoma* (WESTERLUND, 1883) – HR
- *Cochlostoma (Cochlostoma) elegans tumida* (A.J. WAGNER, 1897) – HR
- *Cochlostoma (Cochlostoma) elegans similis* (A.J. WAGNER, 1897) – HR
- *Cochlostoma (Cochlostoma) henricae henricae* (STROBEL, 1851) – SI  
[*illyricus* WESTERLUND, 1885; *pontebana* STOSSISCH, 1895; *pyramidus* WESTERLUND, 1885]
- *Cochlostoma (Cochlostoma) mostarensis* (A.J. WAGNER, 1906) – BA
- *Cochlostoma (Cochlostoma) scalarinum scalarinum* (A. & J.B. VILLA, 1841) – AL, HR, MK, SI, MO  
[*concinus* + *fenzianus* + *formosus* LETOURNEUX, 1885]
- *Cochlostoma (Cochlostoma) scalarinum hirci* (HIRC, 1881) – HR
- *Cochlostoma (Cochlostoma) scalarinum schmidtii* (DE BETTA, 1870) – HR  
[*vallae* WESTERLUND, 1885]
- *Cochlostoma (Cochlostoma) septemspiralis septemspiralis* (RAZOUKOWSKY, 1789) – SI
- *Cochlostoma (Cochlostoma) septemspirale bosniense* ZILCH, 1958 – BA, MO, YU  
[*bosnica* O. BOETTGER, 1885]
- *Cochlostoma (Cochlostoma) septemspiralis heydenianum* (CLESSIN, 1879) – HR, SI
- *Cochlostoma (Cochlostoma) septemspirale riedeli* VARGA, 1980 – MO

### Subgenus *Turritus* WESTERLUND, 1883

- *Cochlostoma (Turritus) anomphale* BOECKEL, 1939 – SI
- *Cochlostoma (Turritus) dalmatinum* (L. PFEIFFER, 1863) – HR, MO  
[*turritus* WALDERDORFF, 1864]
- *Cochlostoma (Turritus) erika* (A.J. WAGNER, 1906) – MO
- *Cochlostoma (Turritus) gracile gracile* (L. PFEIFFER, 1849) – HR, MO, AL  
[*rugosus* CLESSIN, 1887]
- *Cochlostoma (Turritus) gracile croaticum* (L. PFEIFFER, 1870) – HR, SI, BA  
[*stussineri* A.J. WAGNER, 1897]
- *Cochlostoma (Turritus) gracile gracillima* (A.J. WAGNER, 1901) – BA
- *Cochlostoma (Turritus) gracile martensianum* (MOELLENDORFF, 1873) – MO, BA, HR, AL
- *Cochlostoma (Turritus) gracile reitteri* (O. BOETTGER, 1880) – HR
- *Cochlostoma (Turritus) kleciaki kleciaki* (BRAUN, 1887) – HR
- *Cochlostoma (Turritus) kleciaki arnautorum* (A.J. WAGNER, 1906) – AL, MO
- *Cochlostoma (Turritus) nanum nanum* (WESTERLUND, 1879) – HR, SI
- *Cochlostoma (Turritus) nanum dubia* (A.J. WAGNER, 1897) – HR
- *Cochlostoma (Turritus) stossichi* (HIRC, 1881) – HR
- *Cochlostoma (Turritus) sturanii sturanii* (A.J. WAGNER, 1897) – HR
- *Cochlostoma (Turritus) sturanii mnelense* (A.J. WAGNER, 1914) – AL
- *Cochlostoma (Turritus) sturanii scalariniformis* (A.J. WAGNER, 1906) – AL, MO, BA
- *Cochlostoma (Turritus) sturanii zawinkanum* (A.J. WAGNER, 1906) – SI
- *Cochlostoma (Turritus) tergestinum tergestinum* (WESTERLUND, 1878) – SI, HR
- *Cochlostoma (Turritus) tergestinum grahovanum* (A.J. WAGNER, 1897) – HR
- *Cochlostoma (Turritus) tergestinum tortivum* (WESTERLUND, 1885) – HR, SI
- *Cochlostoma (Turritus) waldemari* (A.J. WAGNER, 1897) – HR, SI

### Subgenus *Auritus* WESTERLUND, 1883

- *Cochlostoma (Auritus) auritum auritum* (ROSSMÄSSLER, 1837) – MO, HR  
[*callistoma* LETOURNEUX, 1885; *chelys* WESTERLUND, 1883; *panleius* LETOURNEUX, 1885;  
*regularis* LETOURNEUX, 1885; *tchernagoricus* LETOURNEUX, 1885]
- *Cochlostoma (Auritus) auritum drimmeri* VARGA, 1998 – MO

- *Cochlostoma (Auritus) auritum gjonii* FEHER, 2004 – AL
- *Cochlostoma (Auritus) auritum lamellatum* (WESTERLUND, 1885) – MO, AL  
[*alatus* A.J. WAGNER, 1906]
- *Cochlostoma (Auritus) auritum meridionalis* (O. BOETTGER, 1886) – MO
- *Cochlostoma (Auritus) auritum montenegrinum* (A.J. WAGNER, 1897) – MO
- *Cochlostoma (Auritus) fuchsi* FEHER, 2004 – AL
- *Cochlostoma (Auritus) georgi* (A.J. WAGNER, 1906) – AL
- *Cochlostoma (Auritus) hoyeri hoyeri* (POLINSKI, 1923) – AL
- *Cochlostoma (Auritus) hoyeri csikii* FEHER, 2004 – AL
- *Cochlostoma (Auritus) hoyeri lillae* FEHER, 2004 – AL
- *Cochlostoma (Auritus) pinteri pinteri* FEHER, 2004 – AL
- *Cochlostoma (Auritus) pinteri erossi* FEHER, 2004 – AL
- *Cochlostoma (Auritus) pinteri hanswagneri* FEHER, 2004 – AL

#### **Subgenus *Holcopoma* KOBELT & MOELLENDORFF, 1899**

- *Cochlostoma (Holcopoma) roseoli roseoli* (A.J. WAGNER, 1901) – MO, BA, AL
- *Cochlostoma (Holcopoma) roseoli kiriense* (A.J. WAGNER, 1906) – AL
- *Cochlostoma (Holcopoma) roseoli prekalense* (POLIŃSKI, 1924) – AL
- *Cochlostoma (Holcopoma) roseoli rioliense* (A.J. WAGNER, 1914) – AL
- *Cochlostoma (Holcopoma) roseoli scutariense* (A.J. WAGNER, 1906) – AL, MO
- *Cochlostoma (Holcopoma) tessellatum tessellatum* (ROSSMÄSSLER, 1837) – AL
- *Cochlostoma (Holcopoma) tessellatum excisum* (MOUSSON, 1859) – AL
- *Cochlostoma (Holcopoma) tessellatum tepelenum* FEHÉR, ERŐSS & VARGA, 2001 – AL

#### Familia Aciculidae J.E. GRAY, 1850

#### **Genus *Acicula* W. HARTMANN, 1821**

- *Acicula disjuncta* BOETERS, E. GITTENBERGER & SUBAI, 1989 – HR
- *Acicula lineolata banki* BOETERS, E. GITTENBERGER & SUBAI, 1989 – HR, SI
- *Acicula miaphene* SUBAI, 2009 – MO
- *Acicula szigethyannae* SUBAI, 1977 – MO

#### **Genus *Platyla* MOQUIN-TANDON, 1856**

- *Platyla banatica* (ROSSMÄSSLER, 1842) – AL, BA, MO, YU, MK
- *Platyla corpulenta* Subai, 2009 – MO, AL
- *Platyla curtii* (A.J. WAGNER, 1912) – HR, SI
- *Platyla elisabethae* (L. PINTER & SZIGETHY, 1973) – HR
- *Platyla feheri* SUBAI, 2009 – MO
- *Platyla gracilis* (CLESSIN, 1877) – BA, SI, HR
- *Platyla maasseni* BOETERS, E. GITTENBERGER & SUBAI, 1989 – HR
- *Platyla minutissima* BOETERS, GITTENBERGER & SUBAI, 1989 – MO
- *Platyla perpusilla* (REINHARDT, 1880) – YU
- *Platyla pinteri* (SUBAI, 1976) – AL
- *Platyla polita polita* (W. HARTMANN, 1840) – BA, SI, HR
- *Platyla procax* BOETERS, E. GITTENBERGER & SUBAI, 1989 – MO
- *Platyla similis* (REINHARDT, 1880) – YU, HR
- *Platyla stussineri* (O. BOETTGER, 1884) – SI
- *Platyla wilhelmi* (A.J. WAGNER, 1910) – AL, MO, HR

#### **Genus *Renea* G. NEVILL, 1880**

- *Renea kobelti kobelti* (A.J. WAGNER, 1910) – MO
- *Renea kobelti albanica* BOETERS, E. GITTENBERGER & SUBAI, 1989 – AL, MO
- *Renea spectabilis* (ROSSMÄSSLER, 1839) – BA, HR, SI
- *Renea veneta* (PIRONA, 1865) – SI

Superfamilia Viviparoidea J.E. GRAY, 1847  
Familia Viviparidae J.E. GRAY, 1847  
 Subfamilia Viviparinae J.E. GRAY, 1847

### Genus *Viviparus* MONTFORT, 1810

- *Viviparus acerosus acerosus* (BOURGUIGNAT, 1862) – HR, BA, YU  
 [*penchinati* BOURGUIGNAT, 1870]
- *Viviparus ater gallensteini* KOBELT, 1892 – HR, SI  
 [*erjavecii* KOBELT, 1909]
- *Viviparus contectus* (MILLET, 1813) – AL, MK, YU, MO  
 [*brachya* BOURGUIGNAT, 1880; *dalmatica* KOBELT, 1908; *carniolica* BOURGUIGNAT, 1880; *croatica* KOBELT, 1908]
- *Viviparus mamillatus* (KÜSTER, 1852) – AL, MO, HR  
 [*carlovacensis* KOBELT, 1909; *letourneuxi* BOURGUIGNAT, 1880; *taciti* BOURGUIGNAT, 1880]
- *Viviparus viviparus* (LINNAEUS, 1758) – AL, MK, SI, HR, BA, MO, YU

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997  
 Ordo \*\*\*\* (unnamed)  
 Superfamilia Cerithioidea FLEMING, 1822  
Familia Melanopsidae H. & A. ADAMS, 1854

### Genus *Esperiana* BOURGUIGNAT, 1877

#### Subgenus *Esperiana* BOURGUIGNAT, 1877

- *Esperiana (Esperiana) esperi* (A. FÉRUSAC, 1823) – SI, HR, MO, YU

#### Subgenus *Microcolpia* BOURGUIGNAT, 1884

- *Esperiana (Microcolpia) daudebartii acicularis* (A. FERUSSAC, 1823) – SI, HR, BA, YU, MO

### Genus *Holandriana* BOURGUIGNAT, 1884

- *Holandriana holandrii* (C. PFEIFFER, 1828) – AL, MK, SI, HR, YU, BA, MO

Ordo Littorinimorpha PCHELINTSEV, 1963  
 Superfamilia Littorinoidea CHILDREN, 1834  
Familia Pomatiidae NEWTON, 1891 (1828)

### Genus *Pomatias* S. STUDER, 1789

- *Pomatias elegans* (O.F. MÜLLER, 1774) – AL, SI, HR, MO, BA, YU, MK
- *Pomatias rivularis* (EICHWALD, 1829) – YU, MO, HR

Superfamilia Rissosoidea J.E. GRAY, 1847  
Familia Bithyniidae J.E. GRAY, 1857

### Genus *Bithynia* LEACH, 1818

- *Bithynia cettinensis* CLESSIN, 1887 – HR
- *Bithynia graeca* (WESTERLUND, 1879) – YU/AL?

- *Bithynia hambergerae* A. REISCHÜTZ, N. REISCHÜTZ & P. REISCHÜTZ, 2008 – MO
- *Bithynia leachii* (SHEPPARD, 1823) – SI, YU, MK
- *Bithynia majewskyi* FRAUENFELD, 1862 – HR
- *Bithynia montenegrina* (WOHLBEREDT, 1901) – MO, AL
- *Bithynia mostarensis* (MOELLENDORFF, 1873) – BA
- *Bithynia prespensis* HADZISCE, 1963 – AL
- *Bithynia radomani* GLÖER & PEŠIĆ, 2007 – MO, AL
- *Bithynia schwabii* (FRAUENFELD, 1865) – YU/AL?
- *Bithynia skadarskii* GLÖER & PEŠIĆ, 2007 – MO
- *Bithynia tentaculata* (LINNAEUS, 1758) – AL, HR, SI, YU
- *Bithynia walderdorffii* (FRAUENFELD, 1865) – YU/AL?
- *Bithynia zeta* GLÖER & PEŠIĆ, 2007 – MO

#### Genus *Pseudobithynia* GLÖER & PEŠIĆ, 2006

- *Pseudobithynia kirka* GLÖER, ALBRECHT & WILKE, 2007 – HR

Familia Cochliopidae TRYON, 1866  
Subfamilia Semisalsinae GIUSTI & PEZZOLI, 1980

#### Genus *Heleobia* STIMPSON, 1865

##### Subgenus *Semisalsa* RADOMAN, 1974

- *Heleobia (Semisalsa) dalmatica* (RADOMAN, 1974) – HR
- *Heleobia (Semisalsa) rausiana* (RADOMAN, 1974) – HR

Familia Hydrobiidae STIMPSON, 1865  
Subfamilia Hydrobiinae STIMPSON, 1865  
[*Pseudamnicolinae* RADOMAN, 1977]

#### Genus *Adriohydrobia* RADOMAN, 1974

- *Adriohydrobia gaganinella* (KÜSTER, 1852) – MO, HR, AL?  
[*kutschigii* KÜSTER, 1853; *consociella* FRAUENFELD, 1863]

#### Genus *Hydrobia* W. HARTMANN, 1821

[*Obrovia* RADOMAN, 1974 ("1973")]

- *Hydrobia acuta* (DRAPARNAUD, 1805) – HR  
[*salaria* RADOMAN, 1973; *testadura* RADOMAN, 1973]
- *Hydrobia? cattaroensis* (WESTERLUND, 1886) – MO
- *Hydrobia? declinata* (FRAUENFELD, 1863) – MO
- *Hydrobia? montenegrina* (SCHÜTT, 1959) – BA

#### Genus *Ecrobia* STIMPSON, 1865

[*Ventrosia* RADOMAN, 1977]

- *Ecrobia vitrea* (RISSO, 1826) – AL, HR  
[*cissana* RADOMAN, 1973; *?spalatiانا* RADOMAN, 1973]

#### Genus *Pseudamnicola* PAULUCCI, 1878

##### Subgenus *Pseudamnicola* PAULUCCI, 1878

[*Adrioinsulana* RADOMAN, 1978]

- *Pseudamnicola (Pseudamnicola) confinis* (BRANCSIK, 1897) – BA

- *Pseudamnicola (Pseudamnicola) conovula* (FRAUENFELD, 1863) – HR  
[*adolphi* WESTERLUND, 1886; *globosa* CLESSIN, 1878; *praecox* WESTERLUND, 1886; *stossichi* CLESSIN, 1878]
- *Pseudamnicola (Pseudamnicola) troglobia* BOLE, 1961 – BA, HR  
[*knorri* SCHÜTT, 1961]
- *Pseudamnicola (Pseudamnicola) virescens* (KÜSTER, 1853) – MK

Subfamilia Belgrandiinae DE STEFANI, 1877  
[Orientaliinae RADOMAN, 1973; Orientalinidae RADOMAN, 1978; Sadlerianinae RADOMAN, 1973;  
Horatiidae D.W. TAYLOR, 1966]  
Tribus Belgrandiini DE STEFANI, 1877

### Genus *Horatia* BOURGUIGNAT, 1887

- *Horatia klecakiana* BOURGUIGNAT, 1887 – AL?, HR  
[*albanica*, *fontinalis*, *letourneuxi*, *obliqua*, *obtusa*, *palustris*, *praeclara*, *verlikana* BOURGUIGNAT, 1887]
- *Horatia macedonica* (KUŠČER, 1937) – MK
- *Horatia novoselensis* RADOMAN, 1966 – MK

### Genus *Sadleriana* CLESSIN, 1890

- *Sadleriana cavernosa* RADOMAN, 1978 – HR
- *Sadleriana fluminensis* (KÜSTER, 1853) – SI, BA, HR  
[*erectus* CLESSIN, 1890; *licanus* A.J. WAGNER, 1912; *prasina* KÜSTER, 1852; *?pygmaeus* FRAUENFELD, 1863; *turbinatus* FRAUENFELD, 1865]
- *Sadleriana sadleriana sadleriana* (FRAUENFELD, 1863) – SI, HR  
[*samoborensis* A.J. WAGNER, 1912]
- *Sadleriana sadleriana robici* (CLESSIN, 1890) – SI
- *Sadleriana schmidtii* (MENKE, 1849) – SI, HR, BA
- *Sadleriana supercarinata* (SCHÜTT, 1969) – HR

### Genus *Radomaniola* SZAROWSKA, 2006 [Orientalina RADOMAN, 1978; Orientalia RADOMAN, 1972]

- *Radomaniola albanica* (RADOMAN, 1973) – AL
- *Radomaniola bosniaca* (RADOMAN, 1973) – BA
- *Radomaniola curta curta* (KÜSTER, 1853) – MO, HR, AL  
[*miliaria* FRAUENFELD, 1863; *montenegrina* FRAUENFELD, 1865; *ulcinica* RADOMAN, 1973; *?virescens* KÜSTER, 1852]
- *Radomaniola curta anagastica* (RADOMAN, 1973) – MO
- *Radomaniola curta germari* (FRAUENFELD, 1863) – HR
- *Radomaniola curta kicavica* (RADOMAN, 1973) – MK  
[*janinensis* RADOMAN, 1973]
- *Radomaniola curta mostarensis* (RADOMAN, 1973) – BA  
[*fatnicensis* RADOMAN, 1973; *listicae* RADOMAN, 1973]
- *Radomaniola curta narentana* (RADOMAN, 1973) – BA
- *Radomaniola curta pivensis* (RADOMAN, 1973) – BA, MO  
[*limica* RADOMAN, 1973]
- *Radomaniola elongata* (RADOMAN, 1973) – MO
- *Radomaniola lacustris* (RADOMAN, 1983) – MO
- *Radomaniola montana* (RADOMAN, 1973) – MO  
[*antibarica* RADOMAN, 1973]

### Genus *Vinodolia* RADOMAN, 1973

#### Subgenus *Vinodolia* RADOMAN, 1973

- *Vinodolia (Vinodolia) fiumana* RADOMAN, 1973 – HR

#### **Subgenus *Anagastina* RADOMAN, 1978**

[*Anagasta* RADOMAN, 1973]

- *Vinodolia (Anagastina) gluhodolica* (RADOMAN, 1973) – MO
- *Vinodolia (Anagastina) hadouphylax* (SCHÜTT, 1959) – BA
- *Vinodolia (Anagastina) matjasici* (BOLE, 1961) – MO
- *Vinodolia (Anagastina) scutarica* (RADOMAN, 1973) – AL, MO
- *Vinodolia (Anagastina) vidrovani* (RADOMAN, 1973) – MO  
[*urbana* RADOMAN, 1973]
- *Vinodolia (Anagastina) zetaevallis* (RADOMAN, 1973) – MO

#### **Subgenus *Dalminella* RADOMAN, 1973**

- *Vinodolia (Dalminella) fluviatilis* RADOMAN, 1973 – HR

#### **Subgenus *Prespiana* RADOMAN, 1973**

- *Vinodolia (Prespiana) lacustris* RADOMAN, 1973 – MK

#### **Genus *Narentiana* RADOMAN, 1973**

##### **Subgenus *Narentiana* RADOMAN, 1973**

- *Narentiana (Narentiana) albida* RADOMAN, 1973 – HR

##### **Subgenus *Zavalia* RADOMAN, 1973**

- *Narentiana (Zavalia) vjetrenicae* RADOMAN, 1973 – BA

#### **Genus *Grossuana* RADOMAN, 1983 ("1973")**

- *Grossuana euxina euxina* (A.J. WAGNER, 1928) – YU, AL  
[*codreanui* GROSSU, 1946]
- *Grossuana euxina macedonica* RADOMAN, 1973 – MK
- *Grossuana euxina remesiana* RADOMAN, 1973 – YU
- *Grossuana euxina serbica* RADOMAN, 1973 – YU
- *Grossuana euxina skupica* RADOMAN, 1973 – MK

#### **Genus *Antibaria* RADOMAN, 1983 ("1973")**

- *Antibaria notata* (FRAUENFELD, 1865) – MO

#### **Genus *Belgrandia* BOURGUIGNAT, 1870**

- *Belgrandia ionica* (SCHÜTT, 1980) – HR
- *Belgrandia torifera* SCHÜTT, 1961 – HR

#### **Genus *Litthabitella* BOETERS, 1970**

- *Litthabitella chilodia* (WESTERLUND, 1886) – HR, MO  
[*cochlearis* WESTERLUND, 1886; *duplicata* WESTERLUND, 1886; *haustans* WESTERLUND, 1886;  
*saturata* A.J. WAGNER, 1914; *suturata* FRAUENFELD, 1857]



**Genus *Terranigra* RADOMAN, 1978**

- *Terranigra kosovica* RADOMAN, 1978 – YU

**Genus *Bracenicia* RADOMAN, 1973**

- *Bracenicia spiridoni* RADOMAN, 1973 – MO

**Genus *Malaprespia* RADOMAN, 1973**

[*Albaniana* RADOMAN, 1973]

- *Malaprespia albanica* RADOMAN, 1973 - AL  
[*albanica* RADOMAN, 1973]

**Genus *Prespolitorea* RADOMAN, 1983 ("1973")**

- *Prespolitorea malaprespensis* RADOMAN, 1973 - AL
- *Prespolitorea valvataeformis* RADOMAN, 1973 – MK

**Genus *Ohridohoratia* HADŽIŠČE, 1959**

**Subgenus *Ohridohoratia* HADŽIŠČE, 1959**

- *Ohridohoratia (Ohridohoratia) carinata* (RADOMAN, 1957) – MK  
[*komareki* HADŽIŠČE, 1959]
- *Ohridohoratia (Ohridohoratia) pygmaea* (WESTERLUND, 1902) – AL, MK

**Subgenus *Polinskiola* RADOMAN, 1973**

[*Sturanyia* RADOMAN, 1963]

- *Ohridohoratia (Polinskiola) polinskii* (RADOMAN, 1960) – AL, MK
- *Ohridohoratia (Polinskiola) sturanyi* (WESTERLUND, 1902) – AL, MK

**Genus *Ohridoauffenia* HADŽIŠČE, 1959**

[*Rotondia* RADOMAN, 1962; *Naumia* RADOMAN, 1973]

- *Ohridoauffenia depressa* (RADOMAN, 1957) – MK  
[*gjorgjevici* HADŽIŠČE, 1959]
- *Ohridoauffenia drimica* (RADOMAN, 1964) – MK
- *Ohridoauffenia minuta* (RADOMAN, 1955) – MK
- *Ohridoauffenia rotonda* (RADOMAN, 1964) – MK
- *Ohridoauffenia sanctinaumi* (RADOMAN, 1964) – MK
- *Ohridoauffenia sublitoralis* (RADOMAN, 1963) – MK

**Genus *Ohrigocea* HADŽIŠČE, 1959**

[*Ohridosturanya* RADOMAN, "1973"]

**Subgenus *Ohrigocea* HADŽIŠČE, 1959**

- *Ohrigocea (Ohrigocea) karevi* HADŽIŠČE, 1959 – MK
- *Ohrigocea (Ohrigocea) miladinovororum* HADŽIŠČE, 1959 – MK
- *Ohrigocea (Ohrigocea) samuili* HADŽIŠČE, 1959 – MK
- *Ohrigocea (Ohrigocea) stankovici* (HADŽIŠČE, 1959) – AL, MK  
[*lyhnidica* RADOMAN, 1963]

**Subgenus *Karevia* RADOMAN, 1962**

[*Dolapia* RADOMAN, 1983 ("1973")]

- *Ohrigocea (Karevia) ornata* (RADOMAN, 1957) – MK  
[*prlitchevi* HADŽIŠČE, 1959; *sandanskii* HADŽIŠČE, 1959]

#### Genus *Gocea* HADŽIŠČE, 1956

- *Gocea ohridana* HADŽIŠČE, 1956 – MK

#### Genus *Dalmatella* VELKOVRH, 1970

- *Dalmatella sketi* VELKOVRH, 1970 – HR

Tribus Belgrandiellini RADOMAN, 1983

#### Genus *Belgrandiella* A.J. WAGNER, 1928

[*Frauenfeldia* CLESSIN, 1878; *Microna* CLESSIN, 1890; *Microsalpinx* KUŠČER, 1932]

- *Belgrandiella bumasta* SCHÜTT, 1960 – YU
- *Belgrandiella croatica* (HIRC, 1881) – HR, SI  
[*hyale* WESTERLUND, 1886]
- *Belgrandiella crucis* (KUŠČER, 1928) – SI  
[*conica* RADOMAN, 1975]
- *Belgrandiella dabriana* RADOMAN, 1975 – BA
- *Belgrandiella fontinalis* (F.J. SCHMIDT, 1847) – SI
- *Belgrandiella globulosa* BOLE, 1979 – SI
- *Belgrandiella hershleri* SLAPNIK, 1997 – SI
- *Belgrandiella koprivnensis* RADOMAN, 1975 – BA
- *Belgrandiella krupensis* RADOMAN, 1973 – HR
- *Belgrandiella kuesteri* (BOETERS, 1970) – SI  
[*minutissima* KÜSTER, 1853]
- *Belgrandiella kusceri* (A.J. WAGNER, 1914) – SI
- *Belgrandiella novoselensis* RADOMAN, 1975 – SI
- *Belgrandiella pageti* SCHÜTT, 1970 – HR, SI
- *Belgrandiella robusta* RADOMAN, 1975 – SI
- *Belgrandiella schleschi* (KUŠČER, 1932) – SI
- *Belgrandiella substricta* (KUŠČER, 1932) – SI
- *Belgrandiella superior* KUŠČER, 1932 – SI
- *Belgrandiella zermanica* RADOMAN, 1973 – HR

#### Genus *Graziana* RADOMAN, 1975

- *Graziana lacheineri lacheineri* (KÜSTER, 1853) – SI
- *Graziana lacheineri adriolitoralis* RADOMAN, 1975 – HR, SI
- *Graziana lacheineri glinensis* RADOMAN, 1975 – BA
- *Graziana papukensis* RADOMAN, 1975 – HR
- *Graziana pupula* (WESTERLUND, 1886) – SI
- *Graziana slavonica* RADOMAN, 1975 – HR
- *Graziana vrbasensis* RADOMAN, 1975 – BA

#### Genus *Boleana* RADOMAN, 1975 ("1973")

- *Boleana umbilicata* (KUŠČER, 1932) – SI

#### Genus *Sarajana* RADOMAN, 1975

- *Sarajana apfelbecki apfelbecki* (BRANCSIK, 1888) – BA
- *Sarajana apfelbecki driniana* RADOMAN, 1975 – BA, YU
- *Sarajana apfelbecki erythropoma* (SCHÜTT, 1959) – BA
- *Sarajana apfelbecki travnicensis* RADOMAN, 1975 – BA

#### **Genus *Istriana* VELKOVHR, 1971**

- *Istriana mirnae* VELKOVHR, 1971 – SI, HR

#### **Genus *Plagigeyeria* TOMLIN, 1930**

[*Geyeria* A.J. WAGNER, 1914]

- *Plagigeyeria edlaueri* SCHÜTT, 1961 – BA, HR
- *Plagigeyeria gladilini gladilini* KUŠČER, 1937 – MO, YU
- *Plagigeyeria klemmi* SCHÜTT, 1961 – BO, HR
- *Plagigeyeria minuta* BOLE & VELKOVHR, 1987 – YU
- *Plagigeyeria montenigrina* BOLE, 1961 – MO
- *Plagigeyeria mostarensis mostarensis* KUŠČER, 1933 – BO
- *Plagigeyeria mostarensis ovalis* KUŠČER, 1933 – BA
- *Plagigeyeria nitida nitida* SCHÜTT, 1963 – BA, HR
- *Plagigeyeria nitida angelovi* SCHÜTT, 1972 – HR
- *Plagigeyeria piroti* BOLE & VELKOVHR, 1987 – YU
- *Plagigeyeria plagiostoma* (A.J. WAGNER, 1914) – BA  
[*inflata* A.J. WAGNER, 1928]
- *Plagigeyeria robusta robusta* SCHÜTT, 1959 – BA, HR
- *Plagigeyeria robusta asculpta* SCHÜTT, 1972 – HR
- *Plagigeyeria tribuniciae* SCHÜTT, 1963 – BA
- *Plagigeyeria zetaprotogona zetaprotogona* SCHÜTT, 1960 – MO
- *Plagigeyeria zetaprotogona pageti* SCHÜTT, 1961 – MO  
[*minor* SCHÜTT, 1961]
- *Plagigeyeria zetaprotogona vitoja* A. REISCHÜTZ & P. REISCHÜTZ, 2008 – MO
- *Plagigeyeria zetaprotogona zetadidyma* SCHÜTT, 1960 – MO
- *Plagegeyeria zetaprotogona zetatrityma* SCHÜTT, 1960 – MO, BA

#### **Genus *Lanzaia* BRUSINA, 1906**

- *Lanzaia bosnica* BOLE, 1970 – BA
- *Lanzaia edlaueri* SCHÜTT, 1961 – BA, HR
- *Lanzaia elephantotus* (MEGERLE VON MÜHLFELD, 1824) – HR
- *Lanzaia kotlusae* BOLE, 1992 – HR
- *Lanzaia rudnicae* BOLE, 1992 – HR
- *Lanzaia skradinensis* BOLE, 1992 – HR
- *Lanzaia vjetrenicae vjetrenicae* KUŠČER, 1933 – HR, MO, BA
- *Lanzaia vjetrenicae kusceri* KARAMAN, 1954 – HR
- *Lanzaia vjetrenicae latecostata* SCHÜTT, 1968 – HR

#### **Genus *Lanzaiopsis* BOLE, 1989**

- *Lanzaiopsis savinica* BOLE, 1989 – SI

#### **Genus *Saxurinator* SCHÜTT, 1960**

- *Saxurinator brandti* SCHÜTT, 1968 – HR, BA
- *Saxurinator hadziji* (BOLE, 1961) – MO

- *Saxurinator labiatus* (SCHÜTT, 1963) – HR
- *Saxurinator microbeliscus* SCHÜTT, 1968 – HR
- *Saxurinator montenegrinus* (SCHÜTT, 1959) – BA, MO
- *Saxurinator orthodoxus* SCHÜTT, 1960 – MO
- *Saxurinator schlickumi* SCHÜTT, 1960 – YU
- *Saxurinator sketi* (BOLE, 1960) – HR

#### **Genus *Cilgia* SCHÜTT, 1968**

- *Cilgia dalmatica* (SCHÜTT, 1961) – HR, BA

#### **Genus *Costellina* KUŠČER, 1933**

- *Costellina turrita* KUŠČER, 1933 – HR

#### **Genus *Paladilhopsis* PAVLOVIĆ, 1913**

- *Paladilhopsis bosniaca* (CLESSIN, 1910) – BA
- *Paladilhopsis brandisi* (CLESSIN, 1911) – BA
- *Paladilhopsis grobbeni grobbeni* KUŠČER, 1928 – HR, SI
- *Paladilhopsis grobbeni anzeianum* (SLAPNIK, 1995) – SI
- *Paladilhopsis pretneri* BOLE & VELKOVRH, 1987 – HR
- *Paladilhopsis robiciana robiciana* (CLESSIN, 1882) – SI
- *Paladilhopsis robiciana illustris* (SCHÜTT, 1970) – HR
- *Paladilhopsis robiciana kostanjevicæ* (SCHÜTT, 1970) – HR, SI
- *Paladilhopsis robiciana trebnikanum* (SLAPNIK, 1995) – SI
- *Paladilhopsis serbica* (PAVLOVIĆ, 1913) – YU, AL?
- *Paladilhopsis solida* KUSCER, 1933 – BA
- *Paladilhopsis taræ* BOLE & VELKOVRH, 1987 – MO

#### **Genus *Iglica* A.J. WAGNER, 1928**

##### **Subgenus *Iglica* A.J. WAGNER, 1928**

- *Iglica (Iglica) absoloni* (A.J. WAGNER, 1914) – BA, HR  
[*parvula* KUŠČER, 1933]
- *Iglica (Iglica) elongata* KUŠČER, 1933 – HR
- *Iglica (Iglica) forumjuliana* (POLLONERA, 1887) – SI  
[*aedlaueri* A.J. WAGNER, 1928]
- *Iglica (?Iglica) gittenbergeri* A. REISCHÜTZ & P. REISCHÜTZ, 2008 – AL
- *Iglica (Iglica) gracilis* (CLESSIN, 1882) – SI
- *Iglica (Iglica) hauffeni* (BRUSINA, 1886) – SI  
[*pellucida* HAUFFEN, 1856]
- *Iglica (Iglica) langhofferi* A.J. WAGNER, 1928 – HR, SI
- *Iglica (Iglica) luxurians* (KUSČER, 1932) – SI  
[*percoi* H. WAGNER, 1933]
- *?Iglica (?Iglica) relictæ* (KUŠČER, 1937) – MK
- *Iglica (Iglica) tellinii* (POLLONERA, 1887) – SI
- *Iglica (?Iglica) velkovrhi* DE MATTIA, 2007 – Distribution: SI

##### **Subgenus *Mervicia* BOLE, 1967**

- *Iglica (Mervicia) eximia* BOLE, 1967 – SI

##### **Subgenus *Raphica* SCHÜTT, 1975**

- *Iglica (Raphica) bagliviaeformis* SCHÜTT, 1970 – HR
- *Iglica (Raphica) bosnica* SCHÜTT, 1975 – BA
- *Iglica (Raphica) illyrica* SCHÜTT, 1975 – YU
- *Iglica (Raphica) karamani* (KUŠČER, 1935) – MK

#### Genus *Kerkia* RADOMAN, 1978

- *Kerkia brezicensis* BODON & CIANFANELLI, 1996 – SI
- *Kerkia kusceri* (BOLE, 1961) – SI

Tribus Pseudohoratiini RADOMAN, 1973

#### Genus *Hauffenia* POLLONERA, 1898

[*Erythropomatiana* RADOMAN, 1978; *Vrania* RADOMAN, 1978]

- *Hauffenia edlaueri* (SCHÜTT, 1961) – BA, HR
- *Hauffenia erythropomatia* (HAUFFEN, 1856) – SI
- *Hauffenia jadertina jadertina* KUŠČER, 1933 – BA, HR
- *Hauffenia jadertina sinjana* KUŠČER, 1933 – HR
- *Hauffenia media* BOLE, 1961 – SI, HR
- *Hauffenia plana* BOLE, 1961 – HR, MO
- *Hauffenia subcarinata* BOLE & VELKOVHRH, 1987 – SI
- *Hauffenia subpiscinalis* (KUŠČER, 1932) – SI  
[*verdica* RADOMAN, 1978]
- *Hauffenia tellinii* (POLLONERA, 1898) – SI  
[*michleri* KUŠČER, 1932; *valvataeformis* POLLONERA, 1898]
- *Hauffenia tovunica* RADOMAN, 1978 – HR
- *Hauffenia wagneri* (KUŠČER, 1928) – SI

#### Genus *Hadziella* KUŠČER, 1932

- *Hadziella anti* SCHÜTT, 1960 – SI, HR
- *Hadziella deminuta* BOLE, 1961 – SI
- *Hadziella ephippiostoma* KUŠČER, 1932 – SI
- *Hadziella krkae* BOLE, 1992 – SI
- *Hadziella rudnicae* BOLE, 1992 – HR
- *Hadziella sketi* BOLE, 1961 – HR
- *Hadziella thermalis* BOLE, 1992 – SI

#### Genus *Lyhnia* HADŽIŠČE, 1959

- *Lyhnia gjorgjevici* HADŽIŠČE, 1959 – MK
- *Lyhnia hadzii* HADŽIŠČE, 1959 – MK
- *Lyhnia karamani* HADŽIŠČE, 1959 – MK
- *Lyhnia stankovici* HADŽIŠČE, 1959 – MK
- *Lyhnia sublitoralis* RADOMAN, 1967 – MK

#### Genus *Pseudohoratia* RADOMAN, 1967

- *Pseudohoratia brusinae* (RADOMAN, 1953) – MK
- *Pseudohoratia lacustris* (RADOMAN, 1964) – MK
- *Pseudohoratia ochridana* (POLIŃSKI, 1929) – MK  
[*polinskii* RADOMAN, 1953]

#### Genus *Strugia* RADOMAN, 1973

- *Strugia ohridana* RADOMAN, 1973 – MK

**Genus *Zaumia* RADOMAN, 1983 ("1973")**

- *Zaumia kusceri* (HADŽIŠČE, 1959) – AL, MK
- *Zaumia sanctizaumi* (RADOMAN, 1964) – MK

Tribus Graecoanatolicini RADOMAN, 1973

**Genus *Graecoanatolica* RADOMAN, 1973**

- *Graecoanatolica macedonica* RADOMAN & STANKOVIČ, 1979 – MK

Subfamilia Islamiinae RADOMAN, 1973

**Genus *Islamia* RADOMAN, 1974 ("1973")**

[*Adriolitorea* RADOMAN, 1974]

- *Islamia bosniaca* RADOMAN, 1973 – BA
- *Islamia latina* RADOMAN, 1973 – HR
- *Islamia valvataeformis* (MOELLENDORFF, 1873) – BA  
[*servaini* BOURGUIGNAT, 1887]
- *Islamia zermanica* RADOMAN, 1973 – HR

Familia Lithoglyphidae TRYON, 1866

Subfamilia Lithoglyphinae TRYON, 1866

[Lithoglyphulinae RADOMAN, 1973]

**Genus *Lithoglyphus* C. PFEIFFER, 1828**

- *Lithoglyphus apertus* (KÜSTER, 1852) – YU  
[*segurii* BOURGUIGNAT, 1854]
- *Lithoglyphus fuscus* (C. PFEIFFER, 1828) – SI, HR, BA  
[*croaticus* A.J. WAGNER, 1912; *pyramidatus* MOELLENDORFF, 1873; *servainianus* BOURGUIGNAT, 1870]
- *Lithoglyphus naticoides* (C. PFEIFFER, 1828) – SI, YU  
[*neritoidea* FITZINGER, 1833; *penchinati* BOURGUIGNAT, 1870]
- *Lithoglyphus prasinus* (KÜSTER, 1852) – SI, HR  
[*küsterianus* CLESSIN, 1890; *neofontinalis* RADOMAN, 1978; *ovalis* WESTERLUND, 1886]

**Genus *Tanousia* SERVAIN, 1881 [*Lithoglyphulus* SCHLICKUM & SCHÜTT, 1971]**

- *Tanousia zrmanjae* (BRUSINA, 1866) – HR  
[*tedanicus* SCHLICKUM & SCHÜTT, 1971]

**Genus *Dabriana* RADOMAN, 1974**

- *Dabriana bosniaca* RADOMAN, 1974 – BA

Familia Amnicolidae TRYON, 1863

Subfamilia Amnicolinae TRYON, 1863

[Bythinellinae LOCARD, 1893; Parabythinellinae RADOMAN, 1976]

**Genus *Marstoniopsis* VAN REGTEREN ALTENA, 1936**

- *Marstoniopsis croatica* SCHÜTT, 1974 – HR, SI
- *Marstoniopsis vrbasi* BOLE & VELKOVRH, 1987 – BA

#### Genus *Bythinella* MOQUIN-TANDON, 1856

- *Bythinella angelitae* HAASE, WILKE & MILDNER, 2007 – SI  
[*opaca* FRAUENFELD, 1857]
- *Bythinella dispersa* RADOMAN, 1976 – YU, MO
- *Bythinella drimica drimica* RADOMAN, 1976 – MK, AL
- *Bythinella drimica alba* RADOMAN, 1976 – YU
- *Bythinella kapelana* RADOMAN, 1976 – HR
- *Bythinella luteola* RADOMAN, 1976 – MO
- *Bythinella magna* RADOMAN, 1976 – HR
- *Bythinella nothites* (WESTERLUND, 1886) – SI
- *Bythinella opaca* (M. VON GALLENSTEIN, 1848) – SI, HR  
[*angusta* CLESSIN, 1911; *bosniensis* CLESSIN, 1891; *columna* CLESSIN, 1877; *cyclolabris* FRAUENFELD, 1863; *hoffmanni* WESTERLUND, 1886; *heydeni* CLESSIN, 1879; *spelaea* HAUFFEN, 1856; *stussineri* O. BOETTGER, 1884; *tumidula* CLESSIN, 1910; *welebitana* CLESSIN, 1878]
- *Bythinella robiciana* (CLESSIN, 1890) – SI  
[*globulus* CLESSIN, 1890]
- *Bythinella samecana* CLESSIN, 1911 – BA
- *Bythinella schmidtii* (KÜSTER, 1852) – SI
- *Bythinella serborientalis* RADOMAN, 1978 – YU
- *Bythinella taraensis* GLÖER & PEŠIĆ, 2010 – MO

#### Genus *Parabythinella* RADOMAN, 1973

- *Parabythinella macedonica* (HADŽIŠČE, 1963) – MK  
[*lacustris* HADŽIŠČE, 1963]
- *Parabythinella malaprespensis* RADOMAN, 1973 – AL

Subfamilia Emmericiinae BRUSINA, 1870

#### Genus *Emmericia* BRUSINA, 1870

- *Emmericia expansilabris* BOURGUIGNAT, 1880 – HR, MO  
[*ecarinata* BRUSINA, 1904; *montenegrina* BOURGUIGNAT, 1880; *?piniana* BOURGUIGNAT, 1880; *stagnensis* BRUSINA, 1904]
- *Emmericia narentana* BOURGUIGNAT, 1880 – BA
- *Emmericia patula* (BRUMATI, 1838) – AL?, SI, HR  
[*belloti* BRUSINA, 1870; *croatica* BRUSINA, 1904]
- *Emmericia ventricosa* (BRUSINA, 1870) – HR, BA  
[*emmotensis* BRUSINA, 1886; *klecaki* BOURGUIGNAT, 1880]

Familia Pyrgulidae E. VON MARTENS, 1858

Subfamilia Pyrgulinae E. VON MARTENS, 1858

[Chilopyrgulinae RADOMAN, 1973; Ohridopyrgulinae RADOMAN, 1973]

#### Genus *Pyrgohydrobia* RADOMAN, 1955

##### Subgenus *Pyrgohydrobia* RADOMAN, 1955

- *Pyrgohydrobia (Pyrgohydrobia) grochmalickii* (POLINSKI, 1929) – AL, MK  
[*ochridae* GAMBETTA, 1931]
- *Pyrgohydrobia (Pyrgohydrobia) jablanicensis* RADOMAN, 1955 – MK
- *Pyrgohydrobia (Pyrgohydrobia) sanctinaumi* RADOMAN, 1955 – MK

**Subgenus *Prespopyrigula* RADOMAN, 1983 ("1973")**

- *Pyrgohydrobia (Prespopyrigula) prespaensis* (URBANSKI, 1939) – MK  
[*prespensis* HADŽIŠĆE, 1955]

**Genus *Pyrgula* DE CRISTOFORI & JAN, 1832**

- *Pyrgula annulata dalmatica* SCHÜTT, 1968 – AL, HR

**Genus *Chilopyrgula* BRUSINA, 1896**

- *Chilopyrgula sturanyi* (BRUSINA, 1896) – AL, MK  
[*fontinalis* RADOMAN, 1978]

**Genus *Stankovicia* POLIŃSKI, 1929**

**Subgenus *Stankovicia* POLIŃSKI, 1929**

- *Stankovicia (Stankovicia) baicaliiformis* POLIŃSKI, 1929 – MK

**Subgenus *Macedopyrgula* RADOMAN, 1983 ("1973")**

[*Trachypyrigula* RADOMAN, 1955]

- *Stankovicia (Macedopyrgula) pavlovici* (POLIŃSKI, 1929) – MK
- *Stankovicia (Macedopyrgula) wagneri* (POLIŃSKI, 1929) – MK

**Genus *Neofossarulus* POLIŃSKI, 1929**

- *Neofossarulus stankovici* POLIŃSKI, 1929 – MK

**Genus *Trachyochridia* POLIŃSKI, 1929**

- *Trachyochridia filocincta* (POLIŃSKI, 1929) – MK

**Genus *Ginaia* BRUSINA, 1896**

- *Ginaia munda munda* (STURANY, 1894) – MK
- *Ginaia munda sublitoralis* RADOMAN, 1978 – MK

**Genus *Ochridopyrgula* RADOMAN, 1955**

- *Ochridopyrgula macedonica macedonica* (BRUSINA, 1896) – AL, MK
- *Ochridopyrgula macedonica charensis* RADOMAN, 1978 – MK

**Genus *Xestopyrgula* POLIŃSKI, 1929**

- *Xestopyrgula dybowski* (POLIŃSKI, 1929) – MK

Subfamilia Micropyrigulinae RADOMAN, 1973

**Genus *Micropyrigula* POLIŃSKI, 1929**

- *Micropyrigula stankovici* (POLIŃSKI, 1929) – MK

Familia Truncatellidae J.E. GRAY, 1840  
Subfamilia Truncatellinae J.E. GRAY, 1840



**Genus *Truncatella* RISSO, 1826**

- *Truncatella subcylindrica* (LINNAEUS, 1767) – HR, MO

Familia Assimineidae H. & A. ADAMS, 1856  
Subfamilia Assimineinae H. & A. ADAMS, 1856

**Genus *Paludinella* L. PFEIFFER, 1841**

**Subgenus *Paludinella* L. PFEIFFER, 1841**

- *Paludinella (Paludinella) littorina* (DELLE CHIAJE, 1828) – HR

Subclassis Heterobranchia BURMEISTER, 1837  
Ordo Allogastropoda HASZPRUNAR, 1985  
Superfamilia Valvatoidea J.E. GRAY, 1840  
Familia Valvatidae J.E. GRAY, 1840

**Genus *Valvata* O.F. MÜLLER, 1773**

**Subgenus *Valvata* O.F. MÜLLER, 1773**

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – AL, SI, MK, HR, MO, BA, YU

**Subgenus *Tropidina* H. & A. ADAMS, 1854**

- *Valvata (Tropidina) macrostoma* Mörch, 1864 – YU

**Subgenus *Cincinna* HÜBNER, 1810**

- *Valvata (Cincinna) montenegrina* GLÖER & PESIC, 2008 – MO
- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – AL, MK, YU, HR, SI, BA, MO
- *Valvata (Cincinna) stenotrema* POLIŃSKI, 1929 – AL, MK

**Subgenus *Costovalvata* POLIŃSKI, 1929**

- *Valvata (Costovalvata) hirsutecostata* POLIŃSKI, 1929 – MK
- *Valvata (Costovalvata) rhabdota* STURANY, 1894 – AL?, MK

**Subgenus *Ohridotropidina* HADŽIŠČE, 1955**

- *Valvata (Ohridotropidina) relictata relictata* (POLIŃSKI, 1929) – AL, MK  
[*polinskii* HADŽIŠČE, 1953; *tetracarinata* HADŽIŠČE, 1959]
- *Valvata (Ohridotropidina) relictata interlithonis* HADŽIŠČE, 1959 – MK

**Genus *Borysthenia* LINDHOLM, 1913**

*Borysthenia naticina* (MENKE, 1845) – Distribution: YU

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814  
Ordo Hygrophila A. FÉRUSAC, 1822  
Superfamilia Acroloxoidea THIELE, 1931  
Familia Acroloxidae THIELE, 1931

**Genus *Acroloxus* H. BECK, 1838**

- *Acroloxus improvisus* POLIŃSKI, 1929 – MK
- *Acroloxus lacustris* (LINNAEUS, 1758) – AL, MK, BA, SI, HR, MO  
[*velkovrhi* BOLE, 1965]
- *Acroloxus macedonicus* HADŽIŠČE, 1959 – MK
- *Acroloxus tetensi* KUŠČER, 1932 – SI

Superfamilia Lymnaeoidea RAFINESQUE, 1815  
Familia Lymnaeidae RAFINESQUE, 1815  
 Subfamilia Lymnaeinae RAFINESQUE, 1815

**Genus *Galba* SCHRANK, 1803**

**Subgenus *Galba* SCHRANK, 1803**

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – AL, MK, SI, HR, MO, YU, BA

**Genus *Catascopia* MEIER-BROOK & BARGUES, 2003**

- *Catascopia terebra* (WESTERLUND, 1885) – BA

**Genus *Stagnicola* JEFFREYS, 1830**

- *Stagnicola corvus* (GMELIN, 1791) – AL, MK, MO
- *Stagnicola fuscus* (C. PFEIFFER, 1821) – HR
- *Stagnicola montenegrinus* GLÖER & PEŠIČ, 2009 – MO
- *Stagnicola palustris* (O.F. MÜLLER, 1774) – AL, MK, SI, HR, YU, MO
- *Stagnicola vulnerata* (KÜSTER, 1862) – YU/AL?

**Genus *Radix* MONTFORT, 1810**

- *Radix ampla* (W. HARTMANN, 1821) – AL, MO
- *Radix auricularia* (LINNAEUS, 1758) – AL, MK, SI, HR, YU, MO, BA
- *Radix balthica* (LINNAEUS, 1758) – AL, MK, YU, MO
- *Radix labiata* (ROSSMÄSSLER, 1835) – AL, MK, HR, YU, MO  
[*croatica* .....]
- *Radix pinteri* SCHÜTT, 1974 – MK
- *Radix relictata* (POLIŃSKI, 1929) – AL, MK
- *Radix skutaris* GLÖER & PESIC, 2008 – MO

**Genus *Lymnaea* LAMARCK, 1799**

- *Lymnaea stagnalis* (LINNAEUS, 1758) – AL, MK, SI, MO, YU, HR
- *Lymnaea stagnalis raphidia* (BOURGUIGNAT, 1860) – AL, MO

Superfamilia Planorboidea RAFINESQUE, 1815  
Familia Physidae FITZINGER, 1833  
 Subfamilia Physinae FITZINGER, 1833  
 Tribus Physini FITZINGER, 1833

**Genus *Physa* DRAPARNAUD, 1801**

- *Physa fontinalis* (LINNAEUS, 1758) – AL, SI, YU, HR, MO, MK  
[*dalmatina* KÜSTER, 1844]

Tribus Haitiini D.W. TAYLOR, 2003

**Genus *Haitia* CLENCH & AGUAYO, 1932**

- *Haitia acuta* (Draparnaud, 1805) – AL, HR, SI, MK, YU, MO

Subfamilia Aplexinae STAROBOGATOV, 1967  
Tribus Aplexini STAROBOGATOV, 1967

**Genus *Aplexa* FLEMING, 1820**

- *Aplexa hypnorum* (LINNAEUS, 1758) – AL, MK, SI, HR, YU

Familia Planorbidae RAFINESQUE, 1815  
Subfamilia Bulininae P. FISCHER & CROSSE, 1880  
Tribus Coretini J.E. GRAY, 1847

**Genus *Planorbarius* DUMÉRIL, 1806**

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – AL, MK, SI, YU, HR, BA, MO
- *Planorbarius corneus arabatzis* A. REISCHÜTZ, P. REISCHÜTZ & W. FISCHER, 2008 – MK
- *Planorbarius corneus grandis* (DUNKER, 1850) – AL

**Genus *Planorbella* HALDEMAN, 1843**

- *Planorbella duryi* (WETHERBY, 1879) – AL, MK

Tribus Miratestini P. & F. SARASIN, 1897

**Genus *Ferrissia* WALKER, 1903**

**Subgenus *Pettancylus* IREDALE, 1943**

- *Ferrissia (Pettancylus) wautieri* (MIROLI, 1960) – AL, SI, YU  
[??*niger* SANDRI]

Subfamilia Planorbinae RAFINESQUE, 1815  
Tribus Planorbini RAFINESQUE, 1815

**Genus *Planorbis* O.F. MÜLLER, 1773**

**Subgenus *Planorbis* O.F. MÜLLER, 1773**

- *Planorbis (Planorbis) carinatus* (O.F. MÜLLER, 1774) – AL, SI, YU, HR, MO
- *Planorbis (Planorbis) macedonicus* (STURANY, 1894) – MK, YU
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – AL, MK, SI, MO, HR, YU, BA
- *Planorbis (Planorbis) vitojensis* GLÖER & PEŠIĆ, 2010 – MO

**Subgenus *Crassiplanorbis* MEIER-BROOK, 1976**

- *Planorbis (Crassiplanorbis) presbensis* (STURANY, 1894) – AL, MK

**Genus *Anisus* S. STUDER, 1820**

**Subgenus *Anisus* S. STUDER, 1820**

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – YU
- *Anisus (Anisus) septemgyratus* (ROSSMÄSSLER, 1835) – YU
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – YU, MO, AL

**Subgenus *Disculifer* C. BOETTGER, 1944**

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – AL, SI, HR, YU
- *Anisus (Disculifer) vorticulus* (TROSCHEL, 1834) – AL, MK, HR, YU

**Genus *Bathyomphalus* CHARPENTIER, 1837**

- *Bathyomphalus contortus* (LINNAEUS, 1758) – AL, MK, SI, HR, BA, MO

**Genus *Gyraulus* CHARPENTIER, 1837**

**Subgenus *Gyraulus* CHARPENTIER, 1837**

- *Gyraulus (Gyraulus) acronicus* (FÉRUSAC, 1807) – YU  
[*deformis* W. HARTMANN, 1844; *gredleri* GREDLER, 1860]
- *Gyraulus (Gyraulus?) albidus* RADOMAN, 1953 – AL, MK
- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – AL, SI, MO, HR, BA, YU
- *Gyraulus (Gyraulus?) meierbrooki* GLÖER & PESIC, 2007 – MO
- *Gyraulus (Gyraulus?) ioanis* GLÖER & PESIC, 2007 – MO
- *Gyraulus (Gyraulus) piscinarum* (BOURGUIGNAT, 1852) – MO
- *Gyraulus (Gyraulus?) shasi* GLÖER & PEŠIĆ, 2007 – MO

**Subgenus *Torquis* DALL, 1905**

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – AL, HR, MO, BA, YU, MK

**Subgenus *Armiger* W. HARTMANN, 1843**

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – AL, SI, MO, MK, HR  
[?*capocestianus* BRUSINA]

**Subgenus *Carinogyraulus* POLINSKI, 1929**

- *Gyraulus (Carinogyraulus) crenophilus* HUBENDICK & RADOMAN, 1959 – AL, MK
- *Gyraulus (Carinogyraulus) fontinalis* HUBENDICK & RADOMAN, 1959 – AL, MK
- *Gyraulus (Carinogyraulus) lychnidicus* HESSE, 1928 – MK  
[?*paradoxus* STURANY, 1894]
- *Gyraulus (Carinogyraulus?) stankovici* HADZISČE, 1955 – MK
- *Gyraulus (Carinogyraulus) trapezoides* POLINSKI, 1929 – AL, MK

*Gyraulus* incertae sedis: “*plavensis* WAGNER”; *tetragyrus* WESTERLUND, 1881

Tribus Segmentinini F.C. BAKER, 1945

**Genus *Hippeutis* CHARPENTIER, 1837**

- *Hippeutis complanatus* (LINNAEUS, 1758) – MK, SI, MO, HR, YU
- *Hippeutis stossichi* (CLESSIN, 1881) – HR

**Genus *Segmentina* FLEMING, 1818**

- *Segmentina nitida* (O.F. MÜLLER, 1774) – SI, HR, YU, MO, MK

Tribus Ancylini RAFINESQUE, 1815

**Genus *Ancylus* O.F. MÜLLER, 1773**

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – AL, MK, SI, MO, HR, YU, BA
- *Ancylus lapicidus* HUBENDICK, 1960 – MK
- *Ancylus scalariformis* STANKOVIC & RADOMAN, 1953 – MK
- *Ancylus tapirulus* POLIŃSKI, 1929 – MK, AL

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990  
 Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)  
Familia Ellobiidae L. PFEIFFER, 1854 (1822)  
 Subfamilia Phytiinae ODHNER, 1925 (1880)

**Genus *Myosotella* MONTEROSATO, 1906**

- *Myosotella myosotis* (DRAPARNAUD, 1801) – AL, HR, MO

**Genus *Ovatella* BIVONA, 1832**

- *Ovatella firminii* (PAYRAUDEAU, 1826) – HR, MO

Subfamilia Carychiinae JEFFREYS, 1830

**Genus *Carychium* O.F. MÜLLER, 1773**

**Subgenus *Carychium* O.F. MÜLLER, 1773**

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – SI, MO, HR, BA, YU, AL

**Subgenus *Saraphia* RISSO, 1826**

- *Carychium (Saraphia) mariae* PAULUCCI, 1878 – SI, HR
- *Carychium (Saraphia) tridentatum* (RISSO, 1826) – SI, HR, MO, YU, AL

**Genus *Zospeum* BOURGUIGNAT, 1856**

- *Zospeum alpestre alpestre* (FREYER, 1855) – SI  
[*nyctofoilum* BOURGUIGNAT, 1856]
- *Zospeum alpestre bolei* SLAPNIK, 1991 – SI
- *Zospeum alpestre likanum* BOLE, 1960 – HR
- *Zospeum amoenum* (FRAUENFELD, 1856) – HR, SI, BA, MO  
[*troglobalcanicum* ABSOLON, 1914]
- *Zospeum exiguum* KUŠČER, 1932 – SI
- *Zospeum frauenfeldi frauenfeldi* (FREYER, 1855) – SI
- *Zospeum frauenfeldi osolei* SLAPNIK, 1994 – SI
- *Zospeum isselianum* POLLONERA, 1887 – SI, HR, BA
- *Zospeum kusceri* A.J. WAGNER, 1912 – SI, HR
- *Zospeum lautum* (FRAUENFELD, 1854) – SI
- *Zospeum obesum* (FRAUENFELD, 1854) – SI
- *Zospeum pretneri* BOLE, 1960 – HR
- *Zospeum spelaeum spelaeum* (ROSSMÄSSLER, 1839) – SI  
[*rossmaessleri* A.J. WAGNER, 1912]
- *Zospeum spelaeum costatum* (FREYER, 1855) – SI  
[*lyratum* POLLONERA, 1905; *tellini* POLLONERA, 1889; *venetum* POLLONERA, 1905]
- *Zospeum spelaeum lamellatum* BOLE, 1974 – SI
- *Zospeum spelaeum schmidtii* (FRAUENFELD, 1854) – SI, HR  
[*aglenum* BOURGUIGNAT, 1856; *auritum* STOSSICH, 1898; *bidentatum* HAUFFEN, 1856; *carinatum* HAUFFEN, 1858; *istriatum* STOSSICH, 1898; *nycteam* BOURGUIGNAT, 1856; *pulchellum* FREYER, 1855; *reticulatum* HAUFFEN, 1856]

- *Zospeum subobesum* BOLE, 1974 – SI, HR, BA

Ordo Systellomatophora PILSBRY, 1948  
 Superfamilia Otinoidea H. & A. ADAMS, 1855  
Familia Otinidae H. & A. ADAMS, 1855

[.....*Otina/Onchidella*.....]

Ordo Stylommatophora A. SCHMIDT, 1855  
 Subordo Elasmognatha MÖRCH, 1863  
 Superfamilia Succineoidea H. BECK, 1837  
Familia Succineidae H. BECK, 1837  
 Subfamilia Succineinae H. BECK, 1837

**Genus *Succinea* DRAPARNAUD, 1801**

- *Succinea putris* DRAPARNAUD, 1801 – SI, HR

**Genus *Succinella* J. MABILLE, 1871**

- *Succinella oblonga* (DRAPARNAUD, 1801) – AL, SI, HR, YU, BA, MO, MK

**Genus *Oxyloma* WESTERLUND, 1885**

**Subgenus *Oxyloma* WESTERLUND, 1885**

- ?*Oxyloma (Oxyloma) dunkeri* (L. PFEIFFER, 1865) – YU
- *Oxyloma (Oxyloma) elegans elegans* (RISSO, 1826) – AL, SI, HR, MK, YU, BA, MO  
 [pfeifferi ROSSMÄSSLER, 1835]

Subordo Orthurethra PILSBRY, 1900  
 Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)  
Familia Cochlicopidae PILSBRY, 1900 (1879)  
 Subfamilia Cochlicopinae PILSBRY, 1900 (1879)

**Genus *Cochlicopa* A. FÉRUSAC, 1821**

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – AL, SI, HR, YU, MK, MO, BA
- *Cochlicopa lubricella* (PORRO, 1838) – AL, SI, MO, HR, YU
- *Cochlicopa nitens* (M. VON GALLENSTEIN, 1848) – SI

Subfamilia Azecinae H. WATSON, 1920

**Genus *Hypnophila* BOURGUIGNAT, 1858**

- *Hypnophila pupaeformis* (CANTRINE, 1835) – AL, MO, HR, BA  
 [canthraini H. BECK, 1837; dentiens ROSSMÄSSLER, 1839]

Superfamilia Pupilloidea TURTON, 1831  
Familia Lauriidae STEENBERG, 1925

**Genus *Lauria* J.E. GRAY, 1840**

**Subgenus *Lauria* J.E. GRAY, 1840**

- *Lauria (Lauria) cylindracea* (DA COSTA, 1778) – AL, SI, HR, MO
- *Lauria (Lauria) reischuetzi* FALKNER, 1985 – HR
- *Lauria (Lauria) sempronii* (CHARPENTIER, 1837) – SI, HR, MK, AL

Familia Orculidae PILSBRY, 1918  
Subfamilia Orculinae PILSBRY, 1918

**Genus *Orcula* HELD, 1838**

- *Orcula conica* (ROSSMÄSSLER, 1837) – SI, HR
- *Orcula dolium dolium* (DRAPARNAUD, 1801) – SI, HR, BA, YU
- *Orcula restituta* (WESTERLUND, 1887) – SI
- *Orcula schmidtii schmidtii* (KÜSTER, 1843) – AL, MO, MK
- *Orcula toliminensis* A.J. WAGNER, 1912 – SI
- *Orcula wagneri wagneri* STURANY, 1914 – AL
- *Orcula wagneri ljubetenensis* STURANY, 1914 – MK

**Genus *Sphyradium* CHARPENTIER, 1837**

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – AL, SI, MO, HR, YU, MK, BA

**Genus *Pagodulina* CLESSIN, 1876**

- *Pagodulina kaeufeli* KLEMM, 1939 – AL, MO
- *Pagodulina sparsa* PILSBRY, 1924 – SI, HR, BA, MK  
[*obliqua* WESTERLUND, 1887]
- *Pagodulina subdola subdola* (GREDLER, 1856) – SI, HR  
[*adaucta* DE BETTA, 1870]
- *Pagodulina subdola gracilior* PILSBRY, 1926 – AL, BA, MO, YU, HR  
[*gracilis* WESTERLUND, 1887]
- *Pagodulina subdola litoralis* BOLE, 1995 – MO
- *Pagodulina tschapecki* (GREDLER, 1876) – SI

Subfamilia Odontocycladinae HAUSDORF, 1996

**Genus *Odontocyclas* SCHLÜTER, 1838**

- *Odontocyclas kokeilii* (ROSSMÄSSLER, 1837) – HR, SI  
[*mitescens* WESTERLUND, 1887]

**Genus *Walklea* E. GITTENBERGER, 1978**

- *Walklea rossmaessleri* (ROSSMÄSSLER, 1838) – SI

Familia Argnidae HUDEC, 1965

**Genus *Argna* COSSMANN, 1889**

- *Argna biplicata excessiva* (GREDLER, 1856) – SI

**Genus *Agardhiella* P. HESSE, 1923**

- *Agardhiella armata* (CLESSIN, 1887) – YU
- *Agardhiella biarmata* (O. BOETTGER, 1880) – HR, BA, MO  
[*minor* PETRBOK, 1939; *spelaea* KOBELT, 1909]
- *Agardhiella dabovici* E. GITTENBERGER, 1975 – MO
- *Agardhiella formosa* (L. PFEIFFER, 1848) – MO
- *Agardhiella incerta* GROSSU, 1986 – YU

- *Agardhiella macrodonta* (P. HESSE, 1916) – YU
- *Agardhiella pirotana* SUBAI, 2011 – YU
- *Agardhiella skipetarica* (A.J. WAGNER, 1914) – MO, AL
- *Agardhiella serbica* SUBAI, 2011 – YU
- *Agardhiella stenostoma* (FLACH, 1890) – MO, HR
- *Agardhiella truncatella* (L. PFEIFFER, 1841) – SI, MO, HR, BA, MK, YU, AL  
[? *depressa* PETRBOK, 1939]
- *Agardhiella extravaganta* SUBAI, 2008 – AL
- *Agardhiella zoltanorum* SUBAI, 2008 – AL

Familia Spelaeodiscidae STEENBERG, 1925

**Genus *Spelaeodiscus* BRUSINA, 1886**

**Subgenus *Spelaeodiscus* BRUSINA, 1886**

- *Spelaeodiscus (Spelaeodiscus) albanicus* (A.J. WAGNER, 1914) – AL, MO
- *Spelaeodiscus (Spelaeodiscus) dejongi* E. GITTENBERGER, 1969 – MO
- *Spelaeodiscus (Spelaeodiscus) hauffeni* (F. SCHMIDT, 1855) – SI
- *Spelaeodiscus (Spelaeodiscus) obodensis* BOLE, 1965 – MO
- *Spelaeodiscus (Spelaeodiscus) unidentatus* BOLE, 1961 – MO

**Subgenus *Aspasita* WESTERLUND, 1889**

- *Spelaeodiscus (Aspasita) triarius triarius* (ROSSMÄSSLER, 1839) – YU  
[*triadis* M. VON KIMAKOWICZ, 1884]

**Genus *Virpazaria* E. GITTENBERGER, 1969**

**Subgenus *Virpazaria* E. GITTENBERGER, 1969**

- *Virpazaria (Virpazaria) adrianae* E. GITTENBERGER, 1969 – MO
- *Virpazaria (Virpazaria) aspectulabeatidis* A. REISCHÜTZ, P. REISCHÜTZ & SUBAI, 2009 – MO
- *Virpazaria (Virpazaria) backhuysi* E. GITTENBERGER, 1969 – MO
- *Virpazaria (Virpazaria) deelemanorum* E. GITTENBERGER, 1975 – MO
- *Virpazaria (Virpazaria) dhorai* A. REISCHÜTZ, N. REISCHÜTZ & P.L. REISCHÜTZ, 2010 – AL
- *Virpazaria (Virpazaria) pageti* E. GITTENBERGER, 1969 – MO
- *Virpazaria (Virpazaria) stojaspali* A. REISCHÜTZ, P. REISCHÜTZ & SUBAI, 2009 – MO

**Subgenus *Aemiliella* E. GITTENBERGER, 1969**

- *Virpazaria (Aemiliella) pastorpueri* A. REISCHÜTZ, N. REISCHÜTZ & P.L. REISCHÜTZ, 2011 – AL
- *Virpazaria (Aemiliella) ripkeni* E. GITTENBERGER, 1969 – MO

**Genus *Klemmia* E. GITTENBERGER, 1975**

- *Klemmia magnicosta* E. GITTENBERGER, 1975 – MO
- *Klemmia sinistrorsa* E. GITTENBERGER, 1975 – MO

Familia Valloniidae MORSE, 1864  
Subfamilia Valloniinae MORSE, 1864

**Genus *Vallonia* Risso, 1826**

- *Vallonia costata* (O.F. MÜLLER, 1774) – AL, SI, HR, BA, YU, MK, MO
- *Vallonia declivis* STERKI, 1893 – BA  
[*atilis* STERKI, 1893]



- *Vallonia enniensis* (GREDLER, 1856) – AL, BA, HR, SI, MK, MO
- *Vallonia excentrica* STERKI, 1893 – AL, SI, HR, BA, YU, MK
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – AL, SI, HR, YU, MO, BA, MK

**Genus *Plagyrona* E. GITTENBERGER, 1977**

- *Plagyrona placida* (SHUTTLEWORTH, 1852) – AL

**Genus *Gittenbergia* GIUSTI, CASTAGNOLO & MANGANELLI, 1985**

- *Gittenbergia sororcula* (BENOIT, 1859) – AL, YU, MO, SI, BA, HR, MK  
[*aranaea* L. PFEIFFER, 1870; *astoma* O. BOETTGER, 1909]

Subfamilia Acanthinulinae STEENBERG, 1917

**Genus *Acanthinula* H. BECK, 1847**

- *Acanthinula aculeata* (O.F. MÜLLER, 1774) – AL, SI, MO, HR, BA, YU, MK

Familia Pupillidae TURTON, 1831

**Genus *Pupilla* FLEMING, 1828**

**Subgenus *Pupilla* FLEMING, 1828**

- *Pupilla (Pupilla) alpicola* (CHARPENTIER, 1837) – AL, SI, MK
- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – SI, MO, HR, YU, MK, BA
- *Pupilla (Pupilla) sterri* (VOITH, 1840) – BA, MO, YU, MK, AL
- *Pupilla (Pupilla) triplicata* (S. STUDER, 1820) – AL, SI, HR, YU

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

**Genus *Pyramidula* FITZINGER, 1833**

- *Pyramidula cephalonica* (WESTERLUND, 1898) – AL, MK, HR, BA, MO
- *Pyramidula pusilla* (VALLOT, 1801) – AL, SI, MO, HR, BA, YU, MK
- *Pyramidula rupestris* (DRAPARNAUD, 1801) – MK, HR, BA  
[*dalmatina* CLESSIN, 1887]

Familia Chondrinidae STEENBERG, 1925

Subfamilia Granariinae KOKSHOORN & E. GITTENBERGER, 2010

**Genus *Granopupa* O. BOETTGER, 1889**

- *Granopupa granum* (DRAPARNAUD, 1801) – AL, HR, MK, MO

**Genus *Granaria* HELD, 1838**

- *Granaria frumentum frumentum* (DRAPARNAUD, 1801) – HR, YU
- *Granaria frumentum atracta* (PILSBRY, 1918) – BA, MO, YU  
[*?eximia* WESTERLUND, 1875; *fusiformis* KÜSTER, 1844; *minor* KÜSTER, 1844; *puella* PILSBRY, 1918]
- *Granaria frumentum hungarica* (M. VON KIMAKOWICZ, 1890) – AL, MO, YU, BA  
[*illyrica* M. VON KIMAKOWICZ, 1883]
- *Granaria frumentum illyrica* (ROSSMÄSSLER, 1835) – BA, HR, SI  
[*brelihi* BOLE, 1969]

- *Granaria frumentum subaii* FEHÉR, DELI & SÓLYMOS, 2010 – AL

Subfamilia Chondrininae STEENBERG, 1925

### Genus *Abida* TURTON, 1831

- ?*Abida secale secale* (DRAPARNAUD, 1801) – BA, YU  
[*appeliusi* WESTERLUND, 1892]

### Genus *Chondrina* REICHENBACH, 1828

- *Chondrina arcadica abundans* (WESTERLUND, 1894) – AL
- *Chondrina arcadica clienta* (WESTERLUND, 1883) – AL, SI, MO, BA, YU, HR, MK
- *Chondrina avenacea avenacea* (BRUGUIERE, 1792) – SI, HR
- *Chondrina avenacea istriana* EHRMANN, 1931 – SI, HR
- *Chondrina avenacea lepta* (WESTERLUND, 1887) – SI, HR  
[?*elongata* STOSSICH, 1899; *melanostoma* WESTERLUND, 1887]
- *Chondrina spelta spelta* (H. BECK, 1837) – YU, MO, BA, HR, AL  
[?*minor* ROSSMÄSSLER, 1837; *muehlfeldti* KÜSTER, 1848; *nana* POTIEZ & MICHAUD, 1838; *obscura* KÜSTER, 1843]
- *Chondrina spelta anodon* H. NORDSIECK, 1970 – BA
- *Chondrina spelta bosnica* H. NORDSIECK, 1970 – BA, YU, MO
- *Chondrina spelta croatica* H. NORDSIECK, 1970 – HR, BA
- *Chondrina spelta fuchsi* H. NORDSIECK, 1970 – AL
- *Chondrina spelta heterodon* H. NORDSIECK, 1970 – BA, HR
- *Chondrina spelta serbica* H. NORDSIECK, 1970 – AL, YU, MO, BA
- *Chondrina spelta sutjeskae* H. NORDSIECK, 1970 – BO
- *Chondrina spelta ventilatoris* (WESTERLUND, 1875) – HR  
[*major* KÜSTER, 1843]

### Genus *Rupestrella* MONTEROSATO, 1894

- *Rupestrella philippii philippii* (CANTRAINED, 1841) – AL, HR, MO  
[*caprearum* ROSSMÄSSLER, 1842; *exigua* MOUSSON, 1859]
- *Rupestrella rhodia* (ROTH, 1839) – AL, HR, MO, MK

Familia Vertiginidae FITZINGER, 1833  
Subfamilia Vertigininae FITZINGER, 1833  
Tribus Truncatellinini STEENBERG, 1925

### Genus *Columella* WESTERLUND, 1878

- *Columella columella* (G. VON MARTENS, 1830) – SI  
[*gredleri* CLESSIN, 1873]
- *Columella edentula* (DRAPARNAUD, 1805) – SI, HR, YU, AL, BA

### Genus *Truncatellina* R.T. LOWE, 1852

- *Truncatellina callicratis* (SCACCHI, 1833) – AL, SI, HR, MK  
[*rivieriana* BENSON, 1854; *strobeli* GREDLER, 1853]
- *Truncatellina claustralis* (GREDLER, 1856) – AL, HR, SI, MO, BA, MK, YU  
[*anodus* GREDLER, 1856; *corcyrensis* O. BOETTGER, 1883; *salurnensis* REINHARDT, 1877]
- *Truncatellina cylindrica* (A. FÉRUSSAC, 1807) – AL, SI, MO, HR, BA, YU, MK  
[*minutissima* W. HARTMANN, 1821; *odontostoma* WESTERLUND, 1875]
- *Truncatellina ?laeviuscula* (KÜSTER, 1850) – HR, YU

- *Truncatellina lussinensis* ŠTAMOL, 1995 – HR
- *Truncatellina monodon* (HELD, 1837) – SI, HR, BA  
[*striata* GREDLER, 1856]
- *Truncatellina rothi* (REINHARDT, 1916) – AL
- *Truncatellina velkovrhi* ŠTAMOL, 1995 – HR

Tribus Vertiginini FITZINGER, 1833

**Genus *Vertigo* O.F. MÜLLER, 1773**

**Subgenus *Vertigo* O.F. MÜLLER, 1773**

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – SI, MO, HR
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – SI, HR, MK, YU, BA, AL
- *Vertigo (Vertigo) geyeri* LINDHOLM, 1925 – SI
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – HR  
[*laevigata* M. GALLENSTEIN, 1848]
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – AL, SI, MO, HR, YU, BA
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – HR, SI, MO, BA, MK, YU, AL
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – YU

**Subgenus *Vertilla* MOQUIN-TANDON, 1856**

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – SI, HR, MO, BA

Familia Spelaeoconchidae A.J. WAGNER, 1928

**Genus *Spelaeoconcha* STURANY, 1901**

- *Spelaeoconcha paganettii paganettii* STURANY, 1901 – HR
- *Spelaeoconcha paganettii alphonsi* MAASSEN 1989 – BA
- *Spelaeoconcha paganettii polymorpha* A.J. WAGNER, 1914 – HR

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)

Familia Enidae B.B. WOODWARD, 1903 (1880)

Subfamilia Eninae B.B. WOODWARD, 1903 (1880)

Tribus Enini B.B. WOODWARD, 1903 (1880)

**Genus *Pseudochondrula* P. HESSE, 1933**

- *Pseudochondrula seductilis seductilis* (ROSSMÄSSLER, 1837) – AL, SI, HR, MO, BA, YU  
[*cylindrica* ROSSMÄSSLER, 1837; *denticulatus* L. PFEIFFER, 1854; *lunatica* ROSSMÄSSLER, 1837;  
*priamus* KOBELT, 1893]

**Genus *Jaminia* Risso, 1826**

- *Jaminia quadridens quadridens* (O.F. MÜLLER, 1774) – AL, MK, HR, MO  
[*nicollii* STURANY, 1907]

**Genus *Ena* TURTON, 1831**

- *Ena concolor* (WESTERLUND, 1887) – AL, YU, MO, BA, MK  
[*jugoslaviensis* A.J. WAGNER, 1922]
- *Ena montana* (DRAPARNAUD, 1801) – AL, SI, HR, MO
- *Ena subtilis subtilis* (ROSSMÄSSLER, 1837) – AL, MK, BA, MO, HR  
[*reitteri* E. VON MARTENS, 1880]

- *Ena subtilis corcyrensis* (MOUSSON, 1859) – AL

Tribus Multidentulini SCHILEYKO, 1978

**Genus *Multidentula* LINDHOLM, 1925**

- *Multidentula squalina* (L. PFEIFFER, 1848) – AL

**Genus *Merdigera* HELD, 1838**

- *Merdigera obscura* (O.F. MÜLLER, 1774) – AL, SI, MO, HR, BA, YU, MK

Tribus Chondrulini WENZ, 1923

**Genus *Zebrina* HELD, 1838**

- *Zebrina detrita* (O.F. MÜLLER, 1774) – AL, SI, HR, MO, YU, MK, BA  
[sallake FEHÉR & ERÖSS, 2009]

**Genus *Napaeopsis* STURANY & A.J. WAGNER, 1914**

- *Napaeopsis merditana merditana* (STURANY, 1907) – AL
- *Napaeopsis merditana latifiana* (STURANY, 1907) – AL
- *Napaeopsis merditana winneguthi* (STURANY, 1907) – AL
- *Napaeopsis merditana zebiana* (STURANY, 1907) – AL

**Genus *Chondrus* CUVIER, 1817**

- *Chondrus zebra tantalus* (L. PFEIFFER, 1868) – YU

**Genus *Chondrula* H. BECK, 1837**

- *Chondrula consentanea* (WESTERLUND, 1887) – AL?, HR
- *Chondrula lugorensis* A.J. WAGNER, 1914 – AL
- *Chondrula macedonica macedonica* A.J. WAGNER, 1914 – AL, MK
- *Chondrula macedonica cazanikensis* A.J. WAGNER, 1914 – YU
- *Chondrula macedonica procheuma* A.J. WAGNER, 1914 – MK
- *Chondrula microtragus* (ROSSMÄSSLER, 1839) – AL, MK, MO
- *Chondrula mletaki* LAJTNER, 1993 – HR
- *Chondrula quinquedentata quinquedentata* (ROSSMÄSSLER, 1837) – SI, HR, BA
- *Chondrula quinquedentata pelagosana* (STURANY, 1901) – HR  
[brusnicensis STURANY, 1901]
- *Chondrula tridens tridens* (O.F. MÜLLER, 1774) – AL, SI, HR, YU, MO, BA, MK  
[?dalmatica WESTERLUND, 1881]
- *Chondrula tridens eximia* (ROSSMÄSSLER, 1835) – HR

**Genus *Mastus* H. BECK, 1837**

- *Mastus grandis grandis* (MOUSSON, 1859) – AL
- *Mastus venerabilis* \*\*\*\*\* – YU

Subordo \*\*\*\* (unnamed)  
Superfamilia Achatinoidea SWAINSON, 1840  
Familia Ferussaciidae BOURGUIGNAT, 1883

**Genus *Cecilioides* A. FERUSSAC, 1814**

**Subgenus *Cecilioides* A. FERUSSAC, 1814**

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – AL, SI, HR, YU, MK, BA, MO
- *Cecilioides (Cecilioides) dalmatina* (A.J. WAGNER, 1912) – HR
- *Cecilioides (Cecilioides) jeskalovicensis* A.J. WAGNER, 1914 – HR
- *Cecilioides (Cecilioides) spelaea* A.J. WAGNER, 1914 – HR, BA, MO
- *Cecilioides (Cecilioides) tumulorum* (BOURGUIGNAT, 1856) – AL
- *Cecilioides (Cecilioides) veneta* (STROBEL, 1855) – SI, HR, BA, MO, YU, MK

**Genus *Hohenwartiana* BOURGUIGNAT, 1864**

- *Hohenwartiana hohenwarti* (ROSSMÄSSLER, 1839) – SI, HR

Familia Subulinidae P. FISCHER & CROSSE, 1877

Subfamilia Rumininae WENZ, 1923

**Genus *Rumina* Risso, 1826**

- *Rumina decollata* (LINNAEUS, 1758) – AL, HR, MO

Subordo Sigmurethra PILSBRY, 1900

Superfamilia Clausilioidea J.E. GRAY, 1855

Familia Clausiliidae J.E. GRAY, 1855

Subfamilia Serrulininae EHRMANN, 1927

**Genus *Sciocochlea* C. BOETTGER, 1935**

- *Sciocochlea collasi* (STURANY, 1904) – AL
- *Sciocochlea llogaraensis* A. REISCHÜTZ & P. REISCHÜTZ, 2009 – AL

Subfamilia Alopiinae A.J. WAGNER, 1913

Tribus Alopiini A.J. WAGNER, 1913

**Genus *Herilla* H. & A. ADAMS, 1855**

- *Herilla bosniensis bosniensis* (L. PFEIFFER, 1868) – YU, SI, HR, BA  
[*expansilabris* BRANCSIK, 1888; *kornisii* CLESSIN, 1890; *magnilabris* L. PFEIFFER, 1868; *bosniensis* f. *minor* O. BOETTGER, 1879; *multiplicata* BRANCSIK, 1888; ?*orienos* A.J. WAGNER, 1915; *plivae* BRANCSIK, 1888; ?*reducta* A.J. WAGNER, 1919; *subinterrupta* O. BOETTGER, 1912]
- *Herilla bosniensis brancsiki* H. NORDSIECK, 1971 – BA
- *Herilla bosniensis brandisi* (BRANCSIK, 1888) – BA  
[*travnicana* BRANCSIK, 1888; *unipalatalis* BRANCSIK, 1888)
- *Herilla bosniensis dux* H. NORDSIECK, 1974 – MO
- *Herilla bosniensis exornata* (A.J. WAGNER, 1915) – MO
- *Herilla bosniensis gastron* (A.J. WAGNER, 1915) – MO
- *Herilla bosniensis hanna* H. NORDSIECK, 1971 – MO
- *Herilla bosniensis ibarensis* (A.J. WAGNER, 1919) – MO
- *Herilla bosniensis kusceri* H. NORDSIECK, 1971 – YU, MO
- *Herilla bosniensis rex* H. NORDSIECK, 1971 – MO
- *Herilla bosniensis semistriata* (FRANKENBERGER, 1916) – YU
- *Herilla bosniensis transiens* H. NORDSIECK, 1993 – BA  
[*unipalatalis* BRANCSIK, 1888)
- *Herilla durmitoris durmitoris* (O. BOETTGER, 1909) – MO
- *Herilla durmitoris pseudalopia* (A.J. WAGNER, 1914) – MO, BA

- *Herilla illyrica illyrica* (MOELLENDORFF, 1899) – MO
- *Herilla illyrica diabasis* (A.J. WAGNER, 1919) – AL
- *Herilla illyrica medorella* H. NORDSIECK, 1971 – MO
- *Herilla illyrica medoroides* (A.J. WAGNER, 1915) – BA  
[*plasensis* A.J. WAGNER, 1915]
- *Herilla illyrica oribates* (STURANY, 1909) – MO  
[*miosis* A.J. WAGNER, 1919]
- *Herilla illyrica savnikensis* H. NORDSIECK, 1971 – MO  
[*obscura* MOELLENDORFF, 1899; *violascens* MOELLENDORFF, 1899]
- *Herilla jabucica jabucica* (O. BOETTGER, 1907) – MO
- *Herilla jabucica excedens* O. BOETTGER, 1909 – YU, MO
- *Herilla jabucica interrupta* H. NORDSIECK, 1971 – MO, AL
- *Herilla pavlovici hiltrudae* H. NORDSIECK, 1971 – BA
- *Herilla pavlovici pavlovici* (A.J. WAGNER, 1914) – BA
- *Herilla pavlovici trescavicensis* (A.J. WAGNER, 1914) – BA
- *Herilla zieglerei zieglerei* (KÜSTER, 1845) – BA  
[*elongata* WESTERLUND, 1884; *ventrosa* WESTERLUND, 1884]
- *Herilla zieglerei accedens* (MOELLENDORFF, 1873) – YU  
[*albina* O. BOETTGER, 1879]
- *Herilla zieglerei amaliae* URBAŃSKI, 1973 – YU
- *Herilla zieglerei costulifera* (MOELLENDORFF, 1873) – YU
- *Herilla zieglerei dacica* (L. PFEIFFER, 1848) – YU  
[*elongata* WESTERLUND, 1884; *magna* WESTERLUND, 1878; *parva* WESTERLUND, 1878; *ventricosa* WESTERLUND, 1878]
- *Herilla zieglerei discreta* (A.J. WAGNER, 1915) – YU
- *Herilla zieglerei edlaueri* H. NORDSIECK, 1974 – MO
- *Herilla zieglerei jaeckeli* H. NORDSIECK, 1971 – YU  
[*excedens minor* S.H.F. JAECKEL, 1954]
- *Herilla zieglerei klemmi* H. NORDSIECK, 1971 – MO, AL
- *Herilla zieglerei limana* O. BOETTGER, 1909 – YU, MO
- *Herilla zieglerei ljubicnicensis* (A.J. WAGNER, 1915) – BA
- *Herilla zieglerei neglecta* (BRANCSIK, 1888) – YU, BA
- *Herilla zieglerei perfecta* (A.J. WAGNER, 1915) – BA
- *Herilla zieglerei rascana* (A.J. WAGNER, 1919) – YU  
[*latecostata* URBAŃSKI, 1973]
- *Herilla zieglerei tarensis* PAVLOVIĆ, 1912 – YU, MO  
[*distinguenda* MOELLENDORFF, 1873]
- *Herilla zieglerei zabuljensis* (A.J. WAGNER, 1912) – BA

*Herilla incertae sedis*: *albanica* S.H.F. JAECKEL, 1956; *consobrina* A. SCHMIDT, 1868; *klecaki* WESTERLUND, 1881; *mionecton* O. BOETTGER, 1879; *oreinos* A.J. WAGNER, 1915

### Genus *Triloba* VEST, 1867

- *Triloba sandrii* (KÜSTER, 1844) – AL, MK  
[*elongatior* WESTERLUND, 1878; *honorifica* CHARPENTIER, 1852; *magnifica* L. PFEIFFER, 1859]
- *Triloba thaumasia thaumasia* (STURANY, 1907) – AL
- *Triloba thaumasia dardanorum* (A.J. WAGNER, 1919) – AL
- *Triloba thaumasia faueri* H. NORDSIECK, 1972 – MK
- *Triloba thaumasia korabensis* (A.J. WAGNER, 1919) – AL
- *Triloba thaumasia talevi* DEDOV & NEUBERT, 2002 – MK

Tribus Medorini H. NORDSIECK, 1997

### Genus *Medora* H. & A. ADAMS, 1855

- *Medora adensameri* H. NORDSIECK, 2009 – HR
- *Medora agnata agnata* (L. PFEIFFER, 1842) – HR  
[*albescens* ROSSMÄSSLER, 1836; *delimaeformis* H. NORDSIECK, 1970]
- *Medora agnata cognata* (O. BOETTGER, 1877) – HR
- *Medora agnata porcellanea* (WESTERLUND, 1898) – HR
- *Medora almissana almissana* (KÜSTER, 1847) – HR  
[*dextrorsa* KÜSTER, 1850; *major* WESTERLUND, 1878; *minor* KÜSTER, 1850; *stenostoma* KÜSTER, 1850]
- *Medora almissana mariae* H. NORDSIECK, 1970 – HR
- *Medora almissana schmidti* H. NORDSIECK, 1970 – HR
- *Medora armata* (KÜSTER, 1844) – HR  
[*cancellata* A. SCHMIDT, 1868; *clathra* L. PFEIFFER, 1868; *clathrata* WESTERLUND, 1878; *lanzai* L. PFEIFFER, 1857; *scalarina* MOELLENDORFF, 1873]
- *Medora contracta contracta* (ROSSMÄSSLER, 1842) – MO, HR, BA  
[*atelesta* A.J. WAGNER, 1912; *costicollis* L. PFEIFFER, 1848; *grossa* A. SCHMIDT, 1868; *honorifica* L. PFEIFFER, 1853; *kutschigii* KÜSTER, 1847; *minor* KÜSTER, 1850]
- *Medora contracta seriola* (WESTERLUND, 1884) – MO  
[*minima* WALDERDORFF, 1864]
- *Medora dalmatina dalmatina* (ROSSMÄSSLER, 1835) – HR  
[*attenuata* WESTERLUND, 1878; *corrugata* L. PFEIFFER, 1842; *costulata* KÜSTER, 1847; *elongata* KÜSTER, 1847; *major* WESTERLUND, 1878; *marmorata* ROSSMÄSSLER, 1834; *minor* WESTERLUND, 1878; ?*ventricova* KÜSTER, 1847]
- *Medora dalmatina aquila* (L. PFEIFFER, 1846) – HR  
[*curzolana* KÜSTER, 1847; *lagostana* KÜSTER, 1847]
- *Medora dalmatina drasnicensis* H. NORDSIECK, 1970 – HR
- *Medora dalmatina epidaurica* (L. PFEIFFER, 1848) – HR  
[*domicella* WESTERLUND, 1884; *ingrossata* A. SCHMIDT, 1868; *leucantha* WESTERLUND, 1881]
- *Medora dalmatina gravida* (KÜSTER, 1860) – HR
- *Medora dalmatina josephinae* H. NORDSIECK, 1970 – HR
- *Medora dalmatina latecostata* H. NORDSIECK, 1970 – BA
- *Medora dalmatina leucopleura* (BRUSINA, 1866) – HR
- *Medora dalmatina matulici* (STURANY, 1901) – BA
- *Medora dalmatina montenegrina* H. NORDSIECK, 1970 – MO
- *Medora dalmatina orthopleura* (WESTERLUND, 1878) – HR
- *Medora dalmatina schuetti* H. NORDSIECK, 1970 – BA
- *Medora dalmatina vultur* (BRANCSIK, 1906) – BA  
[*dorsoplicata* A.J. WAGNER, 1912; *reducta* BRANCSIK, 1906]
- *Medora eris* (L. PFEIFFER, 1866) – HR  
[*coerulescens* WESTERLUND, 1878; *major* WESTERLUND, 1878]
- *Medora hiltrudae* H. NORDSIECK, 1970 – HR
- *Medora lesinensis lesinensis* (KÜSTER, 1847) – MO  
[? *adspirationis* L. PFEIFFER, 1868]
- *Medora lesinensis dimorpha* (WESTERLUND, 1881) – MO
- *Medora macascarensis macascarensis* (G.B. SOWERBY I, 1828) – HR  
[*gracilior* WESTERLUND, 1878; *macarana* ROSSMÄSSLER, 1833; *macarscana* POTIEZ & MICHAUD, 1838; ? *minor* KÜSTER, 1850; *tumida* WESTERLUND, 1901]
- *Medora macascarensis albescens* (MENKE, 1830) – SI, HR  
[*istriana* F.J. SCHMIDT, 1849; *ospoensis* WESTERLUND, 1884]
- *Medora macascarensis barbieri* (ZELEBOR, 1868) – BA, HR  
[*urlaiensis* ZELEBOR, 1868]
- *Medora macarscaensis brancsiki* FEHÉR, 2000 – HR
- *Medora macascarensis brusinae* (BRUSINA, 1866) – HR
- *Medora macascarensis carniolica* (KÜSTER, 1854) – SI

- [graciliformis WESTERLUND, 1884]
- *Medora macascarensis clissana* (BRANCSIK, 1897) – HR  
[juvenilis BRANCSIK, 1906]
- *Medora macascarensis graciliformis* (L. PFEIFFER, 1866) – HR
- *Medora macascarensis livnoensis* H. NORDSIECK, 1970 – BA
- *Medora macascarensis pliculosa* (WESTERLUND, 1884) – HR
- *Medora macascarensis siriae* H. NORDSIECK, 2009 – HR
- *Medora macascarensis troglavensis* (A.J. WAGNER, 1912) – BA, HR
- *Medora macascarensis unae* H. NORDSIECK, 1974 – BA
- *Medora proxima proxima* (WALDERDORFF, 1864) – MO  
[cotorensis A.J. WAGNER, 1918; elongata WALDERDORFF, 1864; opulenta WESTERLUND, 1884]
- *Medora proxima remota* (POLIŃSKI, 1924) – AL
- *Medora stenostoma stenostoma* (ROSSMÄSSLER, 1839) – HR  
[caesia CHARPENTIER, 1852; equestris KÜSTER, 1860; proles WESTERLUND, 1884; steira WESTERLUND, 1884]
- *Medora stenostoma klemmi* H. NORDSIECK, 1970 – HR

*Medora incertae sedis*: *bajamontiana* LETOURNEUX, 1885; *bonficoiana* LETOURNEUX, 1885; *prenjensis* A.J. WAGNER, 1918

### Genus *Agathylla* H. & A. ADAMS, 1855

#### Subgenus *Agathylla* H. & A. ADAMS, 1855

- *Agathylla (Agathylla) abrupta* (KÜSTER, 1845) – MO, HR  
[rejectilis L. PFEIFFER, 1848]
- *Agathylla (Agathylla) biloba biloba* (A.J. WAGNER, 1914) – AL, MO
- *Agathylla (Agathylla) biloba dabovici* R.A. BRANDT, 1961 – AL
- *Agathylla (Agathylla) biloba martae* ERÖSS & SZEKERES, 1999 – AL
- *Agathylla (Agathylla) exarata exarata* (ROSSMÄSSLER, 1835) – BA, HR  
[angistoma ROSSMÄSSLER, 1835; callosa L. PFEIFFER, 1842; denegabilis L. PFEIFFER, 1848; major WESTERLUND, 1878; minor WESTERLUND, 1884; mostarensis BRANCSIK, 1890]
- *Agathylla (Agathylla) exarata neumensis* H. NORDSIECK, 1970 – HR
- *Agathylla (Agathylla) goldi goldi* (WALDERDORFF, 1864) – MO  
[angustata WALDERDORFF, 1864; angustella L. PFEIFFER, 1866]
- *Agathylla (Agathylla) goldi herminiana* (STURANY, 1909) – MO
- *Agathylla (Agathylla) goldi sulcosula* (WALDERDORFF, 1864) – MO
- *Agathylla (Agathylla) neutra neutra* (WESTERLUND, 1898) – AL  
[scraparana H. NORDSIECK, 1996]
- *Agathylla (Agathylla) neutra merditana* (A.J. WAGNER, 1914) – AL
- *Agathylla (Agathylla) regularis regularis* (L. PFEIFFER, 1861) – MO
- *Agathylla (Agathylla) regularis castellastuana* (A.J. WAGNER, 1918) – MO
- *Agathylla (Agathylla) sulcosa sulcosa* (J.A. WAGNER, 1829) – HR  
[atractoides O. BOETTGER, 1877; ?cataphracta L. PFEIFFER, 1848; ?elongata WALDERDORFF, 1864]
- *Agathylla (Agathylla) sulcosa acicula* (CANTRAINED, 1835) – BA, HR
- *Agathylla (Agathylla) sulcosa camenensis* (A.J. WAGNER, 1912) – BA, MO
- *Agathylla (Agathylla) sulcosa diminuta* (L. PFEIFFER, 1846) – BA
- *Agathylla (Agathylla) sulcosa irregularis* (ROSSMÄSSLER, 1835) – BA, HR  
[ragusensis POTIEZ & MICHAUD, 1838; scolopax WESTERLUND, 1884]
- *Agathylla (Agathylla) viperina* (WESTERLUND, 1901) – HR

#### Subgenus *Agathyllina* H. NORDSIECK, 1969

- *Agathylla (Agathyllina) formosa* (ROSSMÄSSLER, 1835) – HR, MO  
[brevis CANTRAINED, 1835; minor WESTERLUND, 1878]



- *Agathylla (Agathyllina) lamellosa* (J.A. WAGNER, 1829) – HR, MO  
[? *elegans* CANTRAINE, 1835; *labiosa* J.A. WAGNER, 1829; *sulcosa* ROSSMÄSSLER, 1835]
- *Agathylla (Agathyllina) narentana* (A. SCHMIDT, 1868) – HR  
[*andriasevichiana* STOSSICH, 1895]
- *Agathylla (Agathyllina) strigillata strigillata* (ROSSMÄSSLER, 1835) – HR, MO  
[*comta* L. PFEIFFER, 1842; *striolaris* L. PFEIFFER, 1848; *sulcosula* ROSSMÄSSLER, 1835; *sulculosa* ROSSMÄSSLER, 1835]
- *Agathylla (Agathyllina) strigillata latestriata* H. NORDSIECK, 1972 – HR

*Agathylla* incertae sedis: *clara* WESTERLUND, 1901; *conformis* STROBEL, 1854; *gemina* WESTERLUND, 1901; *laevigata* WALDERDORFF, 1864; *lepida* WESTERLUND, 1878; *longicollis* WESTERLUND, 1875; *oleosa* WESTERLUND, 1875; *walderdorffi* L. PFEIFFER, 1861

### Genus *Carinigera* MOELLENDORFF, 1873

#### Subgenus *Carinigera* MOELLENDORFF, 1873

- *Carinigera (Carinigera) drenovoensis* (R.A. BRANDT, 1961) – MK
- *Carinigera (Carinigera) eximia* (MOELLENDORFF, 1873) – YU
- *Carinigera (Carinigera) octava* R.A. BRANDT, 1962 – MK
- *Carinigera (Carinigera) pellucida* DEDOV & NEUBERT, 2002 – MK
- *Carinigera (Carinigera) septima* R.A. BRANDT, 1962 – MK

#### Subgenus *Nymphogena* SAJO, 1968

- *Carinigera (Nymphogena) lophauchena* (STURANY, 1894) – MK

### Genus *Albinaria* VEST, 1867

#### Subgenus *Graja* O. BOETTGER, 1878

- *Albinaria (Graja) schuchii schuchii* (ROSSMÄSSLER, 1836) – AL
- *Albinaria (Graja) senilis inconstans* (MOUSSON, 1859) – AL

#### Subgenus *Laconica* O. BOETTGER, 1878

- *Albinaria (Laconica) scopulosa epirotes* H. NORDSIECK, 1974 – AL
- *Albinaria (Laconica) scopulosa winneguthi* (A.J. WAGNER, 1914) – AL

*Albinaria* incertae sedis: *alba* KÜSTER, 1857; *cinerascens* KÜSTER, 1850; *colorata* KÜSTER, 1857; *nestor* WESTERLUND, 1902; *soluta* KÜSTER, 1857; *zebricola* KÜSTER, 1857

### Genus *Strigilodelima* A.J. WAGNER, 1924

- *Strigilodelima conspersa* (L. PFEIFFER, 1848) – MK, AL  
[*hypermegala* A.J. WAGNER, 1919; *invalida* O. BOETTGER, 1879; *malisenitensis* A.J. WAGNER, 1925; *platystoma* KÜSTER, 1850; *recedens* MOELLENDORFF, 1899; *thalassodora* A.J. WAGNER, 1925]
- *Strigilodelima pentheri* (A.J. WAGNER, 1919) – AL

Tribus Montenegrinini H. NORDSIECK, 1972

### Genus *Montenegrina* O. BOETTGER, 1877

- *Montenegrina apfelbecki* (STURANY, 1907) – AL, MO
- *Montenegrina cataroensis* (ROSSMÄSSLER, 1835) – MO  
[*gracillior* DESHAYES, \*\*\*; *laevigata* L. PFEIFFER, 1842; *lesinacensis* L. PFEIFFER, 1841; *minor* O. BOETTGER, 1877; *obvia* WESTERLUND, 1901; *parvula* WESTERLUND, 1878]

- *Montenegrina chiasma* H. NORDSIECK, 1972 – AL
- *Montenegrina dedovi dedovi* H. NORDSIECK, 2009 – MK
- *Montenegrina dofleini dofleini* (A.J. WAGNER, 1928) – MK
- *Montenegrina dofleini kaiserii* R.A. BRANDT, 1961 – MK
- *Montenegrina dofleini occidentalis* H. NORDSIECK, 1977 – AL, MK
- *Montenegrina dofleini pinteri* H. NORDSIECK, 1974 – MK
- *Montenegrina dofleini plenostoma* FEHÉR & SZEKERES, 2006 – AL
- *Montenegrina dofleini steffeki* ERÖSS & SZEKERES, 2006 – MK
- *Montenegrina drimmeri* FEHÉR & SZEKERES, 2006 – AL
- *Montenegrina fuchsi fuchsi* R.A. BRANDT, 1961 – AL
- *Montenegrina fuchsi klemmi* R.A. BRANDT, 1962 – AL
- *Montenegrina fuchsi muranyii* FEHÉR & SZEKERES, 2006 – AL
- *Montenegrina helvola helvola* (KÜSTER, 1853) – AL
- *Montenegrina helvola carinata* ERÖSS & SZEKERES, 1999 – AL
- *Montenegrina helvola magna* FEHÉR & SZEKERES, 2006 – AL
- *Montenegrina helvola ornata* ERÖSS & SZEKERES, 1999 – AL
- *Montenegrina helvola pageti* R.A. BRANDT, 1962 – AL
- *Montenegrina janinensis ampla* FEHÉR & SZEKERES, 2006 – AL
- *Montenegrina janinensis attemsi* (A.J. WAGNER, 1914) – MK
- *Montenegrina janinensis caesia* FEHÉR & SZEKERES, 2006 – AL  
[*okolensis* SZEKERES, 2006]
- *Montenegrina janinensis coeruleascens* H. NORDSIECK, 1996 – AL
- *Montenegrina janinensis csikii* ERÖSS & SZEKERES, 2006 – AL
- *Montenegrina janinensis fagorum* H. NORDSIECK, 1974 – AL, MK  
[*wagneri* SZEKERES, 2006]
- *Montenegrina janinensis jakupicensis* FAUER, 1993 – MK
- *Montenegrina janinensis soosi* ERÖSS & SZEKERES, 2006 – AL
- *Montenegrina janinensis sporadica* H. NORDSIECK, 1974 – YU
- *Montenegrina janinensis tomorosi* R.A. BRANDT, 1961 – AL
- *Montenegrina laxa laxa* (KÜSTER, 1860) – AL  
[*weigneri* POLIŃSKI, 1924]
- *Montenegrina laxa disjuncta* FEHÉR & SZEKERES, 2006 – AL
- *Montenegrina laxa errans* ERÖSS & SZEKERES, 2006 – AL
- *Montenegrina laxa iba* H. NORDSIECK, 1972 – AL
- *Montenegrina laxa kotschani* ERÖSS & SZEKERES, 2006 – AL
- *Montenegrina laxa miraka* H. NORDSIECK, 1996 – AL
- *Montenegrina minuscula* ERÖSS & SZEKERES, 2006 – AL
- *Montenegrina perstriata perstriata* (A.J. WAGNER, 1919) – MK
- *Montenegrina perstriata callistoma* FEHÉR & SZEKERES, 2006 – AL
- *Montenegrina perstriata diminuta* FEHÉR & SZEKERES, 1999 – MK
- *Montenegrina perstriata drimica* H. NORDSIECK, 1972 – AL, MK  
[*crassa* ERÖSS & SZEKERES, 1999]
- *Montenegrina perstriata gracilis* ERÖSS & SZEKERES, 2006 – AL
- *Montenegrina perstriata mavrovoensis* H. NORDSIECK, 2009 – MK
- *Montenegrina perstriata nana* FEHÉR & SZEKERES, 2006 – AL
- *Montenegrina perstriata ochridensis* (A.J. WAGNER, 1925) – MK
- *Montenegrina perstriata radikae* H. NORDSIECK, 1972 – MK
- *Montenegrina perstriata subcristatula* H. NORDSIECK, 1977 – MK
- *Montenegrina perstriata tenebrosa* H. NORDSIECK, 2009 – AL
- *Montenegrina sattmanni sattmanni* H. NORDSIECK, 1988 – AL
- *Montenegrina sattmanni costulata* ERÖSS & SZEKERES, 2006 – AL
- *Montenegrina skipetarica skipetarica* (SOÓS, 1924) – AL
- *Montenegrina skipetarica ersekensis* H. NORDSIECK, 1996 – AL
- *Montenegrina skipetarica flava* ERÖSS & SZEKERES, 2006 – AL

- *Montenegrina skipetarica nobilis* ERŐSS & SZEKERES, 2006 – AL
- *Montenegrina skipetarica remota* FEHÉR & SZEKERES, 2006 – AL
- *Montenegrina skipetarica rugosa* FEHÉR & SZEKERES, 2006 – AL
- *Montenegrina skipetarica timae* ERŐSS & SZEKERES, 2006 – AL
- *Montenegrina skipetarica welterschultesi* FEHÉR & SZEKERES, 1999 – AL
- *Montenegrina skipetarica fusca* FEHÉR & SZEKERES, 2006 – AL
- *Montenegrina stankovici* (URBAŃSKI, 1960) – MK
- *Montenegrina subcristata subcristata* (KÜSTER, 1847) – MO  
[interior O. BOETTGER, 1907; *klecaki* WESTERLUND, 1881]
- *Montenegrina subcristata wohlberedti* (MOELLENDORFF, 1899) – AL, MO  
[brunnea O. BOETTGER, 1907; *pansa* WESTERLUND, 1901; *sublabiata* MOELLENDORFF, 1907]
- *Montenegrina umbilicata umbilicata* (O. BOETTGER, 1879) – MO
- *Montenegrina umbilicata costata* (O. BOETTGER, 1907) – MO

#### Genus *Protoherilla* A.J. WAGNER, 1921

- *Protoherilla baleiformis* (O. BOETTGER, 1909) – AL, MO  
[janickii A.J. WAGNER, 1921]
- *Protoherilla mirabilis* (H. NORDSIECK, 1972) – MO
- *Protoherilla pseudofallax* (H. NORDSIECK, 1972) – MO, AL

Tribus Cochlodinini LINDHOLM, 1925 (1923)

#### Genus *Macedonica* O. BOETTGER, 1877

- *Macedonica frauenfeldi frauenfeldi* (ROSSMÄSSLER, 1856) – YU  
[particis WESTERLUND, 1878]
- *Macedonica frauenfeldi moellendorffii* (PAVLOVIĆ, 1912) – YU
- *Macedonica frauenfeldi occidentalis* S.H.F. JAECKEL, 1954 – YU  
[elongata PAVLOVIĆ, 1911]
- *Macedonica frauenfeldi pavloviciana* (URBAŃSKI, 1973) – YU
- *Macedonica frauenfeldi sigma* (WESTERLUND, 1884) – YU
- *Macedonica frauenfeldi transiens* (MOELLENDORFF, 1873) – YU
- *Macedonica frauenfeldi tau* H. NORDSIECK, 1977 – YU  
[gracillior A. SCHMIDT, 1868]
- *Macedonica marginata* (ROSSMÄSSLER, 1835) – YU  
[bilabiata ROSSMÄSSLER, 1839; *democletiana* VILLA, 1841; *grossa* L. PFEIFFER, 1848; *major* ROSSMÄSSLER, 1839; *minor* WESTERLUND, 1878]
- *Macedonica pirotana* (PAVLOVIĆ, 1912) – YU
- *Macedonica slavica* H. NORDSIECK, 1974 – MK

#### Genus *Cochlodina* A. FÉRUSAC, 1821

##### Subgenus *Cochlodina* A. FÉRUSAC, 1821

- *Cochlodina (Cochlodina) dubiosa dubiosa* (CLESSIN, 1882) – SI  
[klemmi E. GITTENBERGER, 1967]
- *Cochlodina (Cochlodina) inaequalis* (A. SCHMIDT, 1868) – HR, SI
- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – BA, HR, MK, MO  
[duinensis STOSSICH, \*\*\*]
- *Cochlodina (Cochlodina) laminata albanica* S.H.F. JAECKEL, 1956 – AL, BA, MK, MO
- *Cochlodina (Cochlodina) laminata grossa* (ROSSMÄSSLER, 1835) – HR, SI  
[croatica A. SCHMIDT, 1868; *lucida* MENKE, 1830; *major* O. BOETTGER, 1879; *minor* WESTERLUND, 1878 + 1884; *onusta* A. SCHMIDT, 1868]
- *Cochlodina (Cochlodina) laminata insulana* E. GITTENBERGER, 1967 – HR
- *Cochlodina (Cochlodina) laminata nana* (MOELLENDORFF, 1873) – BA, MO

- *Cochlodina (Cochlodina) laminata oreinos* (A.J. WAGNER, 1914) – MK, YU

#### Subgenus *Stabilea* DE BETTA, 1870

- *Cochlodina (Stabilea) costata costata* (C. PFEIFFER, 1828) – SI  
[*gibbosa* WESTERLUND, 1878; *minor* WESTERLUND, 1884]
- *Cochlodina (Stabilea) costata curta* (ROSSMÄSSLER, 1836) – HR, SI  
[*heterodoxa* WESTERLUND, 1878; *singularis* O. BOETTGER, 1879; *subcostata* O. BOETTGER, 1879; *umbrosa* CHARPENTIER, 1852; *zeii* BOLE, 1969]
- *Cochlodina (Stabilea) costata fusiformis* (KÜSTER, 1853) – SI
- *Cochlodina (Stabilea) costata intermedia* (L. PFEIFFER, 1847) – SI
- *Cochlodina (Stabilea) costata istracosta* H. NORDSIECK, 2007 – HR
- *Cochlodina (Stabilea) costata schmidtii* H. NORDSIECK, 2007 – SI
- *Cochlodina (Stabilea) costata sigridae* H. NORDSIECK, 2007 – SI
- *Cochlodina (Stabilea) costata unguolata* (ROSSMÄSSLER, 1835) – HR, SI  
[*albina* WESTERLUND, 1884; *?annexa* F.J. SCHMIDT, 1847; *cinerea* WESTERLUND, 1878 + 1884; *commutata* ROSSMÄSSLER, 1836; *minor* WESTERLUND, 1878 + 1884; *singularis* O. BOETTGER, 1879]
- *Cochlodina (Stabilea) fimbriata fimbriata* (ROSSMÄSSLER, 1835) – HR, SI  
[*pallida* ROSSMÄSSLER, 1835; *phalerata* F.J. SCHMIDT, 1847; *saturata* F.J. SCHMIDT, 1847; *?sejuncta* F.J. SCHMIDT, 1847; *styriaca* L. PFEIFFER, 1868; *virens* Menke, 1830]
- *Cochlodina (Stabilea) liburnica* (A.J. WAGNER, 1919) – HR, SI  
[*minor* WESTERLUND, 1878; *polita* A. SCHMIDT, 1868]
- *Cochlodina (Stabilea) triloba* (O. BOETTGER, 1877) – HR, SI

*Cochlodina (Cochlodina) incertae sedis*: *dotzaueri* KÜSTER, 1876; *granatina* ROSSMÄSSLER, 1835; *sorex* KÜSTER, 1876; *tertia* O. BOETTGER, 1907.

Tribus Delimini R. BRANDT, 1956

#### Genus *Delima* W. HARTMANN, 1842

##### Subgenus *Delima* W. HARTMANN, 1842

- *Delima (Delima) albocincta albocincta* (L. PFEIFFER, 1841) – HR  
[*excissilabris* STROBEL, 1854; *maxima* KÜSTER, 1876; *minor* KÜSTER, 1876; *?petrina* WESTERLUND, 1878]
- *Delima (Delima) albocincta rufa* (KÜSTER, 1876) – HR  
[*variata* WESTERLUND, 1878]
- *Delima (Delima) albocincta sororia* (A. SCHMIDT, 1868) – HR  
[*constricta* KUCICH, \*\*\*\*; *egena* KÜSTER, 1860]
- *Delima (Delima) amoena amoena* (L. PFEIFFER, 1848) – HR  
[*crenulata* ROSSMÄSSLER, 1836; *elegantula* L. PFEIFFER, 1848; *thamnophila* BOURGUIGNAT, \*\*\*]
- *Delima (Delima) amoena smokvicensis* (A.J. WAGNER, 1915) – HR  
[*meridionalis* H. NORDSIECK, 1969]
- *Delima (Delima) amoena substricta* (CHARPENTIER, 1852) – HR  
[*capocestiana* L. PFEIFFER, 1866; *major* WESTERLUND, 1878; *minor* KÜSTER, 1876; *solidula* A. SCHMIDT, 1868]
- *Delima (Delima) binotata binotata* (ROSSMÄSSLER, 1836) – HR  
[*bipustulata* A. SCHMIDT, 1868; *major* WESTERLUND, 1878; *subcrenata* CHARPENTIER, 1852; *?tringa* WESTERLUND, 1881]
- *Delima (Delima) binotata consentanea* (A. SCHMIDT, 1868) – HR
- *Delima (Delima) binotata gastrolepta* (ROSSMÄSSLER, 1836) – MO, HR  
[*dulcis* WESTERLUND, 1884; *?elongata* CANTRAINE, 1835; *freyeri* L. PFEIFFER, 1848; *?major* MOELLENDORFF, 1873; *minor* WESTERLUND, 1878; *tabida* KÜSTER, 1860]
- *Delima (Delima) binotata hercegovinae* (MOELLENDORFF, 1873) – BA, MO

- *Delima (Delima) binotata satura* (ROSSMÄSSLER, 1836) – BA, HR  
[*crenata* CHARPENTIER, 1852; *croatica* L. PFEIFFER, 1866; *narentana* A. SCHMIDT, 1868; *minor* WESTERLUND, 1878; *strumigera* KÜSTER, 1862; *vexillaris* WESTERLUND, 1878]
- *Delima (Delima) binotata saturella* H. NORDSIECK, 1969 – BA, HR
- *Delima (Delima) binotata schlotteri* BRANCSIK, 1890 – BA, MO
- *Delima (Delima) blanda blanda* (ROSSMÄSSLER, 1836) – HR  
[*hectica* KÜSTER, 1860; *?imbecillis* CHARPENTIER, 1852; *parthenia* var. *minor* KÜSTER, 1876; *parthenia* KÜSTER, 1876; *strigata* L. PFEIFFER, 1848]
- *Delima (Delima) blanda conspurcata* (ROSSMÄSSLER, 1836) – HR  
[*callosa* KÜSTER, 1876; *?concolor* CHARPENTIER, 1852; *diaphana* KÜSTER, 1861; *familiaris* WESTERLUND, 1884; *hebes* A. SCHMIDT, 1868; *humilis* KÜSTER, 1860; *kokeilii* L. PFEIFFER, 1848; *longicollis* KÜSTER, 1876; *major* WESTERLUND, 1878 + 1884; *minima* WESTERLUND, 1878; *minor* KÜSTER, 187; *?monilifera* STROBEL, 1854; *pustulata* KÜSTER, 1876; *sebenicensis* KÜSTER, 1876; *septemtrionalis* O. BOETTGER, 1879; *taualbum* KÜSTER, 1861; *vitrea* A. SCHMIDT, 1868]
- *Delima (Delima) blanda fulcrata* (ROSSMÄSSLER, 1836) – HR  
[*costulata* BRUSINA, 1866; *sirkii* CHARPENTIER, 1852; *rugulosa* KÜSTER, 1853]
- *Delima (Delima) blanda schmidti* H. NORDSIECK, 1993 – HR  
[= *subcrenata* A. SCHMIDT, 1868]
- *Delima (Delima) blanda tichobates* (L. PFEIFFER, 1868) – HR
- *Delima (Delima) latilabris latilabris* (J.A. WAGNER, 1829) – BA, HR  
[*angistoma* KÜSTER, 1876; *decipiens* ROSSMÄSSLER, 1835; *excellens* A.J. WAGNER, 1925; *fustis* O. BOETTGER, 1879; *hoffmanni* STROBEL, 1854; *major* WESTERLUND, 1884; *nitidescens* L. PFEIFFER, 1842; *saturalis* L. PFEIFFER, 1841; *simulans* H. BECK, 1837; *subcarinata* CHARPENTIER, 1852; *saturalis* L. PFEIFFER, 1842; *velebitana* WESTERLUND, 1878]
- *Delima (Delima) latilabris angusticollis* (KÜSTER, 1876) – HR
- *Delima (Delima) latilabris boettgeri* H. NORDSIECK, 1969 – HR
- *Delima (Delima) latilabris duarensis* H. NORDSIECK, 1969 – HR
- *Delima (Delima) latilabris michahellis* (KÜSTER, 1850) – BA  
[*?bellotti* STROBEL, 1854; *fuscata* MOELLENDORFF, 1873; *glogovacensis* A.J. WAGNER, 1912; *minor* KÜSTER, 1876; *nodulifera* BRANCSIK, 1888; *ramensis* A.J. WAGNER, 1912; *?rutila* KÜSTER, 1876]
- *Delima (Delima) latilabris opaca* (CHARPENTIER, 1852) – HR  
[*elongata* O. BOETTGER, 1879; *chersina* O. BOETTGER, 1879; *gospici* L. PFEIFFER, 1866; *gospiciensis* O. BOETTGER, 1877; *minor* O. BOETTGER, 1879; *notabilis* KÜSTER, 1876]
- *Delima (Delima) latilabris pachychila* (WESTERLUND, 1878) – HR  
[*minor* WESTERLUND, 1878]
- *Delima (Delima) latilabris tenebrosa* (KÜSTER, 1862) – HR  
[*archilabris* O. BOETTGER, 1877; *castanea* A. SCHMIDT, 1868; *crassitesta* O. BOETTGER, 1878; *cuprea* O. BOETTGER, 1879; *divergens* KÜSTER, 1876; *dubia* O. BOETTGER, 1879; *?jucunda* WESTERLUND, 1878; *megachela* WESTERLUND, 1884; *rosinae* WESTERLUND, 1878; *sinjana* O. BOETTGER, 1877; *tenebrosa* WESTERLUND, 1878; *?ventricosior* WESTERLUND, 1878]
- *Delima (Delima) helenae* (KÜSTER, 1876) – BA, HR
- *Delima (Delima) laevissima laevissima* (ROSSMÄSSLER, 1833) – HR  
[*decorata* L. PFEIFFER, 1848; *fuliginea* L. PFEIFFER, 1868; *fuliginosa* A. SCHMIDT, 1868; *glabrata* L. PFEIFFER, 1842; *laevigata* L. POTIEZ & MICHAUD, 1838; *major* WESTERLUND, 1878; *maxima* WESTERLUND, 1878; *minima* WESTERLUND, 1878; *minor* WESTERLUND, 1878]
- *Delima (Delima) laevissima pachygastris* (ROSSMÄSSLER, 1835) – HR  
[*bullae* L. PFEIFFER, 1848; *ovularis* WESTERLUND, 1878; *superstructa* KÜSTER, 1850]
- *Delima (Delima) montenegrina montenegrina* (L. PFEIFFER, 1848) – MO  
[*costulata* O. BOETTGER, 1877; *cusmichii* WALDERDORFF, 1864; *lovcenica* O. BOETTGER, 1909; *minor* WESTERLUND, 1878; *minuscula* KÜSTER, 1876]
- *Delima (Delima) montenegrina muralis* (KÜSTER, 1860) – MO, HR  
[*disjuncta* O. BOETTGER, 1879; *erjavecii* O. BOETTGER, 1879; *eugenia* WESTERLUND, 1883; *fidelis* WESTERLUND, 1884; *inermis* O. BOETTGER, 1879; *subpapillina* MOELLENDORFF, 1899]
- *Delima (Delima) montenegrina nodulosa* (MOELLENDORFF, 1899) – MO

- [*pseudobinotata* O. BOETTGER, 1907; *subinterrupta* O. BOETTGER, 1907]
- *Delima (Delima) montenegrina semilabiata* (WALDERDORFF, 1864) – MO  
[*digamma* O. BOETTGER, 1878; *minor* WALDERDORFF, 1864; *presckarii* L. PFEIFFER, 1866]
- *Delima (Delima) montenegrina spuzensis* H. NORDSIECK, 1969 – MO
- *Delima (Delima) pachystoma pachystoma* (L. PFEIFFER, 1848) – HR  
[*gracilis* A. SCHMIDT, 1868]
- *Delima (Delima) pachystoma decattaniae* (A. & G.B. VILLA, 1871) – HR  
[*vicaria* O. BOETTGER, 1879]
- *Delima (Delima) pachystoma nevestensis* H. NORDSIECK, 1969 – HR
- *Delima (Delima) pachystoma satricensis* H. NORDSIECK, 1969 – HR
- *Delima (Delima) pachystoma sucinacia* (O. BOETTGER, 1879) – HR
- *Delima (Delima) pachystoma vicariella* H. NORDSIECK, 1969 – HR
- *Delima (Delima) pellucida* (L. PFEIFFER, 1848) – HR  
[*kutschigii* L. PFEIFFER, 1848; *signata* CHARPENTIER, 1852; *stossichi* O. BOETTGER, 1877; *villisichii* STROBEL, 1854]
- *Delima (Delima) pfeifferi* (KÜSTER, 1850) – HR
- *Delima (Delima) subcylindrica* (ROSSMÄSSLER, 1836) – HR  
[*geophila* L. PFEIFFER, 1848; *pupaeformis* A. SCHMIDT, 1868; *pupula* KÜSTER, 1876; *?salambonica* CHARPENTIER, 1852]

*Delima (Delima) incertae sedis*: *circumflexa* WESTERLUND, 1901; *cylindracea* WESTERLUND, 1878; *imbecilla* STROBEL, 1854; *satura* F.J. SCHMIDT, 1847; *ventricosa* WESTERLUND, 1878.

#### Subgenus *Semirugata* O. BOETTGER, 1877

- *Delima (Semirugata) bilabiata bilabiata* (J.A. WAGNER, 1829) – HR, MO, SI, AL  
[*labiocrassa* L. PFEIFFER, 1848; *minor* WESTERLUND, 1884; *planilabris* ROSSMÄSSLER, 1839; *reflexa* L. PFEIFFER, 1842; *reflexilabris* CANTRAINE, 1835; *?semicostata* KÜSTER, 1853; *ventrosa* WESTERLUND, 1884]
- *Delima (Semirugata) bilabiata alschingeri* (CHARPENTIER, 1852) – HR  
[*?leucostemma* KÜSTER, 1861; *magniventris* KÜSTER, 1853; *minor* WESTERLUND, 1878; *tumida* KÜSTER, 1853]
- *Delima (Semirugata) bilabiata biasoletiana* (CHARPENTIER, 1852) – HR, SI  
[*agnella* CHARPENTIER, 1852; *minor* WESTERLUND, 1878; *pygmaea* ROSSMÄSSLER, 1836]
- *Delima (Semirugata) bilabiata crassilabris* (ROSSMÄSSLER, 1836) – HR  
[*albolabris* L. PFEIFFER, 1848; *busincola* A.J. WAGNER, 1925; *callida* CHARPENTIER, 1852; *planchettensis* A.J. WAGNER, 1925]
- *Delima (Semirugata) bilabiata fasceolata* (WESTERLUND, 1878) – HR  
[*fasciolata* WESTERLUND, 1884]
- *Delima (Semirugata) bilabiata pharensis* (WESTERLUND, 1884) – HR
- *Delima (Semirugata) bilabiata tenella* (KÜSTER, 1861) – HR  
[*albilabris* WESTERLUND, 1884]
- *Delima (Semirugata) giselae* A.J. WAGNER, 1914 – BA
- *Delima (Semirugata) hiltrudis* H. NORDSIECK, 1969 – HR
- *Delima (Semirugata) semirugata* (ROSSMÄSSLER, 1836) – HR  
[*adposita* CHARPENTIER, 1852; *albida* L. PFEIFFER, 1846; *callocincta* KÜSTER, 1861; *chersonensis* L. PFEIFFER, 1841; *cylindracea* O. BOETTGER, 1877; *drobatiana* WESTERLUND, 1884; *fuscilabris* WESTERLUND, 1881; *lesinae* A.J. WAGNER, 1925; *major* WESTERLUND, 1881; *minor* WESTERLUND, 1881 + 1884; *nitida* L. PFEIFFER, 1848; *nitidula* L. Pfeiffer, 1848; *pristis* WESTERLUND, 1881; *prunilia* A. SCHMIDT, 1868; *semivibex* STROBEL, 1854]
- *Delima (Semirugata) semirugata blau* (MOELLENDORFF, 1873) – BA, HR  
[*?macrostoma* KÜSTER, 1854; *optabilis* BRANCSIK, 1889]
- *Delima (Semirugata) semirugata obesa* (L. PFEIFFER, 1861) – BA  
[*completa* WESTERLUND, 1901; *cucumer* WESTERLUND, 1878; *nucella* WESTERLUND, 1884; *planata* A. SCHMIDT, 1868; *westerlundi* WESTERLUND, 1881]

- *Delima (Semirugata) semirugata vibex* (ROSSMÄSSLER, 1839) – HR  
[*deplana* L. PFEIFFER, 1841; *major* WESTERLUND, 1878]
- *Delima (Semirugata) vidovichii vidovichii* (L. PFEIFFER, 1846) – HR  
[?*curzolana* KÜSTER, 1861; *glaberiuscula* CHARPENTIER, 1852; *lichtneri* CHARPENTIER, 1852; *major* WESTERLUND, 1878 + 1884]
- *Delima (Semirugata) vidovichii callifera* (KÜSTER, 1853) – HR  
[*minor* WESTERLUND, 1878]
- *Delima (Semirugata) vidovichii leucostoma* (KÜSTER, 1850) – HR  
[*gigas* O. BOETTGER, 1879; *planicollis* CHARPENTIER, 1852]
- *Delima (Semirugata) vidovichii robusta* (KÜSTER, 1847) – HR  
[*cylindricollis* KÜSTER, 1861; ?*dentata* STROBEL, 1854; ?*ornata* STROBEL, 1854; *semividovichii* STROBEL, 1854]

*Delima (Semirugata) incertae sedis*: *acicula* KÜSTER, 1854; *comta* CHARPENTIER, 1852; *concinna* KÜSTER, 1854; *giadrovii* STROBEL, 1854; *papillosa* STROBEL, 1854; *pupula* L. PFEIFFER, 1848; *rugata* STROBEL, 1854; *smokvicensis* A.J. WAGNER, 1925; *totarugata* STROBEL, 1854

#### Subgenus *Dugiana* ŠTAMOL & SLAPNIK, 2002

- *Delima (Dugiana) edmibrani* ŠTAMOL & SLAPNIK, 2002 – HR

#### Genus *Dilataria* VEST, 1867

- *Dilataria bosnica bosnica* (BRANCSIK, 1897) – HR
- *Dilataria bosnica montenegrina* H. NORDSIECK, 2007 – MO
- *Dilataria marcki* (L. PFEIFFER, 1868) – Distribution: HR, SI  
[*corpulenta* L. PFEIFFER, 1868; *emarginata* O. BOETTGER, 1877; *rariocosta* O. BOETTGER, 1877]
- *Dilataria pirostoma pirostoma* (O. BOETTGER, 1877) – HR
- *Dilataria pirostoma mehelyi* (SOÓS, 1908) – Distribution: HR
- *Dilataria succineata succineata* (ROSSMÄSSLER, 1836) – HR, SI  
[*exilis* L. PFEIFFER, 1842]
- *Dilataria succineata capillacea* (ROSSMÄSSLER, 1836) – HR  
[*strigillata* ROSSMÄSSLER, 1836]
- *Dilataria succineata dazueri* (L. PFEIFFER, 1868) – Distribution: HR
- *Dilataria succineata kolosvaryi* (H. WAGNER, 1939) – \*\*\*\*
- *Dilataria succineata mathildae* (WESTERLUND, 1878) – HR

*Dilataria incertae sedis*: *croatica* O. BOETTGER, 1877; *kircmariensis* WESTERLUND, 1884; *marchesetti* (STOSSICH, 1883); *nympha* A. SCHMIDT, 1868; *pumila* S.H.F. JAECKEL, 1954; *pulchella* L. PFEIFFER, 1848; *gracilis* BRUSINA, 1870

#### Genus *Charpentieria* STABILE, 1864

##### Subgenus *Charpentieria* STABILE, 1864

- *Charpentieria (Charpentieria) stenzii cincta* (BRUMATI, 1838) – SI  
[*dextrorsa* O. BOETTGER, 1879; *elongata* WESTERLUND, 1878; *labiata* WESTERLUND, 1878; *maior* ROSSMÄSSLER, 1842; *minor* WESTERLUND, 1878 + 1884; *ressmanni* WESTERLUND, 1878; *rhaetica* L. PFEIFFER, 1842; *rossmaessleri* L. PFEIFFER, 1841]
- *Charpentieria (Charpentieria) ornata* (ROSSMÄSSLER, 1836) – HR, SI  
[*callosa* F.J. SCHMIDT, 1847; *gracilis* O. BOETTGER, 1879; *humensis* TSCHAPECK, 1881; *maior* WESTERLUND, 1878; *minor* WESTERLUND, 1878; *producta* A. SCHMIDT, 1868]

##### Subgenus *Stigmatica* O. BOETTGER, 1877

- *Charpentieria (Stigmatica) lamellata* (ROSSMÄSSLER, 1836) – AL  
[*cornea* L. PFEIFFER, 1842]

- *Charpentieria (Stigmatica) pantocratoris margaritifera* (H. NORDSIECK, 1996) – AL
- *Charpentieria (Stigmatica) splendens* (H. NORDSIECK, 1996) – AL
- *Charpentieria (Stigmatica) stigmatica stigmatica* (ROSSMÄSSLER, 1836) – MO, BA, AL, HR  
[?*bicolor* CHARPENTIER, 1852; *briseus* O. BOETTGER, 1879; ?*maritima* KÜSTER, 1876; *minima* WESTERLUND, 1878; *minor* KÜSTER, 1876; *spuria* KÜSTER, 1876; *striata* KÜSTER, 1876; *ventriculosa* WESTERLUND, 1878]
- *Charpentieria (Stigmatica) stigmatica sturmii* (L. PFEIFFER, 1848) – AL, MK

#### Subgenus *Gibbularia* MONTEROSATO, 1908

- *Charpentieria (Gibbularia) gibbula gibbula* (ROSSMÄSSLER, 1836) – HR, SI  
[*brinieri* POTIEZ & MICHAUD, 1838; ?*deenia* CANTRAINE, 1835; *falliosa* KÜSTER, 1855; *major* WESTERLUND, 1878; *minor* WESTERLUND, 1878; *pelagosana* O. BOETTGER, 1877]

*Charpentieria (Stigmatica) incertae sedis*: *advena* KÜSTER, 1876; *decorata* KÜSTER, 1861; *gemmulata* KÜSTER, 1860; *hiatula* KÜSTER, 1876; *miles* KÜSTER, 1860; *minima* WESTERLUND, 1878; *olivacea* CANTRAINE, 1835; *perlata* L. PFEIFFER, 1868; *proboscidea* KÜSTER, 1845; *soror* KÜSTER, 1860; *translucida* L. PFEIFFER, 1847.

#### Genus *Papillifera* W. HARTMANN, 1842

- *Papillifera papillaris papillaris* (O.F. MÜLLER, 1774) – HR, AL  
[*muta* WESTERLUND, 1901; ?*taeniata* WESTERLUND, 1901]

Subfamilia Mentissoideinae LINDHOLM, 1924  
Tribus Euxinellini NEUBERT, 2002

#### Genus *Euxinella* H. NORDSIECK, 1973

- *Euxinella radikae radikae* H. NORDSIECK, 1973 – MK
- *Euxinella radikae hristovskii* DEDOV & NEUBERT, 2009 – MK
- *Euxinella subaii* DEDOV & NEUBERT, 2009 – MK

Subfamilia Clausiliinae J.E. GRAY, 1855  
Tribus Clausiliini J.E. GRAY, 1855

#### Genus *Ruthenica* LINDHOLM, 1924

- *Ruthenica filograna filograna* (ROSSMÄSSLER, 1836) – SI, HR, BA, YU, MO  
[*distinguenda* ROSSMÄSSLER, 1836]

#### Genus *Pseudofusulus* H. NORDSIECK, 1977

- *Pseudofusulus varians* (C. PFEIFFER, 1828) – SI, HR  
[*diaphana* C. PFEIFFER, 1828)

#### Genus *Erjavecica* BRUSINA, 1870

- *Erjavecica bergeri* (ROSSMÄSSLER, 1836) – SI  
[*cristata* ROSSMÄSSLER, 1836; *rostellum* HELD, 1836]

#### Genus *Julica* H. NORDSIECK, 1963

- *Julica schmidtii schmidtii* (L. PFEIFFER, 1841) – SI  
[*rablensis* M. VON GALLENSTEIN, 1852; *vestigans* WESTERLUND, 1892]
- *Julica schmidtii sigridae* H. NORDSIECK, 2006 – SI



**Genus *Macrogastra* W. HARTMANN, 1841**

**Subgenus *Macrogastra* W. HARTMANN, 1841**

- *Macrogastra (Macrogastra) ventricosa major* (ROSSMÄSSLER, 1836) – SI, MO, HR, BA, YU, MK  
[*bosnica* BRANCSIK, 1890]
- *Macrogastra (Macrogastra) ventricosa brancsiki* H. NORDSIECK, 2006 – BA  
[*nana* BRANCSIK, 1890]

**Subgenus *Pyrostoma* VEST, 1867**

- *Macrogastra (Pyrostoma) asphaltina* (ROSSMÄSSLER, 1836) – SI, HR  
[*ventricosula* F.J. SCHMIDT, 1847]
- *Macrogastra (Pyrostoma) attenuata attenuata* (ROSSMÄSSLER, 1835) – SI  
[*dedecora* ROSSMÄSSLER, 1835; *cruda* M. VON GALLENSTEIN, 1852]
- *Macrogastra (Pyrostoma) badia badia* (C. PFEIFFER, 1828) – SI
- *Macrogastra (Pyrostoma) badia mucida* (ROSSMÄSSLER, 1835) – SI  
[*cruda* CHARPENTIER, 1852; *eggeri* KOBELT, 1871; *eucruda* WESTERLUND, 1884; *fontana* L.  
PFEIFFER, 1848; *nana* L. PFEIFFER, 1842]
- *Macrogastra (Pyrostoma) densestriata densestriata* (ROSSMÄSSLER, 1836) – SI, HR, YU  
[*elongata* WESTERLUND, 1878; *gracilior* WESTERLUND, 1884; *minor* WESTERLUND, 1878]
- *Macrogastra (Pyrostoma) plicatula plicosula* (M. VON GALLENSTEIN, 1852) – SI, HR
- *Macrogastra (Pyrostoma) plicatula licana* (A.J. WAGNER, 1912) – SI, HR

**Genus *Clausilia* DRAPARNAUD, 1805**

**Subgenus *Clausilia* DRAPARNAUD, 1805**

- *Clausilia (Clausilia) cruciata cruciata* (S. STUDER, 1820) – SI  
[*carniolica* A. SCHMIDT, 1856; *minima* A. SCHMIDT, 1856; *pusilla* L. PFEIFFER, 1848]
- *Clausilia (Clausilia) pumila* C. PFEIFFER, 1828 – SI, MO, HR, YU, BA  
[*corticalis* A. SCHMIDT, 1856; *flammeata* A. SCHMIDT, 1856; *fuscosa* A. SCHMIDT, 1856; *hepatica*  
KÜSTER, 1855; *leptostoma* A. SCHMIDT, 1856; *major* A. SCHMIDT, 1856; *maxima* A. SCHMIDT,  
1856; *sabljarii* BRUSINA, 1870; *succosa* CHARPENTIER, 1852; *tergestina* WESTERLUND, 1892]
- *Clausilia (Clausilia) rugosa parvula* A. FERUSSAC, 1807 – SI, HR

**Subgenus *Andraea* L. PFEIFFER, 1848**

- *Clausilia (Andraea) dubia dydima* F.J. SCHMIDT, 1847 – SI
- *Clausilia (Andraea) dubia vindobonensis* A. SCHMIDT, 1856 – SI, BA, MK, YU, HR, AL

**Genus *Fusulus* FITZINGER, 1833**

**Subgenus *Fusulus* FITZINGER, 1833**

- *Fusulus (Fusulus) interruptus* (C. PFEIFFER, 1828) – SI, HR  
[*albina* WESTERLUND, 1884; *pfeifferi* L. PFEIFFER, 1848]

**Subgenus *Erjavecilla* H. NORDSIECK, 1977**

- *Fusulus (Erjavecilla) approximans* (A. SCHMIDT, 1856) – SI  
[*subclavata* L. PFEIFFER, 1859; *subgracilis* A. SCHMIDT, 1852]

Subfamilia Baleinae A.J. WAGNER, 1913

**Genus *Laciniaria* W. HARTMANN, 1842**

- *Laciniaria plicata plicata* (DRAPARNAUD, 1801) – YU, BA, MK, MO, HR

- *Laciniaria plicata coarctata* (A. SCHMIDT, 1868) – YU
- *Laciniaria plicata excepta* (A. SCHMIDT, 1868) – MK, YU

#### Genus *Balea* J.E. GRAY, 1824

- *Balea perversa* (LINNAEUS, 1758) – YU, SI, HR  
[*fragilis* DRAPARNAUD, 1801]

#### Genus *Alinda* H. & A. ADAMS, 1855

##### Subgenus *Alinda* H. & A. ADAMS, 1855

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – SI, MK, HR, YU, MO
- *Alinda (Alinda) biplicata balcanica* (PAVLOVIC, 1912) – YU
- *Alinda (Alinda) biplicata bosnina* (BRANCSIK, 1890) – BA, MO, MK  
[*eupleuris* MOELLENDORFF, 1899; *longina* BRANCSIK, 1890]
- *Alinda (Alinda) biplicata byshekensis* H. NORDSIECK, 2008 – AL
- *Alinda (Alinda) biplicata distincta* (STURANY, 1894) – MK, AL
- *Alinda (Alinda) biplicata euptychia* (EHRMANN, 1960) – YU
- *Alinda (Alinda) biplicata faueri* H. NORDSIECK, 2008 – YU
- *Alinda (Alinda) biplicata hessei* A.J. WAGNER, 1914 – MK, AL
- *Alinda (Alinda) biplicata labiata* (WESTERLUND, 1885) – MO, BA, AL
- *Alinda (Alinda) biplicata metriotes* A.J. WAGNER, 1919 – AL
- *Alinda (Alinda) biplicata michaudiana* (L. PFEIFFER, 1848) – YU, MK  
[*distinctior* A.J. WAGNER, 1914]
- *Alinda (Alinda) biplicata urosevici* (PAVLOVIC, 1912) – YU
- *Alinda (Alinda) biplicata vlasinensis* (PAVLOVIC, 1912) – YU
- *Alinda (Alinda) elegantissima elegantissima* A.J. WAGNER, 1914 – YU
- *Alinda (Alinda) elegantissima pirotana* H. NORDSIECK, 2008 – YU
- *Alinda (Alinda) pancici* (PAVLOVIC, 1912) – YU
- *Alinda (Alinda) wagneri stojicevici* (PAVLOVIC, 1912) – YU

##### Subgenus *Pseudalinda* O. BOETTGER, 1877

- *Alinda (Pseudalinda) nordsiecki* DEDOV & NEUBERT, 2002 – MK
- *Alinda (Pseudalinda) serbica serbica* (MOELLENDORFF, 1873) – MO, AL, YU  
[? *viridana* BRANCSIK, 1897]
- *Alinda (Pseudalinda) serbica golesnicensis* A.J. WAGNER, 1914 – MK
- *Alinda (Pseudalinda) serbica rambouseki* (FRANKENBERGER, 1913) – YU  
[*major* FRANKENBERGER, 1913]

#### Genus *Vestia* P. HESSE, 1916

##### Subgenus *Brabenecia* H. NORDSIECK, 1974

- *Vestia (Brabenecia) ranojevici ranojevici* (PAVLOVIĆ, 1912) – YU  
[*riloensis* A.J. WAGNER, 1914]

##### Subgenus *Vestiella* H. NORDSIECK, 1977

- *Vestia (Vestiella) roschitzi roschitzi* (BRANCSIK, 1890) – BA, MO  
[? *viridana* BRANCSIK, 1890]
- *Vestia (Vestiella) roschitzi apragmosyne* (A.J. WAGNER, 1919) – AL
- *Vestia (Vestiella) roschitzi minima* (PAVLOVIĆ, 1912) – YU  
[*intermedia* PAVLOVIĆ, 1912; *serbica* FRANKENBERGER, 1916]
- *Vestia (Vestiella) roschitzi pygmaea* (S.H.F. JAECKEL, 1954) – YU
- *Vestia (Vestiella) roschitzi trigonostoma* (PAVLOVIĆ, 1912) – YU

[*petrovici* PAVLOVIĆ, 1912]

**Genus *Bulgarica* O. BOETTGER, 1877**

**Subgenus *Bulgarica* O. BOETTGER, 1877**

- *Bulgarica (Bulgarica) moellendorffi moellendorffi* H. NORDSIECK, 1972 – YU  
[*serbica* MOELLENDORFF, 1873]
- *Bulgarica (Bulgarica) moellendorffi banjana* H. NORDSIECK, 1973 – YU
- *Bulgarica (Bulgarica) rugicollis rugicollis* (ROSSMÄSSLER, 1836) – YU  
[*bella* ROSSMÄSSLER, 1842; *hasta* KÜSTER, 1857; *ochracea* KÜSTER, 1857; *banatica* KÜSTER, 1860]
- *Bulgarica (Bulgarica) stolii* (L. PFEIFFER, 1859) – YU  
[*stolensis* MOELLENDORFF, 1873]

**Subgenus *Denticularia* LINDHOLM, 1924**

- *Bulgarica (Denticularia) denticulata thessalonica* (ROSSMÄSSLER, 1839) – MK, YU  
[*multidentata* ROSSMÄSSLER, 1839]

**Subgenus *Pavlovicia* H. NORDSIECK, 1973**

- *Bulgarica (Pavlovicia) pavlovici pavlovici* H. NORDSIECK, 1972 – YU  
[*pygmaea* MOELLENDORFF, 1873]
- *Bulgarica (Pavlovicia) pavlovici purpurascens* H. NORDSIECK, 1973 – YU

**Subgenus *Strigilecula* KENNARD & B.B. WOODWARD, 1923**

- *Bulgarica (Strigilecula) vetusta vetusta* (ROSSMÄSSLER, 1836) – SI, HR, YU  
[*conformata* L. PFEIFFER, 1853; *decisa* ROSSMÄSSLER, 1836]
- *Bulgarica (Strigilecula) vetusta conjuncta* (KÜSTER, 1860) – YU  
[*elongata* WESTERLUND, 1878]
- *Bulgarica (Strigilecula) vetusta gracilior* S.H.F. JAECKEL, 1954 – AL, MK
- *Bulgarica (Strigilecula) vetusta nannodes* (A.J. WAGNER, 1912) – AL
- *Bulgarica (Strigilecula) vetusta pancici* (L. PFEIFFER, 1856) – YU  
[*minor* MOELLENDORFF, 1873]
- *Bulgarica (Strigilecula) vetusta striolata* (BIELZ, 1861) – MO, BA, YU, MK  
[*? intermissa* BRANCSIK, 1888; *? kajabaschica* BRANCSIK, 1888; *? laticosta* BRANCSIK, 1888]
- *Bulgarica (Strigilecula) vetusta tenuicula* (A.J. WAGNER, 1912) – BA

Superfamilia Testacelloidea J.E. GRAY, 1840

Familia Oleacinidae H. & A. ADAMS, 1855

Subfamilia Euglandiniinae H.B. BAKER, 1941

**Genus *Poiretia* P. FISCHER, 1883**

- *Poiretia compressa* (MOUSSON, 1859) – AL
- *Poiretia cornea* (BRUMATI, 1838) – AL, SI, HR, MO, BA  
[*angustata* E. VON MARTENS, 1859]
- *Poiretia delesserti* (BOURGUIGNAT, 1852) – AL

Familia Testacellidae J.E. GRAY, 1840

**Genus *Testacella* LAMARCK, 1801**

**Subgenus *Testacella* LAMARCK, 1801**

- *Testacella (Testacella) haliotidea* DRAPARNAUD, 1801 – SI, HR

- *Testacella (Testacella) scutulum* G.B. SOWERBY I, 1820 – SI, HR  
[*hungarica* SOOS, 1908]

Superfamilia Punctoidea MORSE, 1864  
Familia Punctidae MORSE, 1864

**Genus *Punctum* MORSE, 1864**  
**Subgenus *Punctum* MORSE, 1864**

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – AL, SI, MO, HR, BA, YU, MK

**Genus *Paralaoma* IREDALE, 1913**

- *Paralaoma servilis* (SHUTTLEWORTH, 1852) – SI, HR, MO, AL

Familia Helicodiscidae H.B. BAKER, 1927

**Genus *Lucilla* R.T. LOWE, 1852**

- *Lucilla scintilla* (R.T. LOWE, 1852) – HR, MO, AL
- *Lucilla singleyana* (PILSBRY, 1889) – AL

Familia Discidae THIELE, 1931 (1866)

**Genus *Discus* FITZINGER, 1833**  
**Subgenus *Discus* FITZINGER, 1833**

- *Discus (Discus) ruderatus ruderatus* (A. FÉRUSAC, 1821) – SI, YU

**Subgenus *Gonyodiscus* FITZINGER, 1833**

- *Discus (Gonyodiscus) perspectivus* (MEGERLE VON MÜHLFELD, 1816) – SI, HR, YU, MO
- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – SI

Superfamilia Gastrodontoidea TRYON, 1866  
Familia Pristilomatidae T. COCKERELL, 1891

**Genus *Vitrea* FITZINGER, 1833**

- *Vitrea binderi* L. PINTÉR, 1972 – SI
- *Vitrea botterii* (L. PFEIFFER, 1853) – AL, SI, MO, HR, BA
- *Vitrea bulgarica* DAMJANOV & L. PINTÉR, 1969 – MK
- *Vitrea contracta* (WESTERLUND, 1871) – AL, SI, HR, BA, MO, YU  
[*subcontractus* A.J. WAGNER, 1907]
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – SI, MO, BA, HR
- *Vitrea diaphana diaphana* (S. STUDER, 1820) – YU
- *Vitrea diaphana erjavecii* (BRUSINA, 1870) – SI, BA, MK, HR
- *Vitrea illyrica* (A.J. WAGNER, 1907) – AL, MO, HR, BA, MK, YU
- *Vitrea kiliasi* L. PINTÉR, 1972 – BA, YU
- *Vitrea kutschigi* (WALDERDORFF, 1864) – MO, HR, BA, YU, MK  
[*pfeifferi* WESTERLUND, 1886; *walderdorffi* BOURGUIGNAT, 1880; *zawalae* A.J. WAGNER, 1907]
- *Vitrea meijeri* MAASSEN, 1998 – MK
- *Vitrea mikuskai* L. PINTÉR, 1977 – MK
- *Vitrea pygmaea* (O. BOETTGER, 1880) – HR, AL
- *Vitrea selecta* L. PINTÉR, 1972 – AL

- *Vitrea siveci* RIEDEL & VELKOVHR, 1976 – MK
- *Vitrea spelaea* (A.J. WAGNER, 1914) – BA, MO
- *Vitrea sturanyi* (A.J. WAGNER, 1907) – AL, MO, HR, BA, YU
- *Vitrea subaii* L. PINTÉR & RIEDEL, 1973 – HR
- *Vitrea subrimata* (REINHARDT, 1871) – AL, MO, SI, HR, BA, YU  
[*aequegyra* PAULUCCI, 1882; *inflatus* A.J. WAGNER, 1917; *litoralis* CLESSIN, 1877; *reitteri* O. BOETTGER, 1880; *sphaeroconus* A.J. WAGNER, 1907]
- *Vitrea zilchi* L. PINTÉR, 1972 – HR

### **Genus *Gyalina* ANDREAE, 1902**

#### **Subgenus *Gyalina* ANDREAE, 1902**

- *Gyalina (Gyalina) circumlineata* (L. PFEIFFER, 1846) – AL, MO, HR
- *Gyalina (Gyalina) gjirokastrana* RIEDEL & WELTER-SCHULTES, 1996 – AL
- *Gyalina (Gyalina) lunikense* FEHÉR & ERÖSS, 2009 – AL
- *Gyalina (Gyalina) mirabilis* L. PINTER & RIEDEL, 1973 – MK
- *Gyalina (Gyalina) rempei* E. GITTENBERGER, 1975 – MK
- *Gyalina (Gyalina) velkovrhi* RIEDEL, 1985 – MK

#### **Subgenus *Spelaeopatula* A.J. WAGNER, 1922**

- *Gyalina (Spelaeopatula) candida candida* (A.J. WAGNER, 1909) – AL, BA, HR
- *Gyalina (Spelaeopatula) gyalinaeformis* (RIEDEL & VELKOVHR, 1976) – MK
- *Gyalina (Spelaeopatula) korabensis* (RIEDEL, 1970) – AL?, MK
- *Gyalina (Spelaeopatula) mljetica* (L. PINTÉR & RIEDEL, 1973) – HR
- *Gyalina (Spelaeopatula) nopcsai* RIEDEL, FEHÉR & ERÖSS, 1999 – AL
- *Gyalina (Spelaeopatula) tarabosensis* (RIEDEL, 1970) – AL

Familia Euconulidae H.B. BAKER, 1928  
Subfamilia Euconulinae H.B. BAKER, 1928

### **Genus *Euconulus* REINHARDT, 1883**

#### **Subgenus *Euconulus* REINHARDT, 1883**

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – AL, SI, MO, HR, MK, YU, BA
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – SI

Familia Gastrodontidae TRYON, 1866

### **Genus *Zonitoides* LEHMANN, 1860**

#### **Subgenus *Zonitoides* LEHMANN, 1860**

- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – AL, SI, HR, MK, YU, MO

Familia Oxychilidae P. HESSE, 1927 (1879)  
Subfamilia Dauebardiinae KOBELT, 1906

### **Genus *Dauebardia* W. HARTMANN, 1821**

#### **Subgenus *Dauebardia* W. HARTMANN, 1821**

- *Dauebardia (Dauebardia) brevipes* (DRAPARNAUD, 1805) – AL, MO, HR, MK, YU, SI, BA
- *Dauebardia (Dauebardia) rufa* (DRAPARNAUD, 1805) – AL, SI, MO, BA, YU, HR, MK  
[*cycladum* E. VON MARTENS, 1889; *dobrogica* GROSSU, 1960; *getica* GROSSU, 1957; *graeca* A.J. WAGNER, 1895; *haliciensis* WESTERLUND, 1881]

**Genus *Carpathica* A.J. WAGNER, 1895**

**Subgenus *Illyrica* A.J. WAGNER, 1895**

- *Carpathica (Illyrica) langi* (L. PFEIFFER, 1846) – YU  
[*intermedia* GROSSU, 1969; *soosi* H. WAGNER, 1941; *spelaea* GROSSU, 1960]
- *Carpathica (Illyrica) stussineri* (A.J. WAGNER, 1895) – AL, SI, HR, BA, YU, MO  
[*croatica* A.J. WAGNER, 1895; *graziadei* FIEBIGER, 1935]

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

**Genus *Oxychilus* FITZINGER, 1833**

**Subgenus *Oxychilus* FITZINGER, 1833**

- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – SI, HR
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – AL, SI, HR
- *Oxychilus (Oxychilus) mortilleti mortilleti* (L. PFEIFFER, 1859) – SI, HR

**Subgenus *Ortizius* FORCART, 1957**

- *Oxychilus (Ortizius) alliaris* (J.S. MILLER, 1822) – HR
- *Oxychilus (Ortizius) perspectivus* (KOBELT, 1881) – HR  
[*sinjana* A.J. WAGNER, 1914; *wagneri* KÖHLER, 1912]

**Genus *Morlina* A.J. WAGNER, 1914**

- *Morlina glabra nitidissima* (MOUSSON, 1859) – AL, MK  
[*bojanae* A.J. WAGNER, 1907]
- *Morlina glabra striaria* (WESTERLUND, 1881) – AL, SI, MO, YU, MK, HR, BA

**Genus *Mediterranea* CLESSIN, 1880**

- *Mediterranea depressa* (STERKI, 1882) – AL, SI, MO, HR, BA, MK  
[*domestica* M. VON KIMAKOWICZ, 1890; *tschapecki* WESTERLUND, 1888]
- *Mediterranea hydatina hydatina* (ROSSMÄSSLER, 1838) – AL, SK, HR, YU, MO  
[*calderonii* WESTERLUND, 1890; *eudedalaeus* BOURGUIGNAT, 1856; *latebricola* BOURGUIGNAT, 1856; *pseudohydatinus* BOURGUIGNAT, 1856]
- *Mediterranea inopinata* (ULICNY, 1887) – YU, HR, MK, AL  
[*plutonia* M. VON KIMAKOWICZ, 1890]
- *Mediterranea ionica* (RIEDEL & SUBAI, 1978) – HR
- *Mediterranea juliae* RIEDEL, 1990 – AL
- *Mediterranea planorbis* (MOELLENDORFF, 1899) – AL, HR, BA, MO  
[*beaufortii* CLESSIN, 1887; *dautzenbergi* A.J. WAGNER, 1907]
- *Mediterranea planospiroides* (RIEDEL, 1969) – MO, HR  
[*planospira* A.J. WAGNER, 1907]
- *Mediterranea serbica* (RIEDEL, 1969) – YU, BA, MO
- *Mediterranea wiktori* (RIEDEL, 1997) – BA, YU

**Genus *Schistophallus* A.J. WAGNER, 1914**

**Subgenus *Hiramia* PALLARY, 1939**

- *Schistophallus (Hiramia) camelinus* (BOURGUIGNAT, 1852) – AL
- *Schistophallus (Hiramia) cyprius* (L. PFEIFFER, 1847) – AL, HR  
[*heracleensis* WESTERLUND, 1893; *corcyrensis* WESTERLUND, 1894; *dalmatina* A.J. WAGNER, 1912; *macedonicus* RIEDEL, 1958]

## Genus ??

- *Oxychilus? absoloni* (A.J. WAGNER, 1914) – BA
- *Oxychilus? nautiliformis* (A.J. WAGNER, 1914) – BA

Oxychiliniinae incertae sedis: *jugoslavica* URBAŃSKI, 1939

Subfamilia Gondwiniinae C.M. COOKE, 1921

## Genus *Aegopinella* LINDHOLM, 1927

- *Aegopinella cisalpina* RIEDEL, 1983 – SI
- *Aegopinella epipedostoma iuncta* HUDEC, 1964 – SI, HR
- *Aegopinella forcarti* JUNGBLUTH, 1983 – SI, HR
- *Aegopinella minor* (STABILE, 1864) – AL, MO, BA, HR, YU, MK  
[*inermis* A.J. WAGNER, 1907]
- *Aegopinella pura* (ALDER, 1830) – SI, MK, YU
- *Aegopinella ressmanni* (WESTERLUND, 1883) – SI, HR

## Genus *Nesovitrea* C.M. COOKE, 1921

### Subgenus *Perpolita* H.B. BAKER, 1928

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – SI  
[*radiatula* ALDER, 1830; *viridula* MENKE, 1830]

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)

Familia Milacidae ELLIS, 1926

## Genus *Milax* J.E. GRAY, 1855

- *Milax gagates* (DRAPARNAUD, 1801) – SI, HR
- *Milax nigricans* (PHILIPPI, 1836) – HR

## Genus *Tandonia* LESSONA & POLLONERA, 1882

- *Tandonia albanica* (SOÓS, 1924) – AL, MO, MK  
[*adelpa* SOÓS, 1924; *clerxi* RÄHLE, 1977]
- *Tandonia bosnensis* WIKTOR, 1986 – BA, YU
- *Tandonia budapestensis* (HAZAY, 1880) – SI, HR, YU, MK  
[*cibiniensis* M. VON KIMAKOWICZ, 1884; *gracilis* LEYDIG, 1876; *valachicus* GROSSU & LUPU, 1961]
- *Tandonia cavicola* (SIMROTH, 1916) – HR, BA, MK
- ?*Tandonia croatica* (H. WAGNER, 1929) – HR
- ?*Tandonia dalmatina* SIMROTH, 1900 – HR
- *Tandonia fejevaryi* (H. WAGNER, 1929) – HR  
[*adensameri* H. WAGNER, 1931]
- *Tandonia jablanacensis* (H. WAGNER, 1930) – HR
- *Tandonia kusceri* (H. WAGNER, 1931) – YU, MK, HR  
[*balcanicus* GROSSU & LUPU, 1961; *bojanensis* HUDEC, 1964; *longipenis* GROSSU & LUPU, 1961]
- ?*Tandonia lagostana* (H. WAGNER, 1940) – HR
- *Tandonia macedonica* (RÄHLE, 1974) – MK
- *Tandonia rara* WIKTOR, 1996 – HR, SI
- *Tandonia reuleauxi* (CLESSIN, 1887) – MO, HR, BA, SI  
[? *montenegrina* SIMROTH, 1900]
- *Tandonia robici* (SIMROTH, 1884) – SI, HR  
[*ploebsti* H. WAGNER, 1931]

- *Tandonia rustica* (MILLET, 1843) – SI, HR  
[*marginatus* DRAPARNAUD, 1805]
- *Tandonia sapkarevi* STANKOVIĆ, 2005 – MK
- *Tandonia serbica* (H. WAGNER, 1931) – YU, HR
- *Tandonia simrothi* (P. HESSE, 1923) – SI  
[? *ehrmanni* SIMROTH, 1910; *kobelti* SIMROTH, 1910; *schleschi* H. WAGNER, 1930]
- *Tandonia sowerbyi* (FERUSSAC, 1823) – AL, SI, HR, YU, MO, MK

Superfamilia Zonitoidea MÖRCH, 1864  
Familia Zonitidae MÖRCH, 1864

### Genus *Paraegopis* P. HESSE, 1910

- *Paraegopis albanicus* (ROSSMÄSSLER, 1836) – AL, MO, BA, HR  
[*narentana* O. BOETTGER, 1886]
- *Paraegopis bizonus* A.J. WAGNER, 1914 – AL
- *Paraegopis mauritii mauritii* (WESTERLUND, 1886) – BA, YU, HR  
[*serajewoensis* KOBELT, 1899; *sturanyi* KOBELT, 1899]
- *Paraegopis mauritii montenegrinus* (O. BOETTGER, 1909) – AL?, MO
- *Paraegopis oberwimmeri* KLEMM, 1965 – MO
- *Paraegopis? skipetaricus* A.J. WAGNER, 1914 – AL, MO

### Genus *Meledella* STURANY, 1908

- *Meledella weneri* STURANY, 1908 – HR

### Genus *Troglægopis* RIEDEL & RADJA, 1983

- *Troglægopis mosorensis* (KUŠČER, 1933) – HR  
[? *obenbergeri* FRANKENBERGER, 1917]

### Genus *Aegopis* FITZINGER, 1833

- *Aegopis acies* (A. FERUSSAC, 1819) – AL?, HR, BA  
[*crypta* L. PFEIFFER, 1868; *kleciachi* KOBELT, 1899; *pudiosa* KOBELT, 1876]
- *Aegopis compressus* (ROSSMÄSSLER, 1836) – HR  
[*deplanatus* KOBELT, 1899; *lardeus* KOBELT, 1898]
- *Aegopis croaticus* (A. FERUSSAC, 1832) – SI, HR, BA  
[*carniolicus* MOUSSON, 1859; *cassis* WESTERLUND, 1886; *splendidulus* KOBELT, 1899]
- *Aegopis gemonensis gemonensis* (A. FERUSSAC, 1832) – SI  
[*acutimargo* BRUMATI, 1838; *isodoma* DE CRISTOFORI & JAN, 1832; *ruralis* WESTERLUND, 1886; *spinellii* POLLONERA, 1909]
- *Aegopis gemonensis kusceri* (A.J. WAGNER, 1912) – SI
- *Aegopis septentrionalis septentrionalis* (KOBELT, 1899) – HR, BA
- *Aegopis septentrionalis laughofferi* A.J. WAGNER, 1914 – AL, HR
- *Aegopis spelaeus* A.J. WAGNER, 1914 – BA, HR
- *Aegopis tenerrimus* (BRANCSIK, 1890) – BA, YU
- *Aegopis verticillus* (LAMARCK, 1822) – AL?, SI, MO, HR, BA  
[*euroa* M. VON KIMAKOWICZ, 1899]

### Genus *Allaegopis* RIEDEL, 1979

- *Allaegopis amphikypellon* RIEDEL, 1982 – AL
- *Allaegopis skandergianus* (POLIŃSKI, 1924) – AL, MK  
[*jubetinensis* S.H.F. JAECKEL, 1954; *polinskii* URBAŃSKI, 1939]



Superfamilia Limacoidea LAMARCK, 1801  
Familia Vitrinidae FITZINGER, 1833

**Genus *Semilimax* J.E. GRAY, 1847**

- *Semilimax carinthiacus* (WESTERLUND, 1886) – SI, HR
- *Semilimax semilimax* (J. FERUSSAC, 1802) – SI, HR  
[*elongata* DRAPARNAUD, 1805; *truncata* O. BOETTGER, 1884]

**Genus *Semilimacella* Soós, 1917**

- *Semilimacella carniolica* (O. BOETTGER, 1884) – AL, MO, BA
- *Semilimacella bonellii reitteri* (O. BOETTGER, 1880) – AL, MO, SI, MK, YU, HR, BA  
[*velebetica* Soós, 1917]

**Genus *Vitrinobrachium* KÜNKEL, 1929**

- *Vitrinobrachium breve* (A. FERUSSAC, 1821) – SI, HR, YU, BA  
[*bosniaca* O. BOETTGER, 1885]

**Genus *Eucobresia* H.B. BAKER, 1929**

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – SI, MO, HR, YU, BA  
[*heyneimanni* KOCH, 1871; *membranacea* KOCH, 1876]
- *Eucobresia nivalis* (DUMONT & MORTILLET, 1854) – SI  
[*albina* KOCH, 1876; *charpentieri* STABILE, 1859]
- *Eucobresia pegorarii* (POLLONERA, 1884) – SI

**Genus *Vitrina* DRAPARNAUD, 1801**

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – AL, SI, HR, YU, BA, MK  
[*alpina* GREDLER, 1856; *beryllina* C. PFEIFFER, 1821; *domestica* STRÖM, 1765; *hiemalis* KOCH, 1876; *limacoides* ALTEN, 1812]

**Genus *Oligolimax* P. FISCHER, 1878**

- *Oligolimax annularis* (S. STUDER, 1820) – AL, SI, YU, MK, MO
- *Oligolimax apatelus* (Soós, 1924) – AL

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

**Genus *Boettgerilla* SIMROTH, 1910**

- *Boettgerilla pallens* SIMROTH, 1912 – SI  
[*vermiformis* WIKTOR, 1959]

Familia Limacidae LAMARCK, 1801  
Subfamilia Limacinae LAMARCK, 1801

**Genus *Limax* LINNAEUS, 1758**

- *Limax cephalonicus* SIMROTH, 1886 – AL, MK  
[*carbonaria* O. BOETTGER, 1885; *?submaculata* O. BOETTGER, 1885; *corcyrensis* SIMROTH, 1905; *beieri* H. WAGNER, 1930; *scupicus* H. WAGNER, 1931; *kuehnelti* H. WAGNER, 1940]

- *Limax cinereoniger* WOLF, 1903 – AL, SI, MO, HR, YU, BA, MK  
[*schulzei* GERHARDT, 1941; *zilchi* GROSSU & LUPU, 1960]
- *Limax conemenosi* O. BOETTGER, 1882 – YU, MK, AL  
[*multipunctata* O. BOETTGER, 1885; *pestaniensis* RÄHLE, 1977]
- *Limax graecus* SIMROTH, 1889 – MK, YU, AL  
[? *taygeticus* GRATELOUP, 1855; *macedonicus* P. HESSE, 1928; *leucopus* P. HESSE, 1928]
- *Limax maximus* LINNAEUS, 1758 – AL, SI, MO, HR, YU, BA, MK
- *Limax wohlberedti* SIMROTH, 1900 – AL, MO, BA

*Limax* incertae sedis: *dofleini* P. HESSE, 1928; *illyricus* SIMROTH, 1907; *montenegrinus* O. BOETTGER, 1885; *moellendorffi* M. VON KIMAKOWICZ, 1890

#### Genus *Limacus* LEHMANN, 1864

- *Limacus flavus* (LINNAEUS, 1758) – AL, SI, HR, YU, MK  
[*variegatus* DRAPARNAUD, 1801]

#### Genus *Malacolimax* MALM, 1868

- *Malacolimax mrazeki* (SIMROTH, 1904) – MO, SI, HR, YU, BA, MK, AL

#### Genus *Lehmannia* HEYNEMANN, 1863

- *Lehmannia brunneri* (H. WAGNER, 1931) – MO, HR, YU, MK
- *Lehmannia marginata* (O.F. MÜLLER, 1774) – AL, SI, HR, BA
- *Lehmannia nyctelia* (BOURGUIGNAT, 1861) – YU, MO, AL  
[*kervillei* GERMAIN, 1907]
- *Lehmannia szigethyae* WIKTOR, 1975 – AL, MK  
[*galiciensis* RÄHLE, 1977; *ohridiana* RÄHLE, 1977; *bigorskii* RÄHLE, 1977]

Familia Agriolimacidae H. WAGNER, 1935  
Subfamilia Agriolimacinae H. WAGNER, 1935

#### Genus *Deroceras* RAFINESQUE, 1820

##### Subgenus *Deroceras* RAFINESQUE, 1820

- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758)? – AL, SI, HR, MO, MK
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – SI, MO, HR, BA, MK
- *Deroceras (Deroceras) klemmi* GROSSU, 1972 – SI, HR  
[*dalmatinum* GROSSU, 1972]
- *Deroceras (Deroceras) maasseni* WIKTOR, 1996 – MO
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – AL, SI, HR, YU, MO, MK  
[*altenai* LUPU, 1976]
- *Deroceras (Deroceras) rodnae* GROSSU & LUPU, 1965 – HR, SI
- *Deroceras (Deroceras) sturanyi* (SIMROTH, 1894) – AL, SI, HR, BA, YU, MO, MK  
[*murinus* SIMROTH, 1894; *romanicus* GROSSU & LUPU, 1959]
- *Deroceras (Deroceras) turcicum* (SIMROTH, 1894) – AL, SI, HR, BA, MO, YU, MK  
[*bosnensis* GROSSU, 1972; ?*forcarti* GROSSU & LUPU, 1961; *hercegovinae* GROSSU, 1972; ?*waldeni* GROSSU, 1969; *wiktori* GROSSU, 1969]

*Deroceras* incertae sedis: *absoloni* SIMROTH, 1916

Limacoidea incertae sedis: *csikii* SOOS, 1924; *occidentalis* P. HESSE, 1928

Superfamilia Arionoidea J.E. GRAY, 1840  
Familia Arionidae J.E. GRAY, 1840

**Genus *Arion* A. FERUSSAC, 1819**  
**Subgenus *Arion* A. FERUSSAC, 1819**

- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – SI, HR, YU, MO

**Subgenus *Mesarion* P. HESSE, 1926**

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – AL, SI, MO, HR, YU, BA, MK

**Subgenus *Carinarion* P. HESSE, 1926**

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – AL, SI, HR, YU, BA, MK
- *Arion (Carinarion) fasciatus* (NILSSON, 1823) – BA, HR, SI, MO, AL
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – BA, HR, SI, MK, MO

**Subgenus *Kobeltia* SEIBERT, 1873**

- *Arion (Kobeltia) obesoductus* P. REISCHÜTZ, 1979 – SI, HR
- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – SI, HR, YU

Superfamilia Helicoidea RAFINESQUE, 1815  
Familia Bradybaenidae PILSBRY, 1934 (1898)  
Subfamilia Bradybaeninae PILSBRY, 1934 (1898)  
Tribus Bradybaenini PILSBRY, 1934 (1898)

**Genus *Fruticicola* HELD, 1838**

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – SI, MO, HR, YU, BA, MK

Familia Helicodontidae KOBELT, 1904  
Subfamilia Helicodontinae KOBELT, 1904

**Genus *Helicodonta* A. FÉRUSSAC, 1821**

- *Helicodonta langhofferi* A.J. WAGNER, 1912 – AL
- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – HR, SI
- *Helicodonta obvoluta albanica* A.J. WAGNER, 1914 – AL, MK
- *Helicodonta obvoluta bosniaca* O. BOETTGER, 1885 – BA, YU

**Genus *Soosia* P. HESSE, 1918**

- *Soosia diodonta* (A. FÉRUSSAC, 1821) – YU

Subfamilia Lindholmiolinae SCHILEYKO, 1978

**Genus *Lindholmiola* P. HESSE, 1931**

- *Lindholmiola corcyrensis* (ROSSMÄSSLER, 1838) – AL, MK, MO, HR
- *Lindholmiola girva* (FRIVALDSKY, 1835) – MK
- *Lindholmiola pirinensis* S.H.F. JAECKEL, 1954 – MK

Familia Trissexodontidae H. NORDSIECK, 1987

**Genus *Caracollina* H. BECK, 1837**

**Subgenus *Caracollina* H. BECK, 1837**

- *Caracollina (Caracollina) lenticula* (MICHAUD, 1831) – HR

Familia Cochlicellidae SCHILEYKO, 1972

**Genus *Cochlicella* A. FERUSSAC, 1821**

**Subgenus *Cochlicella* A. FÉRUSSAC, 1821**

- *Cochlicella (Cochlicella) acuta* (O.F. MÜLLER, 1774) – AL, SI, HR, MO
- *Cochlicella (Cochlicella) conoidea* (DRAPARNAUD, 1801) – MO

**Subgenus *Prietocella* SCHILEYKO & MENKHORST, 1997**

- *Cochlicella (Prietocella) barbara* (LINNAEUS, 1758) – AL, HR

Familia Hygromiidae TRYON, 1866  
Subfamilia Monachinae WENZ, 1930 (1904)  
Tribus Euomphaliini SCHILEYKO, 1978

**Genus *Euomphalia* WESTERLUND, 1889**

- *Euomphalia strigella strigella* (DRAPARNAUD, 1801) – SI, YU, HR, BA, MO, MK  
[*peregra* BRUSINA, 1870; *solidula* BRUSINA, 1870]

Tribus Monachini WENZ, 1930 (1904)

**Genus *Monacha* FITZINGER, 1833**

- *Monacha (Monacha) cantiana* (MONTAGU, 1803) – SI, HR
- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – AL, SI, HR, BA, YU, MK, MO
- *Monacha (Monacha) claustralis* (MENKE, 1828) – AL, MK  
[*dissimulans* L. PINTER, 1968]
- *Monacha (Monacha) dofleini* (P. HESSE, 1928) – MK, MO, AL
- *Monacha (Monacha) emigrata sattmanni* HAUSDORF, 1996 – AL
- *Monacha (Monacha) emigrata senitshika* HAUSDORF, 1996 – AL
- *Monacha (Monacha) frequens* (MOUSSON, 1859) – AL, MO
- *Monacha (Monacha) microtricha* S.H.F. JAECKEL, 1954 – AL, MK
- *Monacha (Monacha) parumcincta* (MENKE, 1828) – AL, HR, BA

Subfamilia Geomitrinae C. BOETTGER, 1909  
Tribus Trochoideini H. NORDSIECK, 1987

**Genus *Trochoidea* T. BROWN, 1827**

**Subgenus *Trochoidea* T. BROWN, 1827**

- *Trochoidea (Trochoidea) pyramidata* (DRAPARNAUD, 1805) – AL, HR, MO, MK
- *Trochoidea (Trochoidea) trochoides* (POIRET, 1789) – AL, HR, MO  
[*conica* DRAPARNAUD, 1805]

**Genus *Xerocrassa* MONTEROSATO, 1892**

**Subgenus *Xerocrassa* MONTEROSATO, 1892**

- *Xerocrassa (Xerocrassa) muehlfeldtiana* (ROSSMÄSSLER, 1837) – AL, MO, BA  
[?*rhabdota* STURANY, 1922]

**Subgenus ?**

- *Xerocrassa geyeri* (SOÓS, 1926) – SI

Subfamilia Hygromiinae TRYON, 1866  
Tribus Trochulini LINDHOLM, 1927

### Genus *Trichia* W. HARTMANN, 1840

#### Subgenus *Trichia* W. HARTMANN, 1840

- *Trochulus (Trochulus) erjavecii erjavecii* (BRUSINA, 1870) – YU/AL HR  
[*blauii* KOBELT, 1892; *bortana* SERVAIN, 1884; *carosina* SERVAIN, 1884; *nactara* SERVAIN, 1884; *ottoi* SERVAIN, 1884; *twartkoi* SERVAIN, 1884]
- *Trochulus (Trochulus) erjavecii cinctus* (SOOS, 1904) – YU/AL HR
- *Trochulus (Trochulus) erjavecii costulatus* (WOHLBEREDT, 1909) – MO
- *Trochulus (Trochulus) erjavecii floericki* (KOBELT, 1898) – AL, MO, YU
- *Trochulus (Trochulus) erjavecii hajlensis* S.H.F. JAECKEL, 1956 – YU/AL
- *Trochulus (Trochulus) erjavecii hirci* (CLESSIN, 1883) – SI, HR
- *Trochulus (Trochulus) erjavecii leptolasius* (A.J. WAGNER, 1912) – YU/AL
- *Trochulus (Trochulus) erjavecii osorius* (BRANCSIK, 1890) – YU  
[*avarica* SERVAIN, 1884; *cavarella* SERVAIN, 1884; *haueri* BRANCSIK, 1890; *mortella* SERVAIN, 1884; *oreinos* A.J. WAGNER, 1915; *savinella* SERVAIN, 1884; *tanora* SERVAIN, 1884]
- *Trochulus (Trochulus) erjavecii symmiensis* (SOOS, 1904) – YU/AL
- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – HR
- *Trochulus (Trochulus) striolatus danubialis* (CLESSIN, 1874) – YU
- *Trochulus (Trochulus) waldemari* (A.J. WAGNER, 1912) – BA

### Genus *Petasina* H. BECK, 1847

#### Subgenus *Petasina* H. BECK, 1847

- *Petasina (Petasina) unidentata unidentata* (DRAPARNAUD, 1805) – HR

#### Subgenus *Filicinella* POLIŃSKI, 1929

- *Petasina (Filicinella) filicina filicina* (L. PFEIFFER, 1841) – SI, HR
- *Petasina (Filicinella) filicina bosnensis* (MOELLENDORFF, 1873) – YU, MO, BA  
[*nudata* WESTERLUND, 1889]
- *Petasina (Filicinella) leucozona leucozona* (C. PFEIFFER, 1828) – SI  
[*dolopida* DE CRISTOFORI & JAN, 1832; *coadunata* ROSSMÄSSLER, 1838; *crassilabris* L. PFEIFFER, 1847; *rutilans* L. PFEIFFER, 1848; *modesta* L. PFEIFFER, 1848]
- *Petasina (Filicinella) leucozona heteromorpha* (WESTERLUND, 1876) – SI, HR  
[*erjavecii* CLESSIN, 1887; *australis* S.H.F. JAECKEL, KLEMM & MEISE, 1958]
- *Petasina (Filicinella) leucozona ovirensis* (ROSSMÄSSLER, 1838) – SI
- *Petasina (Filicinella) lurida* (C. PFEIFFER, 1828) – SI, HR

### Genus *Xerocampylaea* KOBELT, 1871

- *Xerocampylaea zeleborei* (L. PFEIFFER, 1853) – BA, YU, MK, MO  
[*acaria* SERVAIN, 1884]

### Genus *Semifruticicola* A.J. WAGNER, 1914

- *Semifruticicola costulata costulata* (BRANCSIK, 1897) – BA, MK, MO
- *Semifruticicola costulata serbica* A.J. WAGNER, 1914 – AL, MO, BA

### Genus *Helicopsis* FITZINGER, 1833

- *Helicopsis striata striata* (O.F. MÜLLER, 1774) – SI, HR, YU

**Genus *Xeropicta* MONTEROSATO, 1892**

- *Xeropicta derbentina* (KRYNICKI, 1836) – AL, HR  
[*homoleuca* BRUSINA, 1870; *gyroides* L. PFEIFFER, 1870]
- *Xeropicta krynickii* (KRYNICKI, 1833) – MK

Tribus Helicellini IHERING, 1909

**Genus *Xerotricha* MONTEROSATO, 1892**

- *Xerotricha apicina* (LAMARCK, 1822) – HR
- *Xerotricha conspurcata* (DRAPARNAUD, 1801) – AL, HR

**Genus *Candidula* KOBELT, 1871**

- *Candidula castriota* SOÓS, 1924 – AL
- *Candidula rhabdotoides* (A.J. WAGNER, 1928) – MK, AL
- *Candidula unifasciata unifasciata* (POIRET, 1801) – SI, HR

Tribus Hygromiini TRYON, 1866

**Genus *Hygromia* RISSO, 1826**

**Subgenus *Hygromia* RISSO, 1826**

- *Hygromia (Hygromia) cinctella* (DRAPARNAUD, 1801) – SI, HR, MO

**Genus *Cernuella* SCHLÜTER, 1838**

**Subgenus *Cernuella* SCHLÜTER, 1838**

- *Cernuella (Cernuella) virgata* (DA COSTA, 1778)/*jonica* (MOUSSON, 1854) – AL, HR, BA, MK, MO  
[*profuga* A. SCHMIDT, 1854; *meridionalis* ROSSMÄSSLER, 1836; *cisalpina* ROSSMÄSSLER, 1837;  
*vegliana* KORMOS, 1906; *variabilis* DRAPARNAUD, 1801; *janinensis* WESTERLUND, 1902]

**Subgenus *Xerocincta* MONTEROSATO, 1892**

- *Cernuella (Xerocincta) neglecta* (DRAPARNAUD, 1805) – SI, HR

Genera incertae sedis: *vukotinovici* HIRC, 1878 (= *liburnica* STOSSICH, 1880) [HR]

Tribus Metafruticolini SCHILEYKO, 1972

**Genus *Metafruticicola* IHERING, 1892**

- *Metafruticicola occidentalis* SUBAI, 1999 – AL

**Genus *Hiltrudia* H. NORDSIECK, 1993**

- *Hiltrudia globulosa* SUBAI, 2009 – MO
- *Hiltrudia kusmici* (CLESSIN, 1887) – MO, HR, BA, AL
- *Hiltrudia mathildae* (WESTERLUND, 1881) – AL, HR, MO

Tribus Leptaxini C. BOETTGER, 1909

**Genus *Pseudotrichia* SCHILEYKO, 1970**

- *Pseudotrichia rubiginosa* (ROSSMÄSSLER, 1838) – AL, HR

**Genus *Monachoides* GUDE & B.B. WOODWARD, 1921**

- *Monachoides fallax* (A.J. WAGNER, 1914) – AL, BA, MK
- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – AL, SI, MO, HR, YU, BA, MK
- *Monachoides incarnatus welebitanus* (L. PFEIFFER, 1848) – BA, HR
- *Monachoides kosovoensis* DE WINTER & MAASSEN, 1992 – YU
- *Monachoides taraensis* DE WINTER & MAASSEN, 1992 – MO

**Genus *Perforatella* SCHLÜTER, 1838**

- *Perforatella bidentata* (GMELIN, 1791) – SI, HR

**Genus *Urticicola* LINDHOLM, 1927**

- *Urticicola umbrosus* (C. PFEIFFER, 1828) – SI, HR, BA, YU, MO  
[*amela* SERVAIN, 1884; *aporata* SERVAIN, 1884; *oecoscia* SERVAIN, 1884; *sciraia* SERVAIN, 1884]

Tribus incerta

**Genus *Xerolenta* MONTEROSATO, 1892**

- *Xerolenta obvia obvia* (MENKE, 1828) – AL, SI, HR, MO, BA, YU, MK  
[*candicans* L. PFEIFFER, 1841; *arenosa* \*\*\*\*]

**Genus *Xeromunda* MONTEROSATO, 1892**

- *Xeromunda vulgarissima vulgarissima* (MOUSSON, 1859) – AL, MO  
[*graeca* E. VON MARTENS, 1873; *allophyla* WESTERLUND, 1894; ?*leucochilus* P. HESSE, 1928]

Familia Helicidae RAFINESQUE, 1815

Subfamilia Ariantinae MÖRCH, 1864

**Genus *Arianta* TURTON, 1831**

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – SI, HR, YU, BA, MO
- *Arianta chamaeleon chamaeleon* (L. PFEIFFER, 1868) – SI  
[*phalerata* ROSSMÄSSLER, 1836]
- *Arianta chamaeleon tullina* (EHRMANN, 1910) – SI
- *Arianta frangepanii* (KORMOS, 1906) – HR
- *Arianta schmidtii* (ROSSMÄSSLER, 1836) – SI

**Genus *Helicigona* A. FÉRUSAC, 1821**

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – SI

**Genus *Superba* SUBAI & FEHER, 2006**

- *Superba grisea* SUBAI & FEHER, 2006 – AL
- *Superba kulmakana* SUBAI & FEHÉR, 2006 – AL
- *Superba skipetarica skipetarica* (SUBAI, 1995) – AL
- *Superba skipetarica asketa* SUBAI & FEHÉR, 2006 – AL

### Genus *Cattania* BRUSINA, 1904

- *Cattania balcanica* (L. PFEIFFER, 1853) – YU  
[*buressi* A.J. WAGNER, 1928]
- *Cattania inflata* (KOBELT, 1876) – AL, YU, MO, MK  
[*exigua* KOBELT, 1876]
- *Cattania maranajensis* (A.J. WAGNER, 1914) – AL
- *Cattania petrovici* (A.J. WAGNER, 1914) – AL
- *Cattania trizona trizona* (ROSSMÄSSLER, 1835) – YU
- *Cattania trizona ljubetenensis* (A.J. WAGNER, 1914) – YU
- *Cattania trizona pseudocingulata* (A.J. WAGNER, 1914) – MK, YU

### Genus *Chilostoma* FITZINGER, 1833

#### Subgenus *Cingulifera* HELD, 1838

- *Chilostoma (Cingulifera) cingulatum preslii* (ROSSMÄSSLER, 1836) – SI

#### Subgenus *Kosicia* BRUSINA, 1904

- *Chilostoma (Kosicia) intermedium* (A. FÉRUSAC, 1832) – SI, HR
- *Chilostoma (Kosicia) zieglerei* (ROSSMÄSSLER, 1836) – SI

#### Subgenus *Dinarica* KOBELT, 1902

- *Chilostoma (Dinarica) pouzolzi pouzolzi* (DESHAYES, 1830) – AL, MO, YU, BA, HR  
[*adriatica* + *biaggioi* + *brenoica* + *cantrainei* + *daniloi* + *dinarica* + *horatii* + *kuzmici* + *tschernagorica* + *diocletiana* + *sabljari* BOURGUIGNAT, 1888; *varronis* CANTRAINE, 1836; *soccaliana* LETOURNEUX, 1886]
- *Chilostoma (Dinarica) pouzolzi bosniensis* (KOBELT, 1871) – BA, MO  
[*bosnica* BOURGUIGNAT, 1888]
- *Chilostoma (Dinarica) pouzolzi montenegrina* (ROSSMÄSSLER, 1836) – YU, MO, HR, AL, BA  
[*albanica* Kobelt, 1902; *komensis* KOBELT, \*\*\*\*; *moratschensis* Kobelt, 1898; *wohlberedti* KOBELT, \*\*\*\*; *bizona* KOBELT, \*\*\*\*; *pellanica* BOURGUIGNAT, 1888; *silvestris* WESTERLUND, 1886]
- *Chilostoma (Dinarica) serbica* (KOBELT, 1872) – AL, YU, MO, MK, HR, BA  
[*costellata* KOBELT, 1902; *nikitai* KOBELT, \*\*\*\*; *pancici* KOBELT, 1872; *roschiti* WESTERLUND, 1886; *unitaeniata* O. BOETTGER, 1885]

#### Subgenus *Liburnica* KOBELT, 1904

- *Chilostoma (Liburnica) albanograeca* (SUBAI, 1995) – AL
- *Chilostoma (Liburnica) crinita* (STROBEL, 1854) – HR
- *Chilostoma (Liburnica) denudata* (ROSSMÄSSLER, 1836) – HR  
[*glabrata* A.J. WAGNER, 1912]
- *Chilostoma (Liburnica) dochii* (STURANY, 1907) – AL  
[*munelana* STURANY, 1907]
- *Chilostoma (Liburnica) dunjana* (KNIPPER, 1941) – AL
- *Chilostoma (Liburnica) harpya* (SUBAI, 1995) – AL
- *Chilostoma (Liburnica) hoffmanni hoffmanni* (ROSSMÄSSLER, 1836) – HR, MO, YU  
[*decisa* BRUSINA, 1866]
- *Chilostoma (Liburnica) hoffmanni walteri* (O. BOETTGER, 1886) – MO, AL
- *Chilostoma (Liburnica) insolita insolita* (ROSSMÄSSLER, 1838) – HR, BA  
[*denudata* var. *albina* BRUSINA, 1869; *lagostana* STURANY, 1901; *narentana* KOBELT, 1877; *reiseri* BRANCSIK, 1890]
- *Chilostoma (Liburnica) insolita costulata* (BRUSINA, 1869) – MO  
[*subcostalis* KOBELT, 1876]



- *Chilostoma (Liburnica) insolita ventricosa* (A.J. WAGNER, 1914) – HR, BA  
[*praetexta* L. PFEIFFER, 1870]
- *Chilostoma (Liburnica) kleciachi* (L. PFEIFFER, 1870) – HR, BA  
[*setigera* var. *albina* BRUSINA, 1869?; *lucescens* BRUSINA, 1876; *subsetosa* KOBELT, 1906 ?]
- *Chilostoma (Liburnica) kollari* (L. PFEIFFER, 1856) – YU
- *Chilostoma (Liburnica) pentheri* (STURANY, 1901) – BA
- *Chilostoma (Liburnica) setigera setigera* (ROSSMÄSSLER, 1836) – HR, BA, MO, AL
- *Chilostoma (Liburnica) setigera globulosa* (BRUSINA, 1869) – HR
- *Chilostoma (Liburnica) setosa setosa* (A. FÉRUSSAC, 1832) – BA, HR  
[*buccariana* HIRC, 1880; *pilosa* BRUSINA, 1867; *litoralis* BRUSINA, 1869; *brusinae* STOSSICH, 1876; *velebitana* WESTERLUND, 1889]
- *Chilostoma (Liburnica) setosa imberbis* (BRUSINA, 1876) – HR  
[*nicolai* KLEČÁK, 1880]

#### Subgenus *Josephinella* F. HAAS, 1936

- *Chilostoma (Josephinella) apfelbecki apfelbecki* (STURANY, 1901) – BA
- *Chilostoma (Josephinella) apfelbecki bindzaensis* (STURANY, 1909) – AL, YU  
[*braueri* A.J. WAGNER, 1914; *prokletijensis* KNIPPER, 1939]
- *Chilostoma (Josephinella) byshekensis* (KNIPPER, 1941) – AL
- *Chilostoma (Josephinella) edlaueri* KNIPPER, 1941 – AL
- *Chilostoma (Josephinella) fuchsi* KNIPPER, 1939 – AL, MK
- *Chilostoma (Josephinella) hirta* (MENKE, 1830) – HR, SI
- *Chilostoma (Josephinella) lefeburiana* (A. FÉRUSSAC, 1821) – SI
- *Chilostoma (Josephinella) moellendorffi* (KOBELT, 1871) – BA, MO, YU
- *Chilostoma (Josephinella) phocaea jakupicae* (URBAŃSKI, 1979) – MK, AL
- *Chilostoma (Josephinella) sadleriana* (Rossmässler, 1838) – HR  
[*istriana* WESTERLUND, 1888]
- *Chilostoma (Josephinella) stenomphala stenomphala* (MENKE, 1830) – HR
- *Chilostoma (Josephinella) stenomphala albanica* S.H. F. JAECKEL, 1954 – AL
- *Chilostoma (Josephinella) subzonata pindica* (O. BOETTER, 1886) – AL
- *Chilostoma (Josephinella) zebiana* (STURANY, 1907) – AL

#### Genus *Faustina* KOBELT, 1904

- *Faustina faustina associata* (ROSSMÄSSLER, 1835) – BA
- *Faustina illyrica illyrica* (STABILE, 1864) – YU, MO, SI, HR  
[*erjavecii* Clessin, 1887; *kobeltiana* CLESSIN, 1887; *ullepitschi* WESTERLUND, 1876; *umbilicaris* BRUMATI, 1838]

#### Genus *Vidoviccia* BRUSINA, 1904

- *Vidoviccia coeruleans* (C. PFEIFFER, 1828) – HR

#### Genus *Isognomostoma* FITZINGER, 1833

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – SI, HR, BA

#### Genus *Causa* SCHILEYKO, 1971

- *Causa holosericea* (S. STUDER, 1820) – SI, HR

Subfamilia Helicinae RAFINESQUE, 1815  
Tribus Thebini WENZ, 1923

**Genus *Theba* RISSO, 1826**

- *Theba pisana pisana* (O.F. MÜLLER, 1774) – AL, HR, MO, MK

Tribus Helicini RAFINESQUE, 1815

**Genus *Codringtonia* KOBELT, 1898**

**Subgenus *Neocrassa* SUBAI, 2005**

- *Codringtonia (Neocrassa) neocrassa* ZILCH, 1952 – AL  
[*crassa* L. PFEIFFER, 1850; *umbilicata* WIEGMANN]

**Genus *Cepaea* HELD, 1838**

**Subgenus *Cepaea* HELD, 1838**

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – HR, YU, BA, MO
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – SI, HR, BA  
[*erjavecii* KOBELT, 1880]

**Subgenus *Austrotachea* G. PFEFFER, 1930**

- *Cepaea (Austrotachea) vindobonensis* (C. PFEIFFER, 1828) – AL, SI, MO, HR, YU, MK, BA  
[*austriaca* MENKE, 1828; *expallescens* ROSSMÄSSLER, 1835; *nigra* WESTERLUND, 1889; *balcanica* KOBELT, 1903]

**Genus *Eobania* P. HESSE, 1913**

- *Eobania vermiculata* (O.F. MÜLLER, 1774) – AL, HR, MO, MK

**Genus *Cantareus* RISSO, 1826**

- *Cantareus apertus* (BORN, 1778) – HR, MO

**Genus *Cornu* BORN, 1778**

- *Cornu aspersum* (O.F. MÜLLER, 1774) – AL, YU?, HR, SI, MO  
[*figarolae* S.H.F. JAECKEL, 1954]

**Genus *Helix* LINNAEUS, 1758**

**Subgenus *Helix* LINNAEUS, 1758**

- *Helix (Helix) cincta* O.F. MÜLLER, 1774 – AL, HR, SI, MO, BA  
[*elegans* KOBELT, 1906; *melanotica* RENSCH, 1928]
- *Helix (Helix) dormitoris* KOBELT, 1898 – AL, MO, BA, MK, YU  
[*arnautorum* KNIPPER, 1939; *bosnica* KOBELT, 1906; *hajlensis* KNIPPER, 1939; *kolaschinensis* KOBELT, 1898; *pivensis* KOBELT, 1906; *stolacensis* KOBELT, 1906; *sturanyi* KOBELT, 1906; *lubnicensis* KOBELT, 1906]
- *Helix (Helix) figulina* ROSSMÄSSLER, 1839 – MK
- *Helix (Helix) lucorum* LINNAEUS, 1758 – AL, YU, MO, HR, MK, BA  
[*onixiomica* \*\*\*\*; *presbensis* KOBELT, 1905]
- *Helix (Helix) oestreichi* KOBELT, 1902 – AL, MK
- *Helix (Helix) pelagonesica* (ROLLE, 1898) – MK  
[*vardarica* KNIPPER, 1939]
- *Helix (Helix) philibinensis* ROSSMÄSSLER, 1839 – MK
- *Helix (Helix) pomatia* LINNAEUS, 1758 – YU, MO, SI, HR, MK, BA

- [*kapellae* KOBELT, 1906; *serbica* KOBELT, 1906; *claudiensis* KOBELT, 1906; *burmeisteri* BLUME, 1920; *brenaeensis* BLUME, 1920]
- *Helix (Helix) secernenda* ROSSMÄSSLER, 1847 – AL, HR, BA, MO  
 [*albanica* WOHLBEREDT, 1907; *edlaueri* URBAŃSKI, 1970; *njegusensis* KOBELT, 1906; *kormosi* KOBELT, 1906; *montenegrina* WOHLBEREDT, 1901; *pomatiaeformis* KOBELT, 1906; *subligata* KOBELT, 1906; *subalbescens* KOBELT, 1906; *dimidiata* KOBELT, 1906; *bicincta* KOBELT, 1906; *?subobtusata* KOBELT, 1906]
  - *Helix (Helix) vladica* (KOBELT, 1898) – AL, BA, YU, MO  
 [*pomatiaeformis* KOBELT, 1906; *wohlberedti* KOBELT, 1905; *poljensis* KOBELT, 1905; *insignis* BRANCSIK, 1890]