

FAUNA EUROPAEA PROJECT

Checklist of the land and freshwater Gastropoda of Austria

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogezaand, the Netherlands, phone +31-598-852132)

Last update: July 24th, 2011

Send remarks/additions/corrections to Ruud.Bank@quicknet.nl

Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See www.faunaeur.org for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the www.faunaeur.org is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24th, 2011. Furthermore, the systematic framework of the Gastropoda of www.faunaeur.org is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abonded. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

Phylum Mollusca CUVIER, 1795
Classis Gastropoda CUVIER, 1795
Subclassis Neritimorpha KOKEN, 1896
Ordo Cycloneritimorpha FRÝDA, 1998
Superfamilia Neritoidea RAFINESQUE, 1815
Familia Neritidae RAFINESQUE, 1815
Subfamilia Neritinae POEY, 1852
Tribus Theodoxini BANDEL, 2001

Genus *Theodoxus* MONTFORT, 1810

Subgenus *Theodoxus* MONTFORT, 1810

- *Theodoxus (Theodoxus) danubialis danubialis* (C. PFEIFFER, 1828) – AT
- *Theodoxus (Theodoxus) danubialis stragulatus* (C. PFEIFFER, 1828) – AT
- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – AT
- *Theodoxus (Theodoxus) prevostianus* (C. PFEIFFER, 1828) – AT
- *Theodoxus (Theodoxus) transversalis* (C. PFEIFFER, 1828) – AT

Subclassis Caenogastropoda COX, 1960
Ordo Architaenioglossa HALLER, 1890
Superfamilia Cyclophoroidea J.E. GRAY, 1847
Familia Cochlostomatidae KOBELT, 1902

Genus *Cochlostoma* JAN, 1830

Subgenus *Cochlostoma* JAN, 1830

- *Cochlostoma (Cochlostoma) henricae henricae* (STROBEL, 1851) – AT
- *Cochlostoma (Cochlostoma) henricae huettneri* (A.J. WAGNER, 1897) – AT
- *Cochlostoma (Cochlostoma) septemspirale septemspirale* (RAZOUKOWSKY, 1789) – AT
- *Cochlostoma (Cochlostoma) septemspirale heydenianum* (CLESSIN, 1879) – AT

Subgenus *Turritus* WESTERLUND, 1883

- *Cochlostoma (Turritus) anomphale* BOECKEL, 1939 – AT
- *Cochlostoma (Turritus) gracile stussineri* (A.J. WAGNER, 1897) – AT
- *Cochlostoma (Turritus) nanum nanum* (WESTERLUND, 1879) – AT
- *Cochlostoma (Turritus) tergestinum tergestinum* (WESTERLUND, 1878) – AT
- *Cochlostoma (Turritus) waldemari* (A.J. WAGNER, 1897) – AT

Familia Aciculidae J.E. GRAY, 1850

Genus *Acicula* W. HARTMANN, 1821

- *Acicula lineata lineata* (DRAPARNAUD, 1801) – AT
- *Acicula lineolata banki* BOETERS, E. GITTENBERGER & SUBAI, 1993 – AT

Genus *Platyla* MOQUIN-TANDON, 1856

- *Platyla gracilis* (CLESSIN, 1877) – AT
- *Platyla polita polita* (W. HARTMANN, 1840) – AT

Genus *Renea* G. NEVILL, 1880

- *Renea veneta* (PIRONA, 1865) – AT

Superfamilia Viviparoidea J.E. GRAY, 1847
Familia Viviparidae J.E. GRAY, 1847
Subfamilia Viviparinae J.E. GRAY, 1847

Genus *Viviparus* MONTFORT, 1810

- *Viviparus acerosus acerosus* (BOURGUIGNAT, 1862) – AT
- *Viviparus contectus* (MILLET, 1813) – AT

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997
Ordo *** (unnamed)
Superfamilia Cerithioidea FLEMING, 1822

Familia Thiaridae GILL, 1871 (1823)

Genus *Melanoides* OLIVIER, 1804

- *Melanoides tuberculatus* (O.F. MÜLLER, 1774) – AT

Familia Melanopsidae H. & A. ADAMS, 1854

Genus *Esperiana* BOURGUIGNAT, 1877

Subgenus *Esperiana* BOURGUIGNAT, 1877

- *Esperiana (Esperiana) esperi* (A. FÉRUSAC, 1823) – AT

Subgenus *Microcolpia* BOURGUIGNAT, 1884

- *Esperiana (Microcolpia) daudebartii daudebartii* (PREVOST, 1821) – AT
- *Esperiana (Microcolpia) daudebartii acicularis* (A. FÉRUSAC, 1823) – AT

Genus *Holandriana* BOURGUIGNAT, 1884

- *Holandriana holandrii* (C. PFEIFFER, 1828) – AT

Ordo Littorinimorpha PCHELINTSEV, 1963
Superfamilia Littorinoidea CHILDREN, 1834
Familia Pomatiidae NEWTON, 1891 (1828)

Genus *Pomatias* S. STUDER, 1789

- *Pomatias elegans* (O.F. MÜLLER, 1774) – AT

Superfamilia Rissosoidea J.E. GRAY, 1847
Familia Bithyniidae J.E. GRAY, 1857

Genus *Bithynia* LEACH, 1818

- *Bithynia leachii* (SHEPPARD, 1823) – AT
- *Bithynia tentaculata* (LINNAEUS, 1758) – AT
- *Bithynia troschelii* (PAASCH, 1842) – AT

Familia Hydrobiidae STIMPSON, 1865
Subfamilia Tateinae THIELE, 1925

Genus *Potamopyrgus* STIMPSON, 1865

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – AT

Subfamilia Belgrandiinae DE STEFANI, 1877
Tribus Belgrandiini DE STEFANI, 1877

Genus *Alzoniella* GIUSTI & BODON, 1984

Subgenus *Alzoniella* GIUSTI & BODON, 1984

- *Alzoniella (Alzoniella) hartwigschuetzi* (P. REISCHÜTZ, 1983) – AT

Tribus Belgrandiellini RADOMAN, 1983

Genus *Belgrandiella* A.J. WAGNER, 1928

- *Belgrandiella aulaei* HAASE, WEIGAND & HASEKE, 2000 – AT
- *Belgrandiella austriana* (RADOMAN, 1975) – AT
- *Belgrandiella boetersi* P. REISCHÜTZ & FALKNER, 1998 – AT
- *Belgrandiella fuchsi* (BOETERS, 1970) – AT
- *Belgrandiella ganslmayri* HAASE, 1993 – AT
- *Belgrandiella kreisslorum* P. REISCHÜTZ, 1997 – AT
- *Belgrandiella mimula* HAASE, 1996 – AT
- *Belgrandiella multiformis* W. FISCHER & P. REISCHÜTZ, 1995 – AT
- *Belgrandiella parreyssii* (L. PFEIFFER, 1841) – AT
- *Belgrandiella pelerei* HAASE, 1994 – AT
- *Belgrandiella styriaca* STOJASPAL, 1978 – AT
- *Belgrandiella wawrai* HAASE, 1996 – AT

Genus *Graziana* RADOMAN, 1975

- *Graziana adlitzensis* W. FISCHER & P. REISCHÜTZ, 1995 – AT
- *Graziana klagenfurtensis* HAASE, 1994 – AT
- *Graziana lacheineri* (KÜSTER, 1853) – AT
- *Graziana pupula* (WESTERLUND, 1886) – AT

Genus *Bythiospeum* BOURGUIGNAT, 1882

- *Bythiospeum bormanni* (STOJASPAL, 1978) – AT
- *Bythiospeum elseri* (FUCHS, 1929) – AT
- *Bythiospeum excelsior* (MAHLER, 1951) – AT
- *Bythiospeum excessum* (MAHLER, 1951) – AT
- *Bythiospeum cisterciensorum* (P. REISCHÜTZ, 1983) – AT
- *Bythiospeum geyeri* (FUCHS, 1925) – AT
- *Bythiospeum nocki* HAASE, WEIGAND & HASEKE, 2000 – AT
- *Bythiospeum noricum* (FUCHS, 1929) – AT
- *Bythiospeum pfeifferi* (CLESSIN, 1890) – AT
- *Bythiospeum reispense* (P. REISCHÜTZ, 1983) – AT
- *Bythiospeum tschapecki* (CLESSIN, 1882) – AT
- *Bythiospeum wiaaiglica* A. REISCHÜTZ & P. REISCHÜTZ, 2006 – AT

Genus *Iglica* A.J. WAGNER, 1928

Subgenus *Iglica* A.J. WAGNER, 1928

- *Iglica (Iglica) gratulabunda* (A.J. WAGNER, 1910) – AT
- *Iglica (Iglica) kleinzellensis* P. REISCHÜTZ, 1981 – AT

Tribus Pseudohoratiini RADOMAN, 1973

Genus *Hauffenia* POLLONERA, 1898

- *Hauffenia danubialis* (HAASE, 1993) – AT
- *Hauffenia kerschneri* (S. ZIMMERMANN, 1930) – AT
- *Hauffenia nesemanni* A. REISCHÜTZ & P. REISCHÜTZ, 2006 – AT
- *Hauffenia wienerwaldensis* HAASE, 1992 – AT

Familia Lithoglyphidae TRYON, 1866
Subfamilia Lithoglyphinae TRYON, 1866

Genus *Lithoglyphus* C. PFEIFFER, 1828

- *Lithoglyphus naticoides* (C. PFEIFFER, 1828) – AT

Familia Amnicolidae TRYON, 1863
Subfamilia Amnicolinae TRYON, 1863

Genus *Bythinella* MOQUIN-TANDON, 1856

- *Bythinella angelitae* HAASE, WILKE & MILDNER, 2007 – AT
- *Bythinella austriaca austriaca* (FRAUENFELD, 1857) – AT
- *Bythinella austriaca conica* CLESSIN, 1910 – AT
- *Bythinella bavarica* CLESSIN, 1877 – AT
- *Bythinella cylindrica* (FRAUENFELD, 1857) – AT
- *Bythinella intermedia* MAHLER, 1951 – AT
- *Bythinella lunzensis* BOETERS, 2008 – AT
- *Bythinella opaca opaca* (M. VON GALLENSTEIN, 1848) – AT
- *Bythinella pannonica* (FRAUENFELD, 1865) – AT?

Subclassis Heterobranchia BURMEISTER, 1837
Ordo Allogastropoda HASZPRUNAR, 1985
Superfamilia Valvatoidea J.E. GRAY, 1840
Familia Valvatidae J.E. GRAY, 1840

Genus *Valvata* O.F. MÜLLER, 1773

Subgenus *Valvata* O.F. MÜLLER, 1773

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – AT

Subgenus *Tropidina* H. & A. ADAMS, 1854

- *Valvata (Tropidina) macrostoma* MÖRCH, 1864 – AT

Subgenus *Cincinna* HÜBNER, 1810

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – AT
- *Valvata (Cincinna) studeri* BOETERS & FALKNER, 1998 – AT

Genus *Borysthenia* LINDHOLM, 1913

- *Borysthenia naticina* (MENKE, 1845) – AT

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814
Ordo Hygrophila A. FÉRUSAC, 1822
Superfamilia Acroloxoidea THIELE, 1931
Familia Acroloxidae THIELE, 1931

Genus *Acroloxus* H. BECK, 1838

- *Acroloxus lacustris* (LINNAEUS, 1758) – AT

Superfamilia Lymnaeoidea RAFINESQUE, 1815
Familia Lymnaeidae RAFINESQUE, 1815
Subfamilia Lymnaeinae RAFINESQUE, 1815

Genus *Galba* SCHRANK, 1803

Subgenus *Galba* SCHRANK, 1803

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – AT

Genus *Stagnicola* JEFFREYS, 1830

- *Stagnicola corvus* (GMELIN, 1791) – AT
- *Stagnicola fuscus* (C. PFEIFFER, 1821) – AT
- *Stagnicola turricula* (HELD, 1836) – AT

Genus *Radix* MONTFORT, 1810

- *Radix ampla* (W. HARTMANN, 1821) – AT
- *Radix auricularia* (LINNAEUS, 1758) – AT
- *Radix balthica* (LINNAEUS, 1758) – AT
- *Radix labiata* (ROSSMÄSSLER, 1835) – AT
- *Radix lagotis* (SCHRANK, 1803) – AT

Genus *Lymnaea* LAMARCK, 1799

- *Lymnaea stagnalis* (LINNAEUS, 1758) – AT

Genus *Pseudosuccinea* F.C. BAKER, 1908

- *Pseudosuccinea columella* (SAY, 1817) – AT

Superfamilia Planorboidea RAFINESQUE, 1815
Familia Physidae FITZINGER, 1833
Subfamilia Physinae FITZINGER, 1833
Tribus Physini FITZINGER, 1833

Genus *Physa* DRAPARNAUD, 1801

- *Physa fontinalis* (LINNAEUS, 1758) – AT

Tribus Haitini D.W. Taylor, 2003

Genus *Haitia* CLENCH & AGUAYO, 1932

- *Haitia acuta* (DRAPARNAUD, 1805) – AT

Subfamilia Aplexinae STAROBOGATOV, 1967
Tribus Aplexini STAROBOGATOV, 1967

Genus *Aplexa* FLEMING, 1820

- *Aplexa hypnorum* (LINNAEUS, 1758) – AT

Familia Planorbidae RAFINESQUE, 1815
Subfamilia Bulininae P. FISCHER & CROSSE, 1880
Tribus Coretini J.E. GRAY, 1847

Genus *Planorbarius* DUMÉRIL, 1806

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – AT

Genus *Planorbella* HALDEMAN, 1843

- *Planorbella duryi* (WETHERBY, 1879) – AT

Tribus Miratestini P. & F. SARASIN, 1897

Genus *Ferrissia* WALKER, 1903
Subgenus *Pettancyllus* IREDALE, 1943

- *Ferrissia* (*Pettancyllus*) *wautieri* (MIROLI, 1960) – AT

Subfamilia Planorbinae RAFINESQUE, 1815
Tribus Planorbini RAFINESQUE, 1815

Genus *Planorbis* O.F. MÜLLER, 1773
Subgenus *Planorbis* O.F. MÜLLER, 1773

- *Planorbis* (*Planorbis*) *carinatus* O.F. MÜLLER, 1774 – AT
- *Planorbis* (*Planorbis*) *planorbis* (LINNAEUS, 1758) – AT

Genus *Anisus* S. STUDER, 1820
Subgenus *Anisus* S. STUDER, 1820

- *Anisus* (*Anisus*) *leucostoma* (MILLET, 1813) – AT
- *Anisus* (*Anisus*) *spirorbis* (LINNAEUS, 1758) – AT

Subgenus *Disculifer* C. BOETTGER, 1944

- *Anisus* (*Disculifer*) *vortex* (LINNAEUS, 1758) – AT
- *Anisus* (*Disculifer*) *vorticulus* (TROSCHEL, 1834) – AT

Genus *Bathyomphalus* CHARPENTIER, 1837

- *Bathyomphalus* *contortus* (LINNAEUS, 1758) – AT

Genus *Gyraulus* CHARPENTIER, 1837
Subgenus *Gyraulus* CHARPENTIER, 1837

- *Gyraulus* (*Gyraulus*) *albus* (O.F. MÜLLER, 1774) – AT
- *Gyraulus* (*Gyraulus*) *acronicus* (A. FÉRUSAC, 1807) – AT
- *Gyraulus* (*Gyraulus*) *chinensis* (DUNKER, 1848) – AT

Subgenus *Torquis* DALL, 1905

- *Gyraulus* (*Torquis*) *laevis* (ALDER, 1838) – AT
- *Gyraulus* (*Torquis*) *parvus* (SAY, 1817) – AT

Subgenus *Lamorbis* STAROBOGATOV, 1967

- *Gyraulus* (*Lamorbis*) *rossmaessleri* (AUERSWALD, 1852) – AT

Subgenus *Armiger* W. HARTMANN, 1843

- *Gyraulus* (*Armiger*) *crista* (LINNAEUS, 1758) – AT

Tribus Segmentinini F.C. BAKER, 1945

Genus *Hippeutis* CHARPENTIER, 1837

- *Hippeutis* *complanatus* (LINNAEUS, 1758) – AT

Genus *Segmentina* FLEMING, 1818

- *Segmentina nitida* (O.F. MÜLLER, 1774) – AT

Tribus Ancylini RAFINESQUE, 1815

Genus *Ancylus* O.F. MÜLLER, 1773

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – AT
- *Ancylus striatus* QUOY & GAIMARD, 1834 – AT

Subordo Eupulmonata HASZPRUNAR & HUBER, 1990
 Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)
Familia Ellobiidae L. Pfeiffer, 1854 (1822)
 Subfamilia Carychiinae JEFFREYS, 1830

Genus *Carychium* O.F. MÜLLER, 1773

Subgenus *Carychium* O.F. MÜLLER, 1773

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – AT

Subgenus *Saraphia* Risso, 1826

- *Carychium (Saraphia) tridentatum* (RISSE, 1826) – AT

Genus *Zospeum* BOURGUIGNAT, 1856

- *Zospeum alpestre kupitzense* A. STUMMER, 1984 – AT
- *Zospeum isselianum* POLLONERA, 1887 – AT

Ordo Stylommatophora A. SCHMIDT, 1855
 Subordo Elasmognatha MÖRCH, 1863
 Superfamilia Succineoidea H. BECK, 1837
Familia Succineidae H. BECK, 1837
 Subfamilia Succineinae H. BECK, 1837

Genus *Succinea* DRAPARNAUD, 1801

- *Succinea putris* (LINNAEUS, 1758) – AT

Genus *Succinella* J. MABILLE, 1871

- *Succinella oblonga* (DRAPARNAUD, 1801) – AT

Genus *Oxyloma* WESTERLUND, 1885

Subgenus *Oxyloma* WESTERLUND, 1885

- *Oxyloma (Oxyloma) elegans elegans* (RISSE, 1826) – AT
- *Oxyloma (Oxyloma) sarsii* (ESMARK, 1886) – AT

Subordo Orthurethra PILSBRY, 1900
 Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)
Familia Cochlicopidae PILSBRY, 1900 (1879)
 Sufamilia Cochlicopinae Pilsbry, 1900 (1879)

Genus *Cochlicopa* A. FÉRUSSAC, 1821

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – AT
- *Cochlicopa lubricella* (PORRO, 1838) – AT

- *Cochlicopa nitens* (M. VON GALLENSTEIN, 1848) – AT

Superfamilia Pupilloidea TURTON, 1831
Familia Lauriidae STEENBERG, 1925

Genus *Lauria* J.E. GRAY, 1840

Subgenus *Lauria* J.E. GRAY, 1840

- *Lauria (Lauria) sempronii* (CHARPENTIER, 1837) – AT?

Familia Orculidae PILSBRY, 1918
 Subfamilia Orculinae PILSBRY, 1918

Genus *Orcula* HELD, 1838

- *Orcula austriaca austriaca* S. ZIMMERMANN, 1932 – AT
- *Orcula austriaca faueri* KLEMM, 1967 – AT
- *Orcula austriaca goelleri* E. GITTENBERGER, 1978 – AT
- *Orcula austriaca pseudofuchsi* KLEMM, 1967 – AT
- *Orcula conica* (ROSSMÄSSLER, 1837) – AT
- *Orcula dolium dolium* (DRAPARNAUD, 1801) – AT
- *Orcula dolium edita* PILSBRY, 1934 – AT
- *Orcula dolium gracilior* S. ZIMMERMANN, 1932 – AT
- *Orcula dolium infima* PILSBRY, 1934 – AT
- *Orcula dolium pseudogularis* A.J. WAGNER, 1912 – AT
- *Orcula dolium raxae* E. GITTENBERGER, 1978 – AT
- *Orcula fuchsi* S. ZIMMERMANN, 1931 – AT
- *Orcula gularis gularis* (ROSSMÄSSLER, 1837) – AT
- *Orcula gularis oreina* PILSBRY, 1934 – AT
- *Orcula pseudodolium* A.J. WAGNER, 1912 – AT
- *Orcula restituta* (WESTERLUND, 1887) – AT
- *Orcula spoliata* (ROSSMÄSSLER, 1837) – AT?
- *Orcula tolminensis* A.J. WAGNER, 1912 – AT

Genus *Sphyradium* CHARPENTIER, 1837

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – AT

Genus *Pagodulina* CLESSIN, 1876

- *Pagodulina pagodula atilis* KLEMM, 1939 – AT
- *Pagodulina pagodula principalis* KLEMM, 1939 – AT
- *Pagodulina sparsa* PILSBRY, 1924 – AT
- *Pagodulina subdola subdola* (GREDLER, 1856) – AT
- *Pagodulina subdola superstes* KLEMM, 1935 – AT

Subfamilia Odontocycladinae HAUSDORF, 1996

Genus *Odontocyclas* SCHLÜTER, 1838

- *Odontocyclas kokeilii* (ROSSMÄSSLER, 1837) – AT

Familia Argnidae HUDEC, 1965

Genus *Argna* COSSMANN, 1889

- *Argna biplicata excessiva* (GREDLER, 1856) – AT

Genus *Agardhiella* P. HESSE, 1923

- *Agardhiella truncatella* (L. PFEIFFER, 1841) – AT

Familia Valloniidae MORSE, 1864
Subfamilia Valloniinae MORSE, 1864

Genus *Vallonia* RISSO, 1826

- *Vallonia costata* (O.F. MÜLLER, 1774) – AT
- *Vallonia declivis* STERKI 1893 – AT
- *Vallonia enniensis* (GREDLER, 1856) – AT
- *Vallonia excentrica* STERKI, 1893 – AT
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – AT
- *Vallonia suevica* GEYER, 1908 – AT

Genus *Gittenbergia* GIUSTI, CASTAGNOLO & MANGANELLI, 1985

- *Gittenbergia sororcula* (BENOIT, 1859) – AT

Subfamilia Acanthinulinae STEENBERG, 1917

Genus *Acanthinula* H. BECK, 1847

- *Acanthinula aculeata* (O.F. MÜLLER 1774) – AT

Familia Pupillidae TURTON, 1831

Genus *Pupilla* FLEMING, 1828

Subgenus *Pupilla* FLEMING, 1828

- *Pupilla (Pupilla) alpicola* (CHARPENTIER, 1837) – AT
- *Pupilla (Pupilla) bigranata* (ROSSMÄSSLER, 1839) – AT
- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – AT
- *Pupilla (Pupilla) sterrii* (VOITH, 1840) – AT
- *Pupilla (Pupilla) triplicata* (S. STUDER, 1820) – AT

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

Genus *Pyramidula* FITZINGER, 1833

- *Pyramidula pusilla* (VALLOT, 1801) – AT

Familia Chondrinidae STEENBERG, 1925
Subfamilia Granariinae KOKSHOORN & E. GITTENBERGER, 2010

Genus *Granaria* HELD, 1838

- *Granaria frumentum frumentum* (DRAPARNAUD, 1801) – AT
- *Granaria frumentum illyrica* (ROSSMÄSSLER, 1835) – AT

Subfamilia Chondrininae STEENBERG, 1925

Genus *Abida* TURTON, 1831

- *Abida secale secale* (DRAPARNAUD, 1801) – AT

Genus *Chondrina* REICHENBACH, 1828

- *Chondrina arcadica clienta* (WESTERLUND, 1883) – AT
- *Chondrina avenacea avenacea* (BRUGUIERE, 1792) – AT
- *Chondrina avenacea lepta* (WESTERLUND, 1887) – AT
- *Chondrina megacheilos burtscheri* FALKNER & B. STUMMER, 1996 – AT

Familia Vertiginidae FITZINGER, 1833
Subfamilia Vertigininae FITZINGER, 1833
Tribus Truncatellini STEENBERG, 1925

Genus *Columella* WESTERLUND, 1878

- *Columella aspera* WALDÉN, 1966 – AT
- *Columella columella* (G. VON MARTENS, 1830) – AT
- *Columella edentula* (DRAPARNAUD, 1805) – AT

Genus *Truncatellina* R.T. LOWE, 1852

- *Truncatellina callicratis* (SCACCHI, 1833) – AT
- *Truncatellina claustralis* (GREDLER, 1856) – AT
- *Truncatellina costulata* (NILSSON, 1823) – AT
- *Truncatellina cylindrica* (A. FÉRUSAC, 1807) – AT
- *Truncatellina monodon* (HELD, 1837) – AT

Tribus Vertiginini FITZINGER, 1833

Genus *Vertigo* O.F. MÜLLER, 1773

Subgenus *Vertigo* O.F. MÜLLER, 1773

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – AT
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – AT
- *Vertigo (Vertigo) genesii* (GREDLER, 1856) – AT
- *Vertigo (Vertigo) geyeri* LINDHOLM, 1925 – AT
- *Vertigo (Vertigo) heldi* (CLESSIN, 1877) – AT?
- *Vertigo (Vertigo) modesta arctica* (WALLENBERG, 1858) – AT
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – AT
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – AT
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – AT
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – AT

Subgenus *Vertilla* MOQUIN-TANDON, 1856

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – AT

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)

Familia Enidae B.B. WOODWARD, 1903 (1880)

Subfamilia Eninae B.B. WOODWARD, 1903 (1880)

Tribus Enini B.B. WOODWARD, 1903 (1880)

Genus *Jaminia* RISSO, 1826

- *Jaminia quadridens quadridens* (O.F. MÜLLER, 1774) – AT

Genus *Ena* TURTON, 1831

- *Ena montana* (DRAPARNAUD, 1801) – AT

Tribus Multidentulini SCHILEYKO, 1978

Genus *Merdigera* HELD, 1838

- *Merdigera obscura* (O.F. MÜLLER, 1774) – AT

Tribus Chondrulini WENZ, 1923

Genus *Zebrina* HELD, 1838

- *Zebrina detrita detrita* (O.F. MÜLLER, 1774) – AT

Genus *Chondrula* H. BECK, 1837

- *Chondrula tridens tridens* (O.F. MÜLLER, 1774) – AT

Subordo **** (unnamed)
Superfamilia Achatinoidea SWAINSON, 1840
Familia Ferussaciidae BOURGUIGNAT, 1883

Genus *Cecilioides* A. FÉRUSSAC, 1814

Subgenus *Cecilioides* A. FÉRUSSAC, 1814

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – AT
- *Cecilioides (Cecilioides) petitiana* (BENOIT, 1862) [sensu LOŽEK] – AT

Subordo Sigmurethra PILSBRY, 1900
Superfamilia Clausilioidea J.E. GRAY, 1855
Familia Clausiliidae J.E. GRAY, 1855
Subfamilia Alopiinae A.J. WAGNER, 1913
Tribus Medorini H. NORDSIECK, 1997

Genus *Medora* H. & A. ADAMS, 1855

- *Medora macascarensis carniolica* (KÜSTER, 1854) – AT

Tribus Aloiini A.J. WAGNER, 1913

Genus *Herilla* H. & A. ADAMS, 1855

- *Herilla bosniensis bosniensis* (L. PFEIFFER, 1868) – AT

Tribus Cochlodinini LINDHOLM, 1925 (1923)

Genus *Cochlodina* A. FÉRUSSAC, 1821

Subgenus *Cochlodina* A. FÉRUSSAC, 1821

- *Cochlodina (Cochlodina) dubiosa dubiosa* (CLESSIN, 1882) – AT
- *Cochlodina (Cochlodina) inaequalis* (A. SCHMIDT, 1868) – AT
- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – AT

Subgenus *Stabilea* DE BETTA, 1870

- *Cochlodina (Stabilea) costata unguolata* (ROSSMÄSSLER, 1835) – AT
- *Cochlodina (Stabilea) fimbriata fimbriata* (ROSSMÄSSLER, 1835) – AT

Subgenus *Paracochlodina* H. NORDSIECK, 1969

- *Cochlodina (Paracochlodina) orthostoma orthostoma* (MENKE, 1828) – AT

Tribus Delimini R. BRANDT, 1956

Genus *Dilataria* VEST, 1867

- *Dilataria succineata succineata* (ROSSMÄSSLER, 1836) – AT

Genus *Charpentieria* STABILE, 1864

Subgenus *Charpentieria* STABILE, 1864

- *Charpentieria (Charpentieria) itala braunii* (ROSSMÄSSLER, 1836) – AT
- *Charpentieria (Charpentieria) stenzii cincta* (BRUMATI, 1838) – AT

Subfamilia Clausiliinae J.E. GRAY, 1855

Tribus Clausiliini J.E. GRAY, 1855

Genus *Ruthenica* LINDHOLM, 1924

- *Ruthenica filograna filograna* (ROSSMÄSSLER, 1836) – AT

Genus *Pseudofusulus* H. NORDSIECK, 1977

- *Pseudofusulus varians* (C. PFEIFFER, 1828) – AT

Genus *Erjavecica* BRUSINA, 1870

- *Erjavecica bergeri* (ROSSMÄSSLER, 1836) – AT

Genus *Julica* H. NORDSIECK, 1963

- *Julica schmidtii schmidtii* (L. PFEIFFER, 1841) – AT

Genus *Macrogastra* W. HARTMANN, 1841

Subgenus *Macrogastra* W. HARTMANN, 1841

- *Macrogastra (Macrogastra) ventricosa ventricosa* (DRAPARNAUD, 1801) – AT
- *Macrogastra (Macrogastra) ventricosa major* (ROSSMÄSSLER, 1836) – AT

Subgenus *Pyrostoma* VEST, 1867

- *Macrogastra (Pyrostoma) asphaltina* (ROSSMÄSSLER, 1836) – AT
- *Macrogastra (Pyrostoma) attenuata attenuata* (ROSSMÄSSLER, 1835) – AT
- *Macrogastra (Pyrostoma) attenuata lineolata* (HELD, 1836) – AT
- *Macrogastra (Pyrostoma) badia badia* (C. PFEIFFER, 1828) – AT
- *Macrogastra (Pyrostoma) badia alpina* H. NORDSIECK, 2006 – AT
- *Macrogastra (Pyrostoma) badia carinthiaca* (A. SCHMIDT, 1856) – AT
- *Macrogastra (Pyrostoma) badia crispulata* (WESTERLUND, 1884) – AT
- *Macrogastra (Pyrostoma) badia mucida* (ROSSMÄSSLER, 1835) – AT
- *Macrogastra (Pyrostoma) densestriata densestriata* (ROSSMÄSSLER, 1836) – AT
- *Macrogastra (Pyrostoma) densestriata gredleri* H. NORDSIECK, 1993 – AT
- *Macrogastra (Pyrostoma) plicatula plicatula* (DRAPARNAUD, 1801) – AT
- *Macrogastra (Pyrostoma) plicatula licana* (A.J. WAGNER, 1912) – AT
- *Macrogastra (Pyrostoma) plicatula picosula* (M. VON GALLENSTEIN, 1852) – AT
- *Macrogastra (Pyrostoma) tumida* (ROSSMÄSSLER, 1836) – AT

Genus *Clausilia* DRAPARNAUD, 1805

Subgenus *Clausilia* DRAPARNAUD, 1805

- *Clausilia (Clausilia) cruciata cruciata* (S. STUDER, 1820) – AT
- *Clausilia (Clausilia) cruciata cuspidata* HELD, 1836 – AT
- *Clausilia (Clausilia) cruciata geminella* KLEMM, 1972 – AT
- *Clausilia (Clausilia) pumila pumila* C. PFEIFFER, 1828 – AT
- *Clausilia (Clausilia) rugosa parvula* (A. FÉRUSSAC, 1807) – AT

Subgenus *Andraea* L. PFEIFFER, 1848

- *Clausilia (Andraea) dubia dubia* DRAPARNAUD, 1805 – AT
- *Clausilia (Andraea) dubia bucculenta* KLEMM, 1960 – AT
- *Clausilia (Andraea) dubia dydima* F. J. SCHMIDT, 1847 – AT
- *Clausilia (Andraea) dubia floningiana* WESTERLUND, 1890 – AT
- *Clausilia (Andraea) dubia gracilior* CLESSIN, 1887 – AT
- *Clausilia (Andraea) dubia grimmeri* L. PFEIFFER, 1848 – AT
- *Clausilia (Andraea) dubia huettneri* KLEMM, 1960 – AT
- *Clausilia (Andraea) dubia kaeufeli* KLEMM, 1960 – AT
- *Clausilia (Andraea) dubia otvinensis* H. VON GALLENSTEIN, 1895 – AT
- *Clausilia (Andraea) dubia runensis* TSCHAPECK, 1883 – AT
- *Clausilia (Andraea) dubia schlechti* A. SCHMIDT, 1856 – AT
- *Clausilia (Andraea) dubia speciosa* A. SCHMIDT, 1856 – AT
- *Clausilia (Andraea) dubia tettelbachiana* ROSSMÄSSLER, 1838 – AT
- *Clausilia (Andraea) dubia vindobonensis* A. SCHMIDT, 1856 – AT

Genus *Neostyriaca* A.J. WAGNER, 1920

- *Neostyriaca corynodes corynodes* (HELD, 1836) – AT
- *Neostyriaca corynodes brandti* (KLEMM, 1969) – AT
- *Neostyriaca corynodes conclusa* (KLEMM, 1969) – AT
- *Neostyriaca corynodes evadens* (KLEMM, 1969) – AT
- *Neostyriaca corynodes saxatilis* (W. HARTMANN, 1843) – AT
- *Neostyriaca corynodes styriaca* (A. SCHMIDT, 1856) – AT

Genus *Fusulus* FITZINGER, 1833

Subgenus *Fusulus* FITZINGER, 1833

- *Fusulus (Fusulus) interruptus* (C. PFEIFFER, 1828) – AT

Subgenus *Erjavecicella* H. NORDSIECK, 1977

- *Fusulus (Erjavecicella) approximans* (A. SCHMIDT, 1856) – AT

Subfamilia Baleinae A.J. WAGNER, 1913

Genus *Laciniaria* W. HARTMANN, 1842

- *Laciniaria plicata plicata* (DRAPARNAUD, 1801) – AT

Genus *Balea* J.E. GRAY, 1824

- *Balea perversa* (LINNAEUS, 1758) – AT

Genus *Alinda* H. & A. ADAMS, 1855

Subgenus *Alinda* H. & A. ADAMS, 1855

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – AT
- *Alinda (Alinda) biplicata chuenringorum* (TSCHAPECK, 1890) – AT
- *Alinda (Alinda) biplicata sordida* (ROSSMÄSSLER, 1835) – AT

Genus *Bulgarica* O. BOETTGER, 1877

Subgenus *Strigilecula* KENNARD & B.B. WOODWARD, 1923

- *Bulgarica (Strigilecula) cana cana* (HELD, 1836) – AT
- *Bulgarica (Strigilecula) vetusta vetusta* (ROSSMÄSSLER, 1836) – AT

Superfamilia Punctoidea MORSE, 1864
Familia Punctidae MORSE, 1864

Genus *Punctum* MORSE, 1864

Subgenus *Punctum* MORSE, 1864

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – AT

Familia Helicodiscidae H.B. BAKER, 1927

Genus *Lucilla* R.T. LOWE, 1852

- *Lucilla scintilla* (R.T. LOWE, 1852) – AT
- *Lucilla singleyana* (PILSBRY, 1889) – AT

Familia Discidae THIELE, 1931 (1866)

Genus *Discus* FITZINGER, 1833

Subgenus *Discus* FITZINGER, 1833

- *Discus (Discus) ruderatus ruderatus* (W. HARTMANN, 1821) – AT

Subgenus *Gonyodiscus* FITZINGER, 1833

- *Discus (Gonyodiscus) perspectivus* (MEGERLE VON MÜHLFELD, 1816) – AT
- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – AT

Superfamilia Gastrodontoidea TRYON, 1866
Familia Pristilomatidae T. COCKERELL, 1891

Genus *Vitrea* FITZINGER, 1833

- *Vitrea contracta* (WESTERLUND, 1871) – AT
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – AT
- *Vitrea diaphana diaphana* (S. STUDER, 1820) – AT
- *Vitrea diaphana erjavecii* (BRUSINA, 1870) – AT
- *Vitrea subrimata* (REINHARDT, 1871) – AT
- *Vitrea transsylvanica* (CLESSIN, 1877) – AT

Familia Euconulidae H.B. BAKER, 1928
Subfamilia Euconulinae H.B. BAKER, 1928

Genus *Euconulus* REINHARDT, 1883

Subgenus *Euconulus* REINHARDT, 1883

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – AT
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – AT

Familia Gastrodontidae TRYON, 1866

Genus *Zonitoides* LEHMANN, 1862

Subgenus *Zonitoides* LEHMANN, 1862

- *Zonitoides (Zonitoides) arboreus* (SAY, 1817) – AT
- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – AT

Familia Oxychilidae P. HESSE, 1927 (1879)

Subfamilia Daudebardiinae KOBELT, 1906

Genus *Daudebardia* W. HARTMANN, 1821

Subgenus *Daudebardia* W. HARTMANN, 1821

- *Daudebardia (Daudebardia) brevipes* (DRAPARNAUD, 1805) – AT
- *Daudebardia (Daudebardia) rufa* (DRAPARNAUD, 1805) – AT

Genus *Carpathica* A.J. WAGNER, 1895

Subgenus *Illyrica* A.J. WAGNER, 1895

- *Carpathica (Illyrica) stussineri* (A.J. WAGNER, 1895) – AT

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

Genus *Oxychilus* FITZINGER, 1833

Subgenus *Oxychilus* FITZINGER, 1833

- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – AT
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – AT
- *Oxychilus (Oxychilus) mortilleti mortilleti* (L. PFEIFFER, 1859) – AT

Subgenus *Ortizius* FORCART, 1957

- *Oxychilus (Ortizius) alliaris* (J.S. MILLER, 1822) – AT
- *Oxychilus (Ortizius) clarus* (HELD, 1838) – AT

Genus *Morlina* A.J. WAGNER, 1914

- *Morlina glabra glabra* (ROSSMÄSSLER, 1835) – AT
- *Morlina glabra striaria* (WESTERLUND, 1881) – AT

Genus *Mediterranea* CLESSIN, 1880

- *Mediterranea depressa* (STERKI, 1880) – AT
- *Mediterranea inopinata* (ULIČNÝ, 1887) – AT

Subfamilia Godwiniinae C.M. COOKE, 1921

Genus *Aegopinella* LINDHOLM, 1927

- *Aegopinella epipedostoma iuncta* HUDEC, 1964 – AT?
- *Aegopinella forcarti* JUNGBLUTH, 1983 – AT
- *Aegopinella minor* (STABILE, 1864) – AT
- *Aegopinella nitens* (MICHAUD, 1831) – AT

- *Aegopinella pura* (ALDER, 1830) – AT
- *Aegopinella ressmanni* (WESTERLUND, 1883) – AT

Genus *Nesovitrea* C. M. COOKE, 1921

Subgenus *Perpolita* H.B. BAKER, 1928

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – AT
- *Nesovitrea (Perpolita) petronella* (L. PFEIFFER, 1853) – AT

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)
Familia Milacidae ELLIS, 1926

Genus *Tandonia* LESSONA & POLLONERA, 1882

- *Tandonia budapestensis* (HAZAY, 1880) – AT
- *Tandonia ehrmanni* (SIMROTH, 1910) – AT
- *Tandonia robici* (SIMROTH, 1884) – AT
- *Tandonia rustica* (MILLET, 1843) – AT
- *Tandonia sowerbyi* (A. FÉRUSSAC, 1823) – AT

Superfamilia Zonitoidea MÖRCH, 1864
Familia Zonitidae MÖRCH, 1864

Genus *Aegopis* FITZINGER, 1833

- *Aegopis verticillus* (LAMARCK, 1822) – AT

Superfamilia Limacoidea LAMARCK, 1801
Familia Vitrinidae FITZINGER, 1833

Genus *Semilimax* J.E. GRAY, 1847

- *Semilimax carinthiacus* (WESTERLUND, 1886) – AT
- *Semilimax semilimax* (J. FÉRUSSAC, 1802) – AT

Genus *Hessemilimax* SCHILEYKO, 1986

- *Hessemilimax kotulae* (WESTERLUND, 1883) – AT

Genus *Semilimacella* Soós, 1917

- *Semilimacella carniolica* (O. BOETTGER, 1884) – AT

Genus *Vitrinobrachium* KÜNKEL, 1929

- *Vitrinobrachium breve* (A. FÉRUSSAC, 1821) – AT

Genus *Eucobresia* H.B. BAKER, 1929

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – AT
- *Eucobresia glacialis* (FORBES, 1837) – AT
- *Eucobresia nivalis* (DUMONT & MORTILLET, 1854) – AT
- *Eucobresia pegorarii* (POLLONERA, 1884) – AT

Genus *Vitrina* DRAPARNAUD, 1801

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – AT

Genus *Oligolimax* P. FISCHER, 1878

- *Oligolimax annularis* (S. STUDER, 1820) – AT

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

Genus *Boettgerilla* SIMROTH, 1910

- *Boettgerilla pallens* SIMROTH, 1912 – AT

Familia Limacidae LAMARCK, 1801
Subfamilia Limacinae LAMARCK, 1801

Genus *Limax* LINNAEUS, 1758

- *Limax albipes* DUMONT & MORTILLET, 1853 – AT
- *Limax cinereoniger* WOLF, 1803 – AT
- *Limax maximus* LINNAEUS, 1758 – AT

Genus *Limacus* LEHMANN, 1864

- *Limacus flavus* (LINNAEUS, 1758) – AT

Genus *Malacolimax* MALM, 1868

- *Malacolimax kostalii* BABOR, 1900 – AT
- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – AT

Genus *Lehmannia* HEYNEMANN, 1863

- *Lehmannia janetscheki* FORCART, 1966 – AT
- *Lehmannia marginata* (O.F. MÜLLER, 1774) – AT
- *Lehmannia rupicola* LESSONA & POLLONERA, 1882 – AT

Familia Agriolimacidae H. WAGNER, 1935
Subfamilia Agriolimacinae H. WAGNER, 1935

Genus *Deroceras* RAFINESQUE, 1820

Subgenus *Deroceras* RAFINESQUE, 1820

- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758) – AT
- *Deroceras (Deroceras) klemmi* GROSSU, 1972 – AT
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – AT
- *Deroceras (Deroceras) panormitanum* (LESSONA & POLLONERA, 1882) – AT
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – AT
- *Deroceras (Deroceras) rodnae* GROSSU & LUPU, 1965 – AT
- *Deroceras (Deroceras) sturanyi* (SIMROTH, 1894) – AT
- *Deroceras (Deroceras) turcicum* (SIMROTH, 1894) – AT

Superfamilia Arionoidea J.E. GRAY, 1840
Familia Arionidae J.E. GRAY, 1840

Genus *Arion* A. FÉRUSSAC, 1819

Subgenus *Arion* A. FÉRUSSAC, 1819

- *Arion (Arion) flagellus* COLLINGE, 1893 – AT

- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – AT
- *Arion (Arion) rufus* (LINNAEUS, 1758) – AT

Subgenus *Mesarion* P. HESSE, 1926

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – AT

Subgenus *Carinarion* P. HESSE, 1926

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – AT
- *Arion (Carinarion) fasciatus* (NILSSON, 1823) – AT,
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – AT

Subgenus *Kobeltia* SEIBERT, 1873

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – AT
- *Arion (Kobeltia) hortensis* A. FÉRUSAC, 1819 – AT
- *Arion (Kobeltia) obesoductus* P. REISCHÜTZ, 1979 – AT

Superfamilia Helicoidea RAFINESQUE, 1815
 Familia Bradybaenidae PILSBRY, 1934 (1898)
 Subfamilia Bradybaeninae PILSBRY, 1934 (1898)
 Tribus Bradybaenini PILSBRY, 1934 (1898)

Genus *Fruticicola* HELD, 1838

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – AT,

Familia Helicodontidae KOBELT, 1904
 Subfamilia Helicodontinae KOBELT, 1904

Genus *Helicodonta* A. FÉRUSAC, 1821

- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – AT

Familia Hygromiidae TRYON, 1866
 Subfamilia Monachinae WENZ, 1930 (1904)
 Tribus Euomphaliini SCHILEYKO, 1978

Genus *Euomphalia* WESTERLUND, 1889

- *Euomphalia strigella strigella* (DRAPARNAUD, 1801) – AT

Tribus Monachaini WENZ, 1930 (1904)

Genus *Monacha* FITZINGER 1833

Subgenus *Monacha* FITZINGER 1833

- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – AT
- *Monacha (Monacha) cantiana* (MONTAGU, 1803) – AT

Subfamilia Ciliellinae SCHILEYKO, 1970

Genus *Ciliella* MOUSSON, 1872

- *Ciliella ciliata* (W. HARTMANN, 1821) – AT

Subfamilia Hygromiinae TRYON, 1866
Tribus Trochulini LINDHOLM, 1927

Genus *Trochulus* CHEMNITZ, 1786

Subgenus *Trochulus* CHEMNITZ, 1876

- *Trochulus (Trochulus) alpicola* (EDER, 1921) – AT
- *Trochulus (Trochulus) coelomphala* (LOCARD, 1888) – AT
- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – AT
- *Trochulus (Trochulus) oreinos oreinos* (A.J. WAGNER, 1915) – AT
- *Trochulus (Trochulus) oreinos scheerpeltzi* (MIKULA, 1957) – AT
- *Trochulus (Trochulus) sericeus* (DRAPARNAUD, 1801) – AT
- *Trochulus (Trochulus) striolatus austriacus* (MAHLER, 1952) – AT
- *Trochulus (Trochulus) striolatus danubialis* (CLESSIN, 1874) – AT
- *Trochulus (Trochulus) striolatus juvavensis* (GEYER 1914) – AT
- *Trochulus (Trochulus) villosus* (DRAPARNAUD, 1805) – AT

Subgenus *Plicuteria* SCHILEYKO, 1978

- *Trochulus (Plicuteria) lubomirskii* (ŚLÓSARSKI, 1881) – AT

Genus *Petasina* H. BECK, 1847

Subgenus *Petasina* H. BECK, 1847

- *Petasina (Petasina) unidentata unidentata* (DRAPARNAUD, 1805) – AT
- *Petasina (Petasina) unidentata alpestris* (CLESSIN, 1878) – AT
- *Petasina (Petasina) unidentata norica* (POLIŃSKI, 1929) – AT
- *Petasina (Petasina) unidentata subalpestris* (POLIŃSKI, 1929) – AT

Subgenus *Edentiella* POLIŃSKI, 1929

- *Petasina (Edentiella) edentula helvetica* (POLIŃSKI, 1929) – AT
- *Petasina (Edentiella) edentula liminifera* (HELD, 1836) – AT
- *Petasina (Edentiella) edentula subleucozona* (WESTERLUND, 1889) – AT
- *Petasina (Edentiella) subtecta* (POLIŃSKI, 1929) – AT

Subgenus *Filicinella* POLIŃSKI, 1929

- *Petasina (Filicinella) filicina filicina* (L. PFEIFFER, 1841) – AT
- *Petasina (Filicinella) filicina styriaca* (KLEMM, 1954) – AT
- *Petasina (Filicinella) leucozona leucozona* (C. PFEIFFER, 1828) – AT
- *Petasina (Filicinella) leucozona heteromorpha* (WESTERLUND, 1876) – AT
- *Petasina (Filicinella) leucozona ovirensis* (ROSSMÄSSLER, 1838) – AT
- *Petasina (Filicinella) lurida* (C. PFEIFFER, 1828) – AT

Genus *Helicopsis* FITZINGER, 1833

- *Helicopsis striata striata* (O.F. MÜLLER, 1774) – AT
- *Helicopsis striata austriaca* E. GITTENBERGER, 1969 – AT
- *Helicopsis striata hungarica* (SOÓS & H. WAGNER, 1935) – AT

Tribus Helicellini IHERING, 1909

Genus *Helicella* A. FÉRUSAC, 1821

- *Helicella itala itala* (LINNAEUS, 1758) – AT

Genus *Candidula* KOBELT, 1871

- *Candidula unifasciata unifasciata* (POIRET, 1801) – AT
- *Candidula unifasciata soosiana* (H. WAGNER, 1933) – AT

Tribus Hygromiini TRYON, 1866

Genus *Hygromia* RISSO, 1826

Subgenus *Hygromia* RISSO, 1826

- *Hygromia (Hygromia) cinctella* (DRAPARNAUD, 1801) – AT

Genus *Cernuella* SCHLÜTER, 1838

Subgenus *Cernuella* SCHLÜTER, 1838

- *Cernuella (Cernuella) virgata* (DA COSTA, 1778) – AT

Subgenus *Xerocincta* MONTEROSATO, 1892

- *Cernuella (Xerocincta) neglecta* (DRAPARNAUD, 1805) – AT

Tribus Leptaxini C. BOETTGER, 1909

Genus *Pseudotrichia* SCHILEYKO, 1970

- *Pseudotrichia rubiginosa* (ROSSMÄSSLER, 1838) – AT

Genus *Monachoides* GUDE & B.B. WOODWARD, 1921

- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – AT

Genus *Perforatella* SCHLÜTER, 1838

- *Perforatella bidentata* (GMELIN, 1791) – AT

Genus *Urticicola* LINDHOLM, 1927

- *Urticicola umbrosus* (C. PFEIFFER, 1828) – AT

Tribus incerta

Genus *Xerolenta* MONTEROSATO, 1892

- *Xerolenta obvia obvia* (MENKE, 1828) – AT

Familia Helicidae RAFINESQUE, 1815

Subfamilia Ariantinae MÖRCH, 1864

Genus *Arianta* TURTON, 1831

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – AT
- *Arianta arbustorum alpicola* (A. FÉRUSSAC, 1821) – AT
- *Arianta arbustorum picea* (ROSSMÄSSLER, 1837) – AT
- *Arianta arbustorum styriaca* (FRAUENFELD, 1868) – AT
- *Arianta chamaeleon chamaeleon* (L. PFEIFFER, 1868) – AT
- *Arianta chamaeleon carnica* (EHRMANN, 1910) – AT
- *Arianta chamaeleon subglobosa* (EHRMANN, 1910) – AT

- *Arianta chamaeleon wiedemayri* (KOBELT, 1903) – AT
- *Arianta schmidtii* (ROSSMÄSSLER, 1836) – AT
- *Arianta stenzii* (ROSSMÄSSLER, 1835) – AT

Genus *Helicigona* A. FÉRUSSAC, 1821

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – AT

Genus *Chilostoma* FITZINGER, 1833

Subgenus *Chilostoma* FITZINGER, 1833

- *Chilostoma (Chilostoma) achates achates* (ROSSMÄSSLER, 1835) – AT
- *Chilostoma (Chilostoma) achates cingulina* (DESHAYES, 1839) – AT
- *Chilostoma (Chilostoma) achates stiriae* (FORCART, 1933) – AT
- *Chilostoma (Chilostoma) adelozona rhaeticum* (STROBEL, 1857) – AT

Subgenus *Cingulifera* HELD, 1838

- *Chilostoma (Cingulifera) cingulatum carrarense* (STROBEL, 1852) – AT
- *Chilostoma (Cingulifera) cingulatum peregrini* FALKNER, 1998 – AT
- *Chilostoma (Cingulifera) cingulatum preslii* (ROSSMÄSSLER, 1836) – AT

Subgenus *Kosicia* BRUSINA, 1904

- *Chilostoma (Kosicia) intermedium* (A. FÉRUSSAC, 1832) – AT
- *Chilostoma (Kosicia) zieglerei* (ROSSMÄSSLER, 1836) – AT

Genus *Faustina* KOBELT, 1904

- *Faustina illyrica illyrica* (STABILE, 1864) – AT

Genus *Cylindrus* FITZINGER, 1833

- *Cylindrus obtusus* (DRAPARNAUD, 1805) – AT

Genus *Isognomostoma* FITZINGER, 1833

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – AT

Genus *Causa* SCHILEYKO, 1971

- *Causa holosericea* (S. STUDER, 1820) – AT

Subfamilia Helicinae RAFINESQUE, 1815

Tribus Helicini RAFINESQUE, 1815

Genus *Cepaea* HELD, 1838

Subgenus *Cepaea* HELD, 1838

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – AT
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – AT

Subgenus *Austrotachea* G. PFEFFER, 1930

- *Cepaea (Austrotachea) vindobonensis* (C. PFEIFFER, 1828) – AT

Genus *Cornu* BORN, 1778

- *Cornu aspersum* (O.F. MÜLLER, 1774) – AT

Genus *Helix* LINNAEUS, 1758

Subgenus *Helix* LINNAEUS, 1758

- *Helix (Helix) pomatia* LINNAEUS, 1758 – AT