

FAUNA EUROPAEA PROJECT

Checklist of the land and freshwater Gastropoda of Belgium

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogezand, the Netherlands, phone +31-598-852132)

Last update: July 24th, 2011

Send remarks/additions/corrections to Ruud.Bank@quicknet.nl

Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See www.faunaeur.org for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the www.faunaeur.org is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24th, 2011. Furthermore, the systematic framework of the Gastropoda of www.faunaeur.org is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abonded. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

Phylum Mollusca CUVIER, 1795
Classis Gastropoda CUVIER, 1795
Subclassis Neritimorpha KOKEN, 1896
Ordo Cycloneritimorpha FRÝDA, 1998
Superfamilia Neritoidea RAFINESQUE, 1815
Familia Neritidae RAFINESQUE, 1815
Subfamilia Neritinae POEY, 1852
Tribus Theodoxini BANDEL, 2001

Genus *Theodoxus* MONTFORT, 1810
Subgenus *Theodoxus* MONTFORT, 1810

- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – BE

Subclassis Caenogastropoda COX, 1960
 Ordo Architaenioglossa HALLER, 1890
 Superfamilia Cyclophoroidea J.E. GRAY, 1847
Familia Cochlostomatidae KOBELT, 1902

Genus *Cochlostoma* JAN, 1830

Subgenus *Cochlostoma* JAN, 1830

- *Cochlostoma (Cochlostoma) septemspirale septemspirale* (RAZOUKOWSKY, 1789) – BE?

Familia Aciculidae J.E. GRAY, 1850

Genus *Acicula* W. HARTMANN, 1821

- *Acicula fusca* (MONTAGU, 1803) – BE

Genus *Platyla* MOQUIN-TANDON, 1856

- *Platyla polita polita* (W. HARTMANN, 1840) – BE

Superfamilia Viviparoidea J.E. GRAY, 1847
Familia Viviparidae J.E. GRAY, 1847
 Subfamilia Viviparinae J.E. GRAY, 1847

Genus *Viviparus* MONTFORT, 1810

- *Viviparus contectus* (MILLET, 1813) – BE
- *Viviparus viviparus* (LINNAEUS, 1758) – BE

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997
 Ordo Littorinimorpha PCHELINTSEV, 1963
 Superfamilia Littorinoidea CHILDREN, 1834
Familia Pomatiidae NEWTON, 1891 (1828)

Genus *Pomatias* S. STUDER, 1789

- *Pomatias elegans* (O.F. MÜLLER, 1774) – BE

Superfamilia Rissooidea J.E. GRAY, 1847
Familia Bithyniidae J.E. GRAY, 1857

Genus *Bithynia* LEACH, 1818

- *Bithynia leachii* (SHEPPARD, 1823) – BE
- *Bithynia tentaculata* (LINNAEUS, 1758) – BE

Familia Cochliopidae TRYON, 1866
 Subfamilia Semisalsinae GIUSTI & PEZZOLI, 1980

Genus *Heleobia* STIMPSON, 1865

Subgenus *Semisalsa* RADOMAN, 1974

- *Heleobia (Semisalsa) stagnorum* (GMELIN, 1791) – BE

Familia Hydrobiidae STIMPSON, 1865

Subfamilia Tateinae THIELE, 1925

Genus *Potamopyrgus* STIMPSON, 1865

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – BE

Subfamilia Hydrobiinae STIMPSON, 1865

Genus *Ecrobia* STIMPSON, 1865

- *Ecrobia ventrosa* (MONTAGU, 1803) – BE

Genus *Peringia* PALADILHE, 1874

- *Peringia ulvae* (PENNANT, 1777) – BE

Genus *Mercuria* BOETERS, 1971

- *Mercuria anatina* (POIRET, 1801) – BE

Subfamilia Belgrandiinae DE STEFANI, 1877

Tribus Pseudohoratiini RADOMAN, 1973

Genus *Avenionia* NICOLAS, 1882

- *Avenionia roberti* BOETERS, 1967 – BE

Familia Lithoglyphidae TRYON, 1866

Subfamilia Lithoglyphinae TRYON, 1866

Genus *Lithoglyphus* C. PFEIFFER, 1828

- *Lithoglyphus naticoides* (C. PFEIFFER, 1828) – BE

Familia Amnicolidae TRYON, 1863

Subfamilia Amnicolinae TRYON, 1863

Genus *Marstoniopsis* VAN REGTEREN ALTENA, 1936

- *Marstoniopsis insubrica* (KÜSTER, 1853) – BE

Genus *Bythinella* MOQUIN-TANDON, 1856

- *Bythinella dunkeri* (FRAUENFELD, 1857) – BE

Familia Assimineidae H. & A. ADAMS, 1856

Subfamilia Assimineinae H. & A. ADAMS, 1856

Genus *Assiminea* FLEMING, 1828

Subgenus *Assiminea* FLEMING, 1828

- *Assiminea (Assiminea) grayana* FLEMING, 1828 – BE

Subclassis Heterobranchia BURMEISTER, 1837

Ordo Allogastropoda HASZPRUNAR, 1985

Superfamilia Valvatoidea J.E. GRAY, 1840

Familia Valvatidae J.E. GRAY, 1840

Genus *Valvata* O.F. MÜLLER, 1773
Subgenus *Valvata* O.F. MÜLLER, 1773

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – BE

Subgenus *Tropidina* H. & A. ADAMS, 1854

- *Valvata (Tropidina) macrostoma* MÖRCH, 1864 – BE

Subgenus *Cincinna* HÜBNER, 1810

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – BE

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814
Ordo Hygrophila A. FÉRUSAC, 1822
Superfamilia Acroloxoidea THIELE, 1931
Familia Acroloxiidae THIELE, 1931

Genus *Acroloxus* H. BECK, 1838

- *Acroloxus lacustris* (LINNAEUS, 1758) – BE

Superfamilia Lymnaeioidea RAFINESQUE, 1815
Familia Lymnaeidae RAFINESQUE, 1815
Subfamilia Lymnaeinae RAFINESQUE, 1815

Genus *Galba* SCHRANK, 1803
Subgenus *Galba* SCHRANK, 1803

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – BE

Genus *Stagnicola* JEFFREYS, 1830

- *Stagnicola corvus* (GMELIN, 1791) – BE
- *Stagnicola fuscus* (C. PFEIFFER, 1821) – BE
- *Stagnicola palustris* (O.F. MÜLLER, 1774) – BE

Genus *Omphiscola* RAFINESQUE, 1819

- *Omphiscola glabra* (O.F. MÜLLER, 1774) – BE

Genus *Radix* MONTFORT, 1810

- *Radix auricularia* (LINNAEUS, 1758) – BE
- *Radix balthica* (LINNAEUS, 1758) – BE
- *Radix labiata* (ROSSMÄSSLER, 1835) – BE

Genus *Myxas* G.B. SOWERBY I, 1822

- *Myxas glutinosa* (O.F. MÜLLER, 1774) – BE

Genus *Lymnaea* LAMARCK, 1799

- *Lymnaea stagnalis* (LINNAEUS, 1758) – BE

Superfamilia Planorboidea RAFINESQUE, 1815
Familia Physidae FITZINGER, 1833

Subfamilia Physinae FITZINGER, 1833
Tribus Physini FITZINGER, 1833

Genus *Physa* DRAPARNAUD, 1801

- *Physa fontinalis* (LINNAEUS, 1758) – BE

Tribus Haitiini D.W. TAYLOR, 2003

Genus *Haitia* CLENCH & AGUAYO, 1932

- *Haitia acuta* (DRAPARNAUD, 1805) – BE

Subfamilia Aplexinae STAROBOGATOV, 1967
Tribus Aplexini STAROBOGATOV, 1967

Genus *Aplexa* FLEMING, 1820

- *Aplexa hypnorum* (LINNAEUS, 1758) – BE

Familia Planorbidae RAFINESQUE, 1815
Subfamilia Bulininae P. FISCHER & CROSSE, 1880
Tribus Coretini J.E. GRAY, 1847

Genus *Planorbarius* DUMÉRIL, 1806

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – BE

Tribus Miratestini P. & F. SARASIN, 1897

Genus *Ferrissia* WALKER, 1903

Subgenus *Pettancylyus* IREDALE, 1943

- *Ferrissia (Pettancylyus) wautieri* (MIROLI, 1960) – BE

Subfamilia Planorbinae RAFINESQUE, 1815
Tribus Planorbini RAFINESQUE, 1815

Genus *Planorbis* O.F. MÜLLER, 1773

Subgenus *Planorbis* O.F. MÜLLER, 1773

- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – BE
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – BE

Genus *Anisus* S. STUDER, 1820

Subgenus *Anisus* S. STUDER, 1820

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – BE
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – BE

Subgenus *Disculifer* C. BOETTGER, 1944

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – BE
- *Anisus (Disculifer) vorticulus* (TROSCHER, 1834) – BE

Genus *Bathyomphalus* CHARPENTIER, 1837

- *Bathyomphalus contortus* (LINNAEUS, 1758) – BE

Genus *Gyraulus* CHARPENTIER, 1837
Subgenus *Gyraulus* CHARPENTIER, 1837

- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – BE

Subgenus *Torquis* DALL, 1905

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – BE

Subgenus *Armiger* W. HARTMANN, 1843

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – BE

Tribus Segmentinini F.C. BAKER, 1945

Genus *Hippeutis* CHARPENTIER, 1837

- *Hippeutis complanatus* (LINNAEUS, 1758) – BE

Genus *Segmentina* FLEMING, 1818

- *Segmentina nitida* (O.F. MÜLLER, 1774) – BE

Tribus Ancylini RAFINESQUE, 1815

Genus *Ancylus* O.F. MÜLLER, 1773

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – BE

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990
Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)
Familia Ellobiidae L. PFEIFFER, 1854 (1822)
Subfamilia Pythiinae ODHNER, 1925 (1880)

Genus *Myosotella* MONTEROSATO, 1906

- *Myosotella myosotis* (DRAPARNAUD, 1801) – BE
- *Myosotella denticulata* (MONTAGU, 1803) – BE

Subfamilia Ellobiinae L. PFEIFFER, 1854 (1822)

Genus *Leucophytia* WINCKWORTH, 1949

- *Leucophytia bidentata* (MONTAGU, 1808) – BE

Subfamilia Carychiinae JEFFREYS, 1830

Genus *Carychium* O.F. MÜLLER, 1773
Subgenus *Carychium* O.F. MÜLLER, 1773

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – BE

Subgenus *Saraphia* RISSO, 1826

- *Carychium (Saraphia) tridentatum* (RISSO, 1826) – BE

Ordo Stylommatophora A. SCHMIDT, 1855

Subordo Elasmognatha MÖRCH, 1863
Superfamilia Succineoidea H. BECK, 1837
Familia Succineidae H. BECK, 1837
Subfamilia Succineinae H. BECK, 1837

Genus *Succinea* DRAPARNAUD, 1801

- *Succinea putris* (LINNAEUS, 1758) – BE

Genus *Succinella* J. MABILLE, 1871

- *Succinella oblonga* (DRAPARNAUD, 1801) – BE

Genus *Oxyloma* WESTERLUND, 1885

Subgenus *Oxyloma* WESTERLUND, 1885

- *Oxyloma (Oxyloma) elegans elegans* (RISSO, 1826) – BE
- *Oxyloma (Oxyloma) sarsii* (ESMARK, 1886) – BE

Subfamilia Catinellinae ODHNER, 1950

Genus *Quickella* C. BOETTGER, 1939

- *Quickella arenaria* (POTIEZ & MICHAUD, 1835) – BE

Subordo Orthurethra PILSBRY, 1900
Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)
Familia Cochlicopidae PILSBRY, 1900 (1879)
Subfamilia Cochlicopininae PILSBRY, 1900 (1879)

Genus *Cochlicopa* A. FÉRUSAC, 1821

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – BE
- *Cochlicopa lubricella* (PORRO, 1838) – BE

Subfamilia Azecinae H. WATSON, 1920

Genus *Azeca* FLEMING, 1828

- *Azeca goodalli* (A. FÉRUSAC, 1821) – BE

Superfamilia Pupilloidea TURTON, 1831
Familia Lauriidae STEENBERG, 1925

Genus *Lauria* J.E. GRAY, 1840

Subgenus *Lauria* J.E. GRAY, 1840

- *Lauria (Lauria) cylindracea* (DA COSTA, 1778) – BE

Familia Orculidae PILSBRY, 1918
Subfamilia Orculinae PILSBRY, 1918

Genus *Sphyradium* CHARPENTIER, 1837

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – BE

Familia Valloniidae MORSE, 1864
Subfamilia Valloniinae MORSE, 1864

Genus *Vallonia* RISSO, 1826

- *Vallonia costata* (O.F. MÜLLER, 1774) – BE
- *Vallonia excentrica* STERKI, 1893 – BE
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – BE

Subfamilia Acanthinulinae STEENBERG, 1917

Genus *Acanthinula* H. BECK, 1847

- *Acanthinula aculeata* (O.F. MÜLLER 1774) – BE

Familia Pupillidae TURTON, 1831

Genus *Pupilla* FLEMING, 1828

Subgenus *Pupilla* FLEMING, 1828

- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – BE
- *Pupilla (Pupilla) sterrii* (VOITH, 1840) – BE

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

Genus *Pyramidula* FITZINGER, 1833

- *Pyramidula pusilla* (VALLOT, 1801) – BE

Familia Chondrinidae STEENBERG, 1925
Subfamilia Chondrininae STEENBERG, 1925

Genus *Abida* TURTON, 1831

- *Abida secale secale* (DRAPARNAUD, 1801) – BE

Genus *Chondrina* REICHENBACH, 1828

- *Chondrina avenacea avenacea* (BRUGUIÈRE, 1792) – BE

Familia Vertiginidae FITZINGER, 1833
Subfamilia Vertigininae FITZINGER, 1833
Tribus Truncatellinini STEENBERG, 1925

Genus *Columella* WESTERLUND, 1878

- *Columella aspera* WALDÉN, 1966 – BE
- *Columella edentula* (DRAPARNAUD, 1805) – BE

Genus *Truncatellina* R.T. LOWE, 1852

- *Truncatellina callicratis* (SCACCHI, 1833) – BE
- *Truncatellina cylindrica* (A. FÉRUSSAC, 1807) – BE

Tribus Vertiginini FITZINGER, 1833

Genus *Vertigo* O.F. MÜLLER, 1773

Subgenus *Vertigo* O.F. MÜLLER, 1773

- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – BE
- *Vertigo (Vertigo) heldi* (CLESSIN, 1877) – BE?
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – BE
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – BE
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – BE
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – BE

Subgenus *Vertilla* MOQUIN-TANDON, 1856

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – BE

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)
Familia Enidae B.B. WOODWARD, 1903 (1880)
 Subfamilia Eninae B.B. WOODWARD, 1903 (1880)
 Tribus Enini B.B. WOODWARD, 1903 (1880)

Genus *Ena* TURTON, 1831

- *Ena montana* (DRAPARNAUD, 1801) – BE

Tribus Multidentulini SCHILEYKO, 1978

Genus *Merdigera* HELD, 1838

- *Merdigera obscura* (O.F. MÜLLER, 1774) – BE

Subordo **** (unnamed)
 Superfamilia Achatinoidea SWAINSON, 1840
Familia Ferussaciidae BOURGUIGNAT, 1883

Genus *Cecilioides* A. FÉRUSSAC, 1814

Subgenus *Cecilioides* A. FÉRUSSAC, 1814

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – BE

Subordo Sigmurethra PILSBRY, 1900
 Superfamilia Clausilioidea J.E. GRAY, 1855
Familia Clausiliidae J.E. GRAY, 1855
 Subfamilia Alopiinae A.J. WAGNER, 1913
 Tribus Cochlodinini LINDHOLM, 1925 (1923)

Genus *Cochlodina* A. FÉRUSSAC, 1821

Subgenus *Cochlodina* A. FÉRUSSAC, 1821

- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – BE

Subfamilia Clausiliinae J.E. GRAY, 1855
 Tribus Clausilini J.E. GRAY, 1855

Genus *Macrogastra* W. HARTMANN, 1841

Subgenus *Macrogastra* W. HARTMANN, 1841

- *Macrogastra (Macrogastra) ventricosa ventricosa* (DRAPARNAUD, 1801) – BE

Subgenus *Pseudovestia* H. NORDSIECK, 1977

- *Macrogastra (Pseudovestia) rolphii rolphii* (TURTON, 1826) – BE

Subgenus *Pyrostoma* VEST, 1867

- *Macrogastra (Pyrostoma) attenuata lineolata* (HELD, 1836) – BE
- *Macrogastra (Pyrostoma) plicatula plicatula* (DRAPARNAUD, 1801) – BE

Genus *Clausilia* DRAPARNAUD, 1805

Subgenus *Clausilia* DRAPARNAUD, 1805

- *Clausilia (Clausilia) bidentata bidentata* (STRØM, 1765) – BE
- *Clausilia (Clausilia) rugosa parvula* (A. FÉRUSAC, 1807) – BE

Subgenus *Andraea* L. PFEIFFER, 1848

- *Clausilia (Andraea) dubia dubia* DRAPARNAUD, 1805 – BE

Subfamilia Baleinae A.J. WAGNER, 1913

Genus *Laciniaria* W. HARTMANN, 1842

- *Laciniaria plicata plicata* (DRAPARNAUD, 1801) – BE

Genus *Balea* J.E. GRAY, 1824

- *Balea perversa* (LINNAEUS, 1758) – BE

Genus *Alinda* H. & A. ADAMS, 1855

Subgenus *Alinda* H. & A. ADAMS, 1855

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – BE

Superfamilia Testacelloidea J.E. GRAY, 1840

Familia Testacellidae J.E. GRAY, 1840

Genus *Testacella* LAMARCK, 1801

Subgenus *Testacella* LAMARCK, 1801

- *Testacella (Testacella) haliotidea* DRAPARNAUD, 1801 – BE

Superfamilia Punctoidea MORSE, 1864

Familia Punctidae MORSE, 1864

Genus *Punctum* MORSE, 1864

Subgenus *Punctum* MORSE, 1864

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – BE

Familia Helicodiscidae H.B. BAKER, 1927

Genus *Lucilla* R.T. LOWE, 1852

- *Lucilla singleyana* (PILSBRY, 1889) – BE

Familia Discidae THIELE, 1931 (1866)

Genus *Discus* FITZINGER, 1833

Subgenus *Discus* FITZINGER, 1833

- *Discus (Discus) ruderatus ruderatus* (W. HARTMANN, 1821) – BE

Subgenus *Gonyodiscus* FITZINGER, 1833

- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – BE

Superfamilia Gastrodontoidea TRYON, 1866
Familia Pristilomatidae T. COCKERELL, 1891

Genus *Vitrea* FITZINGER, 1833

- *Vitrea contracta* (WESTERLUND, 1871) – BE
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – BE

Familia Euconulidae H.B. BAKER, 1928
Subfamilia Euconulinae H.B. BAKER, 1928

Genus *Euconulus* REINHARDT, 1883

Subgenus *Euconulus* REINHARDT, 1883

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – BE
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – BE
- *Euconulus (Euconulus) trochiformis* (MONTAGU, 1803) – BE

Familia Gastrodontidae TRYON, 1866

Genus *Zonitoides* LEHMANN, 1862

Subgenus *Zonitoides* LEHMANN, 1862

- *Zonitoides (Zonitoides) excavatus* (ALDER, 1830) – BE
- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – BE

Familia Oxychilidae P. HESSE, 1927 (1879)
Subfamilia Oxychilinae P. HESSE, 1927 (1879)

Genus *Oxychilus* FITZINGER, 1833

Subgenus *Oxychilus* FITZINGER, 1833

- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – BE
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – BE

Subgenus *Ortizius* FORCART, 1957

- *Oxychilus (Ortizius) alliaris* (J.S. MILLER, 1822) – BE
- *Oxychilus (Ortizius) navarricus helveticus* (BLUM, 1881) – BE

Subfamilia Godwiniinae C.M. COOKE, 1921

Genus *Aegopinella* LINDHOLM, 1927

- *Aegopinella nitens* (MICHAUD, 1831) – BE
- *Aegopinella nitidula* (DRAPARNAUD, 1805) – BE
- *Aegopinella pura* (ALDER, 1830) – BE

Genus *Nesovitrea* C. M. COOKE, 1921

Subgenus *Perpolita* H.B. BAKER, 1928

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – BE

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)
Familia Milacidae ELLIS, 1926

Genus *Milax* J.E. GRAY, 1855

- *Milax gagates* (DRAPARNAUD, 1801) – BE

Genus *Tandonia* LESSONA & POLLONERA, 1882

- *Tandonia budapestensis* (HAZAY, 1880) – BE
- *Tandonia rustica* (MILLET, 1843) – BE

Superfamilia Limacoidea LAMARCK, 1801
Familia Vitrinidae FITZINGER, 1833

Genus *Eucobresia* H.B. BAKER, 1929

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – BE

Genus *Vitrina* DRAPARNAUD, 1801

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – BE

Genus *Phenacolimax* STABILE, 1859

- *Phenacolimax major* (A. FÉRUSSAC, 1807) – BE

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

Genus *Boettgerilla* SIMROTH, 1910

- *Boettgerilla pallens* SIMROTH, 1912 – BE

Familia Limacidae LAMARCK, 1801
Subfamilia Limacinae LAMARCK, 1801

Genus *Limax* LINNAEUS, 1758

- *Limax cinereoniger* WOLF, 1803 – BE
- *Limax maximus* LINNAEUS, 1758 – BE

Genus *Limacus* LEHMANN, 1864

- *Limacus flavus* (LINNAEUS, 1758) – BE

Genus *Malacolimax* MALM, 1868

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – BE

Genus *Lehmannia* HEYNEMANN, 1863

- *Lehmannia marginata* (O.F. MÜLLER, 1774) – BE
- *Lehmannia valentiana* (A. FÉRUSSAC, 1822) – BE

Familia Agriolimacidae H. WAGNER, 1935
Subfamilia Agriolimacinae H. WAGNER, 1935

Genus *Deroceras* RAFINESQUE, 1820
Subgenus *Deroceras* RAFINESQUE, 1820

- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758) – BE
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – BE
- *Deroceras (Deroceras) panormitanum* (LESSONA & POLLONERA, 1882) – BE
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – BE

Superfamilia Arionoidea J.E. GRAY, 1840
Familia Arionidae J.E. GRAY, 1840

Genus *Arion* A. FÉRUSAC, 1819
Subgenus *Arion* A. FÉRUSAC, 1819

- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – BE
- *Arion (Arion) rufus* (LINNAEUS, 1758) – BE

Subgenus *Mesarion* P. HESSE, 1926

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – BE
- *Arion (Mesarion) subfuscus* (DRAPARNAUD, 1805) – BE

Subgenus *Carinarion* P. HESSE, 1926

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – BE
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – BE

Subgenus *Kobeltia* SEIBERT, 1873

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – BE
- *Arion (Kobeltia) hortensis* A. FÉRUSAC, 1819 – BE
- *Arion (Kobeltia) intermedius* NORMAND, 1852 – BE

Superfamilia Helicoidea RAFINESQUE, 1815
Familia Bradybaenidae PILSBRY, 1934 (1898)
Subfamilia Bradybaeninae PILSBRY, 1934 (1898)
Tribus Bradybaenini PILSBRY, 1934 (1898)

Genus *Fruticicola* HELD, 1838

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – BE

Familia Helicodontidae KOBELT, 1904
Subfamilia Helicodontinae KOBELT, 1904

Genus *Helicodonta* A. FÉRUSAC, 1821

- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – BE

Familia Cochlicellidae SCHILEYKO, 1972

Genus *Cochlicella* A. FÉRUSAC, 1821
Subgenus *Cochlicella* A. FÉRUSAC, 1821

- *Cochlicella (Cochlicella) acuta* (O.F. MÜLLER, 1774) – BE

Subgenus *Prietocella* SCHILEYKO & MENKHORST, 1997

- *Cochlicella (Prietocella) barbara* (LINNAEUS, 1758) – BE

Familia Hygromiidae TRYON, 1866
Subfamilia Monachinae WENZ, 1930 (1904)
Tribus Monachini WENZ, 1930 (1904)

Genus *Monacha* FITZINGER 1833
Subgenus *Monacha* FITZINGER 1833

- *Monacha (Monacha) cantiana* (MONTAGU, 1803) – BE
- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – BE

Subfamilia Geomitrinae C. BOETTGER, 1909
Tribus Trochoideini H. NORDSIECK, 1987

Genus *Trochoidea* T. BROWN, 1827
Subgenus *Trochoidea* T. BROWN, 1827

- *Trochoidea (Trochoidea) elegans* (GMELIN, 1791) – BE

Genus *Xerocrassa* MONTEROSATO, 1892
Subgenus ?

- *Xerocrassa* (subg. ?) *geyeri* (Soós, 1926) – BE

Subfamilia Hygromiinae TRYON, 1866
Tribus Trochulini LINDHOLM, 1927

Genus *Trochulus* CHEMNITZ, 1786
Subgenus *Trochulus* CHEMNITZ, 1786

- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – BE
- *Trochulus (Trochulus) striolatus ablutens* (LOCARD, 1888) – BE?

Tribus Helicellini IHERING, 1909

Genus *Helicella* A. FÉRUSAC, 1821

- *Helicella itala itala* (LINNAEUS, 1758) – BE

Genus *Candidula* KOBELT, 1871

- *Candidula intersecta* (POIRET, 1801) – BE
- *Candidula gigaxii* (L. PFEIFFER, 1847) – BE
- *Candidula unifasciata unifasciata* (POIRET, 1801) – BE

Tribus Hygromiini TRYON, 1866

Genus *Hygromia* RISSO, 1826
Subgenus *Hygromia* RISSO, 1826

- *Hygromia (Hygromia) cinctella* (DRAPARNAUD, 1801) – BE

Genus *Cernuella* SCHLÜTER, 1838
Subgenus *Cernuella* SCHLÜTER, 1838

- *Cernuella (Cernuella) aginnica* (LOCARD, 1882) – BE

- *Cernuella (Cernuella) cisalpina* (ROSSMÄSSLER, 1837) – BE
- *Cernuella (Cernuella) virgata* (DA COSTA, 1778) – BE

Subgenus *Xerocincta* MONTEROSATO, 1892

- *Cernuella (Xerocincta) neglecta* (DRAPARNAUD, 1805) – BE

Tribus Leptaxini C. BOETTGER, 1909

Genus *Pseudotrichia* SCHILEYKO, 1970

- *Pseudotrichia rubiginosa* (ROSSMÄSSLER, 1838) – BE

Genus *Monachoides* GUDE & B.B. WOODWARD, 1921

- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – BE

Tribus incerta

Genus *Xerosecta* MONTEROSATO, 1892

Subgenus *Xeromagna* MONTEROSATO, 1892

- *Xerosecta (Xeromagna) cespitum* (DRAPARNAUD, 1801) – BE

Familia Helicidae RAFINESQUE, 1815

Subfamilia Ariantinae MÖRCH, 1864

Genus *Arianta* TURTON, 1831

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – BE

Genus *Helicigona* A. FÉRUSAC, 1821

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – BE

Genus *Isognomostoma* FITZINGER, 1833

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – BE

Subfamilia Helicinae RAFINESQUE, 1815

Tribus Thebini WENZ, 1923

Genus *Theba* RISSO, 1826

- *Theba pisana pisana* (O.F. MÜLLER, 1774) – BE

Tribus Helicini RAFINESQUE, 1815

Genus *Cepaea* HELD, 1838

Subgenus *Cepaea* HELD, 1838

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – BE
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – BE

Genus *Cantareus* RISSO, 1826

- *Cantareus apertus* (BORN 1778) – FR

Genus *Cornu* BORN, 1778

- *Cornu aspersum* (O.F. MÜLLER, 1774) – BE

Genus *Helix* LINNAEUS, 1758

Subgenus *Helix* LINNAEUS, 1758

- *Helix (Helix) pomatia* LINNAEUS, 1758 – BE