

# FAUNA EUROPAEA PROJECT

## Checklist of the land and freshwater Gastropoda of France

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogezaand, the Netherlands, phone +31-598-852132)

Last update: July 24<sup>th</sup>, 2011

Send remarks/additions/corrections to [Ruud.Bank@quicknet.nl](mailto:Ruud.Bank@quicknet.nl)

### Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See [www.faunaeur.org](http://www.faunaeur.org) for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the [www.faunaeur.org](http://www.faunaeur.org) is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24<sup>th</sup>, 2011. Furthermore, the systematic framework of the Gastropoda of [www.faunaeur.org](http://www.faunaeur.org) is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abonded. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

---

Phylum Mollusca CUVIER, 1795  
Classis Gastropoda CUVIER, 1795  
Subclassis Neritimorpha KOKEN, 1896  
Ordo Cycloneritimorpha FRÝDA, 1998  
Superfamilia Neritoidea RAFINESQUE, 1815  
Familia Neritidae RAFINESQUE, 1815  
Subfamilia Neritinae POEY, 1852  
Tribus Theodoxini BANDEL, 2001

**Genus *Theodoxus* MONTFORT, 1810**

**Subgenus *Theodoxus* MONTFORT, 1810**

- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – FR
- *Theodoxus (Theodoxus) fluviatilis sardous* (MENKE, 1830) – FR
- *Theodoxus (Theodoxus) fluviatilis thermalis* (DUPUY, 1851) – FR

Subclassis Caenogastropoda COX, 1960  
 Ordo Architaenioglossa HALLER, 1890  
 Superfamilia Cyclophoroidea J.E. GRAY, 1847  
Familia Cochlostomatidae KOBELT, 1902

**Genus *Cochlostoma* JAN, 1830**

**Subgenus *Cochlostoma* JAN, 1830**

- *Cochlostoma (Cochlostoma) septemspirale septemspirale* (RAZOUKOWSKY, 1789) – FR

**Subgenus *Obscurella* CLESSIN, 1889**

- *Cochlostoma (Obscurella) apricum* (MOUSSON, 1847) – FR
- *Cochlostoma (Obscurella) conicum* (VALLOT, 1801) – FR
- *Cochlostoma (Obscurella) hidalgoi* (CROSSE, 1864) – FR
- *Cochlostoma (Obscurella) martorelli martorelli* (SERVAIN, 1880) – FR
- *Cochlostoma (Obscurella) nouleti* (DUPUY 1851) – FR
- *Cochlostoma (Obscurella) obscurum obscurum* (DRAPARNAUD, 1805) – FR
- *Cochlostoma (Obscurella) obscurum laburdense* (DE FOLIN & BÉRILLON, 1877) – FR
- *Cochlostoma (Obscurella) partioti* (SAINT-SIMON, 1848) – FR

**Subgenus *Turritus* WESTERLUND, 1883**

- *Cochlostoma (Turritus) acutum* (CAZIOT, 1908) – FR
- *Cochlostoma (Turritus) macei* (BOURGUIGNAT, 1869) – FR
- *Cochlostoma (Turritus) patulum patulum* (DRAPARNAUD, 1801) – FR
- *Cochlostoma (Turritus) simrothi* (CAZIOT, 1908) – FR
- *Cochlostoma (Turritus) subalpinum* (PINI, 1884) – FR

**Genus *Striolata* A.J. WAGNER, 1897**

- *Striolata striolata* (PORRO, 1840) – FR

Familia Aciculidae J.E. GRAY, 1850

**Genus *Acicula* W. HARTMANN, 1821**

- *Acicula douctouyrensis* (BERTRAND, 2004) – FR
- *Acicula fusca* (MONTAGU, 1803) – FR
- *Acicula lineata lineata* (DRAPARNAUD, 1801) – FR

**Genus *Platyla* MOQUIN-TANDON, 1856**

- *Platyla callostoma* (CLESSIN, 1911) – FR
- *Platyla cryptomena* (DE FOLIN & BERILLON, 1877) – FR
- *Platyla dupuyi* (PALADILHE, 1868) – FR
- *Platyla foliniana* (G. NEVILL, 1879) – FR
- *Platyla polita polita* (W. HARTMANN, 1840) – FR

**Genus *Renea* G. NEVILL, 1880**

- *Renea bourguignatiana* G. NEVILL, 1880 – FR

- *Renea elegantissima* (PINI, 1886) – FR
- *Renea gormonti* BOETERS, E. GITTENBERGER & SUBAI, 1989 – FR
- *Renea moutonii moutonii* (DUPUY, 1849) – FR
- *Renea moutonii singularis* (POLLONERA, 1905) – FR
- *Renea paillona* BOETERS, E. GITTENBERGER & SUBAI, 1989 – FR

Superfamilia Viviparoidea J.E. GRAY, 1847  
Familia Viviparidae J.E. GRAY, 1847  
 Subfamilia Viviparinae J.E. GRAY, 1847

**Genus *Viviparus* MONTFORT, 1810**

- *Viviparus ater ater* (DE CRISTOFORI & JAN, 1832) – FR
- *Viviparus contectus* (MILLET, 1813) – FR
- *Viviparus viviparus* (LINNAEUS, 1758) – FR

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997  
 Ordo \*\*\* (unnamed)  
 Superfamilia Cerithoidea FLEMING, 1822  
Familia Thiaridae GILL, 1871 (1823)

**Genus *Melanoides* OLIVIER, 1804**

- *Melanoides tuberculatus* (O.F. MÜLLER, 1774) – FR

Ordo Littorinimorpha PCHELINTSEV, 1963  
 Superfamilia Littorinoidea CHILDREN, 1834  
Familia Pomatiidae NEWTON, 1891 (1828)

**Genus *Pomatias* S. STUDER, 1789**

- *Pomatias elegans* (O.F. MÜLLER, 1774) – FR

**Genus *Tudorella* P. FISCHER, 1885**

- *Tudorella sulcata sulcata* (DRAPARNAUD, 1801) – FR

Superfamilia Risssooidea J.E. GRAY, 1847  
Familia Bithyniidae J.E. GRAY, 1857

**Genus *Bithynia* LEACH, 1818**

- *Bithynia boissieri* (KÜSTER, 1852) – FR
- *Bithynia italica* (PAULUCCI, 1880) – FR
- *Bithynia leachii* (SHEPPARD, 1823) – FR
- *Bithynia tentaculata* (LINNAEUS, 1758) – FR

Familia Moitessieriidae BOURGUIGNAT, 1863

**Genus *Moitessieria* BOURGUIGNAT, 1863**

- *Moitessieria bodoni* GIRARDI, 2009 – FR
- *Moitessieria bourguignati* COUTAGNE, 1883 – FR
- *Moitessieria calloti* GIRARDI, 2004 – FR
- *Moitessieria cocheti* BOETERS & FALKNER, 2003 – FR
- *Moitessieria fontsainteii* BERTRAND, 2002 – FR
- *Moitessieria heideae* BOETERS & FALKNER, 2003 – FR
- *Moitessieria juvenisanguis* BOETERS & E. GITTENBERGER, 1980 – FR

- *Moitessieria locardi* COUTAGNE, 1883 – FR
- *Moitessieria magnanae* GIRARDI, 2009 – FR
- *Moitessieria massoti* BOURGUIGNAT, 1863 – FR
- *Moitessieria nezi* BOETERS & BERTRAND, 2001 – FR
- *Moitessieria ollerii* ALTIMIRA, 1960 – FR
- *Moitessieria ouvezensis* BOETERS & FALKNER, 2009 – FR
- *Moitessieria rolandiana* BOURGUIGNAT, 1863 – FR
- *Moitessieria simoniana* (SAINT-SIMON, 1848) – FR

**Genus *Spiralix* BOETERS, 1972**

**Subgenus *Spiralix* BOETERS, 1972**

- *Spiralix (Spiralix) burgundina* (LOCARD, 1882) – FR
- *Spiralix (Spiralix) collieri* (NICOLAS, 1891) – FR
- *Spiralix (Spiralix) hofmanni* BOETERS & FALKNER, 2003 – FR
- *Spiralix (Spiralix) kuiperi* BOETERS & FALKNER, 2009 – FR
- *Spiralix (Spiralix) ovidiensis* GIRARDI & BERTRAND, 2009 – FR
- *Spiralix (Spiralix) puteana* (COUTAGNE, 1883) – FR
- *Spiralix (Spiralix) rayi* (LOCARD, 1882) – FR
- *Spiralix (Spiralix) thaisensis* GIRARDI & BERTRAND, 2009 – FR
- *Spiralix (Spiralix) vitrea* (DRAPARNAUD, 1801) – FR

**Genus *Paladilhia* BOURGUIGNAT, 1865**

- *Paladilhia conica* PALADILHE, 1867 – FR
- *Paladilhia gloeeri* BOETERS & FALKNER, 2003 – FR
- *Paladilhia jamblussensis* BERTRAND, 2004 – FR
- *Paladilhia moitessieri* BOURGUIGNAT, 1865 – FR
- *Paladilhia pleurotoma* BOURGUIGNAT, 1865 – FR
- *Paladilhia roselloi* GIRARDI, 2004 – FR
- *Paladilhia subconica* GIRARDI, 2009 – FR
- *Paladilhia umbilicata* (LOCARD, 1902) – FR
- *Paladilhia vernierensis* GIRARDI, 2009 – FR

**Genus *Palaospeum* BOETERS, 1999**

- *Palaospeum bertrandi* GIRARDI, 2009 – FR
- *Palaospeum bessoni bessoni* (BERNASCONI, 1999) – FR
- *Palaospeum bessoni rebenacqensis* BOETERS & BERTRAND, 2001 – FR
- *Palaospeum (?) nanum* BOETERS & BERTRAND, 2001 – FR

**Genus *Henrigirardia* BOETERS & FALKNER, 2003**

- *Henrigirardia wienini* (GIRARDI, 2001) – FR

**Genus *Sorholia* BOETERS & FALKNER, 2009**

- *Sorholia lescherae* (BOETERS, 1981) – FR

**Genus *Corseria* BOETERS & FALKNER, 2009**

- *Corseria corsica* (BERNASCONI, 1994) – FR

Familia Cochliopidae Tryon, 1866  
Subfamilia Semisalsinae GIUSTI & PEZZOLI, 1980

**Genus *Heleobia* STIMPSON, 1865**  
**Subgenus *Semisalsa* RADOMAN, 1974**

- *Heleobia (Semisalsa) bigugliana* (CAZIOT, 1908) – FR
- *Heleobia (Semisalsa) macei* (PALADILHE, 1867) – FR
- *Heleobia (Semisalsa) scamandri* (BOETERS, MONOD & VALA, 1977) – FR
- *Heleobia (Semisalsa) stagnorum* (GMELIN, 1791) – FR

Familia Hydrobiidae STIMPSON, 1865  
Subfamilia Tateinae THIELE, 1925

**Genus *Potamopyrgus* STIMPSON, 1865**

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – FR

Subfamilia Hydrobiinae STIMPSON, 1865

**Genus *Hydrobia* W. HARTMANN, 1821**

- *Hydrobia acuta* (DRAPARNAUD, 1805) – FR
- *Hydrobia glyca* (SERVAIN, 1880) – FR
- *Hydrobia neglecta* MUUS, 1963 – FR

**Genus *Ecrobia* STIMPSON, 1865**

- *Ecrobia ventrosa* (MONTAGU, 1803) – FR
- *Ecrobia vitrea* (RISSO, 1826) – FR

**Genus *Peringia* PALADILHE, 1874**

- *Peringia mabilli* BOURGUIGNAT, 1876 – FR
- *Peringia ulvae* (PENNANT, 1777) – FR

**Genus *Mercuria* BOETERS, 1971**

- *Mercuria anatina* (POIRET, 1801) – FR
- *Mercuria baudoniana* (GASSIES, 1859) – FR
- *Mercuria bayonnensis* (LOCARD, 1894) – FR
- *Mercuria emiliana* (PALADILHE, 1869) – FR
- *Mercuria meridionalis* (RISSO, 1826) – FR
- *Mercuria sarahae* (PALADILHE, 1869) – FR
- *Mercuria similis* (DRAPARNAUD, 1805) – FR
- *Mercuria vindilica* (PALADILHE, 1870) – FR
- *Mercuria zopissa* (PAULUCCI, 1882) – FR

**Genus *Pseudamnicola* PAULUCCI, 1878**

**Subgenus *Pseudamnicola* PAULUCCI, 1878**

- *Pseudamnicola (Pseudamnicola) chamasensis* BOETERS, 2000 – FR
- *Pseudamnicola (Pseudamnicola) cyrniacus* (J. MABILLE, 1869) – FR
- *Pseudamnicola (Pseudamnicola) pisolinus* (PALADILHE, 1876) – FR
- *Pseudamnicola (Pseudamnicola) pyrenaicus* BOETERS & FALKNER, 2009 – FR

**Subgenus *Corrosella* BOETERS, 1970**

- *Pseudamnicola (Corrosella) astierii* (DUPUY, 1851) – FR

Subfamilia Belgrandiinae DE STEFANI, 1877  
Tribus Belgrandiini DE STEFANI, 1877

**Genus *Belgrandia* BOURGUIGNAT, 1870**

- *Belgrandia bigorrensis* PALADILHE, 1869 – FR
- *Belgrandia cazioti* (WESTERLUND, 1890) – FR
- *Belgrandia conoidea* (REYNIÉS, 1844) – FR
- *Belgrandia coutagnei* LOCARD, 1892 – FR
- *Belgrandia depereti* (NICOLAS, 1891) – FR
- *Belgrandia dunalina* (MOQUIN-TANDON, 1856) – FR
- *Belgrandia gfrast* HAASE, 2000 – FR
- *Belgrandia gibba* (DRAPARNAUD, 1805) – FR
- *Belgrandia gibberula* PALADILHE, 1869 – FR
- *Belgrandia marginata* (MICHAUD, 1831) – FR
- *Belgrandia moitessieri* (BOURGUIGNAT, 1866) – FR
- *Belgrandia semiplicata* BOETERS & FALKNER, 2009 – FR
- *Belgrandia sorgica* (COUTAGNE, 1881) – FR
- *Belgrandia varica* (J. PAGET, 1854) – FR

**Genus *Alzoniella* GIUSTI & BODON, 1984**

**Subgenus *Alzoniella* GIUSTI & BODON, 1984**

- *Alzoniella (Alzoniella) haicabia* BOETERS, 2000 – FR
- *Alzoniella (Alzoniella) junqua* BOETERS, 2000 – FR
- *Alzoniella (Alzoniella) navarrensis* BOETERS, 1999 – FR
- *Alzoniella (Alzoniella) perrisii perrisii* (DUPUY, 1851) – FR
- *Alzoniella (Alzoniella) perrisii irubensis* BOETERS, 2000 – FR
- *Alzoniella (Alzoniella) pyrenaica* (BOETERS, 1983) – FR

**Subgenus *Navariella* BOETERS, 2000**

- *Alzoniella (Navariella) elliptica* (PALADILHE, 1874) – FR

**Genus *Fissuria* BOETERS, 1981**

- *Fissuria boui* BOETERS, 1981 – FR

Tribus Belgrandiellini RADOMAN, 1983

**Genus *Heraultiella* BODON, MANGANELLI & GIUSTI, 2002**

- *Heraultia exilis* (PALADILHE, 1867) – FR

**Genus *Plagigeyeria* TOMLIN, 1930**

- *Plagigeyeria deformata* (NICOLAS, 1891) – FR

**Genus *Palacanthilhiopsis* BERNASCONI, 1988**

- *Palacanthilhiopsis carolinae* GIRARDI, 2009 – FR
- *Palacanthilhiopsis kuiperi* GIRARDI, 2009 – FR
- *Palacanthilhiopsis? margritae* BOETERS & FALKNER, 2003 – FR
- *Palacanthilhiopsis vervierii* BERNASCONI, 1988 – FR

**Genus *Belgrandiella* A.J. WAGNER, 1928**

- *Belgrandiella ocalis* BOETERS, 2008 – FR
- *Belgrandiella saxatilis* (REYNIÉS, 1844) – FR
- *Belgrandiella verenana* BOETERS, 2008 – FR

#### **Genus *Graziana* RADOMAN, 1975**

- *Graziana cezaiensis* BOETERS, 2000 – FR
- *Graziana provincialis* (BOETERS, 2000) – FR
- *Graziana trinitatis* (CAZIOT, 1910) – FR

#### **Genus *Istriana* VELKOVRH, 1971**

- *Istriana falkneri* BOETERS, 2000 – FR

#### **Genus *Meyrargueria* GIRARDI, 2009**

- *Meyrargueria rasini* (GIRARDI, 2004) – Distribution: FR-FRA

#### **Genus *Bythiospeum* BOURGUIGNAT, 1882**

- *Bythiospeum anglesianum* (WESTERLUND, 1890) – FR
- *Bythiospeum articense* BERNASCONI, 1985 – FR
- *Bythiospeum bourguignati* (PALADILHE, 1866) – FR
- *Bythiospeum bournense* GIRARDI, 2009 – FR
- *Bythiospeum bressanum* BERNASCONI, 1985 – FR
- *Bythiospeum charpyi charpyi* (PALADILHE, 1867) – FR
- *Bythiospeum charpyi giganteum* BERNASCONI, 1969 – FR
- *Bythiospeum curtum* (NICOLAS, 1891) – FR
- *Bythiospeum diaphanoides* BERNASCONI, 1985 – FR
- *Bythiospeum diaphanum diaphanum* (MICHAUD, 1831) – FR
- *Bythiospeum diaphanum alpillense* GIRARDI, 2009 – FR
- *Bythiospeum diaphanum fernetense* GIRARDI, 2009 – FR
- *Bythiospeum diaphanum luberonense* GIRARDI, 2009 – FR
- *Bythiospeum diaphanum meyrarguense* GIRARDI, 2009 – FR
- *Bythiospeum diaphanum michaellense* GIRARDI, 2002 – FR
- *Bythiospeum diaphanum montbrunense* GIRARDI & BERTRAND, 2009 – FR
- *Bythiospeum diaphanum regalonense* GIRARDI, 2009 – FR
- *Bythiospeum diaphanum sarriansense* GIRARDI, 2009 – FR
- *Bythiospeum dorvani* BERNASCONI, 1985 – FR
- *Bythiospeum drouetianum* (CLESSIN, 1882) – FR
- *Bythiospeum francomontanum* BERNASCONI, 1973 – FR
- *Bythiospeum gardonense* GIRARDI, 2009 – FR
- *Bythiospeum garnieri* (SAYN, 1889) – FR
- *Bythiospeum klemmi* (BOETERS, 1969) – FR
- *Bythiospeum michaudi* (LOCARD, 1882) – FR
- *Bythiospeum moussonianum* (PALADILHE, 1869) – FR
- *Bythiospeum racovitzai* (GERMAIN, 1911) – FR
- *Bythiospeum terveri* (LOCARD, 1882) – FR
- *Bythiospeum rhenanum rhenanum* (LAIS, 1935) – FR

Tribus Pseudohoratiini RADOMAN, 1973

#### **Genus *Avenionia* NICOLAS, 1882**

- *Avenionia berenguieri* (BOURGUIGNAT, 1882) – FR
- *Avenionia bourguignati* (LOCARD, 1883) – FR

- *Avenionia brevis* (DRAPARNAUD, 1805) – FR

Subfamilia Islamiinae RADOMAN, 1973

#### Genus *Islamia* RADOMAN, 1974

- *Islamia bomangiana* BOETERS & FALKNER, 2003 – FR
- *Islamia bourguignati* (T. LETOURNEUX, 1869) – FR
- *Islamia emanuelelei* GIRARDI, 2009 – FR
- *Islamia germaini* BOETERS & FALKNER, 2003 – FR
- *Islamia minuta minuta* (DRAPARNAUD, 1805) – FR
- *Islamia minuta consolationis* (BERNASCONI, 1985) – FR
- *Islamia moquiniana* (DUPUY, 1851) – FR
- *Islamia spirata* (BERNASCONI, 1985) – FR

Familia Lithoglyphidae TRYON, 1866

Subfamilia Lithoglyphinae TRYON, 1866

#### Genus *Lithoglyphus* C. PFEIFFER, 1828

- *Lithoglyphus naticoides* (C. PFEIFFER, 1828) – FR

Familia Amnicolidae TRYON, 1863

Subfamilia Amnicolinae TRYON, 1863

#### Genus *Marstoniopsis* VAN REGTEREN ALTENA, 1936

- *Marstoniopsis armoricana* (PALADILHE, 1869) – FR
- *Marstoniopsis insubrica* (KÜSTER, 1853) – FR

#### Genus *Bythinella* MOQUIN-TANDON, 1856

- *Bythinella abbreviata* (MICHAUD, 1831) – FR
- *Bythinella anianensis* (PALADILHE, 1870) – FR
- *Bythinella baudoni baudoni* (PALADILHE, 1874) – FR
- *Bythinella bertrandi* BERNASCONI, 2000 – FR
- *Bythinella bicarinata* (DES MOULINS, 1827) – FR
- *Bythinella bouloti* GIRARDI, BICHAIN & WIENIN, 2002 – FR
- *Bythinella carcasonis* BOETERS & FALKNER, 2008 – FR
- *Bythinella carinulata* (DROUËT, 1867) – FR
- *Bythinella cebennensis* (DUPUY, 1851) – FR
- *Bythinella collingi* BOETERS, 2009 – FR-FRA
- *Bythinella cylindracea* (PALADILHE, 1869) – FR
- *Bythinella darrieuxii* (DE FOLIN & BERILLON, 1877) – FR
- *Bythinella dromensis* BOETERS & FALKNER, 2008 – FR
- *Bythinella dunkeri* (FRAUENFELD, 1857) – FR
- *Bythinella eurystoma* (PALADILHE, 1870) – FR
- *Bythinella eutrepha* (PALADILHE, 1867) – FR
- *Bythinella ferussina* (DES MOULINS, 1827) – FR
- *Bythinella friderici* BOETERS & FALKNER, 2008 – FR
- *Bythinella galerae* GIRARDI, BICHAIN & WIENIN, 2002 – FR
- *Bythinella geisserti* BOETERS & FALKNER, 2003 – FR
- *Bythinella gibbosa* (MOQUIN-TANDON, 1856) – FR
- *Bythinella ginolensis* FAGOT, 1881 – FR
- *Bythinella guranensis guranensis* (PALADILHE, 1870) – FR
- *Bythinella guranensis engomerica* BOETERS & FALKNER, 2008 – FR



- *Bythinella jourdei* BERNASCONI, 2000 - FR
- *Bythinella lalindei* BERNASCONI, 2000 – FR
- *Bythinella lancelevei* LOCARD, 1884 – FR
- *Bythinella ligurica* (PALADILHE, 1867) – FR
- *Bythinella major* (PASCAL, 1873) – FR
- *Bythinella moulinsii* (DUPUY, 1849) – FR
- *Bythinella navacellensis* PRIE & BICHAIN, 2009 – FR
- *Bythinella padiraci* LOCARD, 1903 – FR
- *Bythinella parvula* LOCARD, 1893 – FR
- *Bythinella pujolensis* BERNASCONI, 2000 – FR
- *Bythinella pupoides pupoides* (PALADILHE, 1869) – FR
- *Bythinella pupoides phreaticola* BERNASCONI, 1989 – FR
- *Bythinella pyrenaica* (BOURGUIGNAT, 1861) – FR
- *Bythinella reyniesii* (DUPUY, 1851) – FR
- *Bythinella rondelaudi* BERNASCONI, 2000 – FR
- *Bythinella roubionensis* CAZIOT, 1910 – FR
- *Bythinella rouchi* BOETERS & FALKNER, 2008 – FR
- *Bythinella rubiginosa* (BOUBÉE, 1833) – FR
- *Bythinella rufescens rufescens* (KÜSTER, 1852) – FR
- *Bythinella servainiana* (PALADILHE, 1870) – FR
- *Bythinella syntriculus* BOETERS & FALKNER, 2008 – FR
- *Bythinella troyana* BERNASCONI, 2000 – FR
- *Bythinella turriculata* (PALADILHE, 1869) – FR
- *Bythinella ullaensis* BOETERS & FALKNER, 2008 – FR
- *Bythinella utriculus* (PALADILHE, 1874) – FR
- *Bythinella vesontiana* BERNASCONI, 1989 – FR
- *Bythinella vimperei* BERNASCONI, 2000 – FR
- *Bythinella viridis* (POIRET, 1801) – FR
- *Bythinella wawrzineki* BERNASCONI, 2002 – FR

Subfamilia Emmericiinae BRUSINA, 1870

**Genus *Emmericia* BRUSINA, 1870**

- *Emmericia patula* (BRUMATI, 1838) – FR

Familia Truncatellidae J.E. GRAY, 1840

Subfamilia Truncatellinae J.E. GRAY, 1840

**Genus *Truncatella* Risso, 1826**

- *Truncatella subcylindrica* (LINNAEUS, 1767) – FR

Familia Assimineidae H. & A. ADAMS, 1856

Subfamilia Assimineinae H. & A. ADAMS, 1856

**Genus *Assiminea* FLEMING, 1828**

**Subgenus *Assiminea* FLEMING, 1828**

- *Assiminea (Assiminea) eliae* PALADILHE, 1875 – FR
- *Assiminea (Assiminea) glaubrechtii* VAN AARTSEN, 2008 – FR
- *Assiminea (Assiminea) grayana* FLEMING, 1828 – FR
- *Assiminea (Assiminea) ostiorum* (Bavay, 1920) – FR

**Genus *Paludinella* L. PFEIFFER, 1841**

**Subgenus *Paludinella* L. PFEIFFER, 1841**

- *Paludinella (Paludinella) littorina* (DELLE CHIAJE, 1828) – FR
- *Paludinella (Paludinella) sicana* (BRUGNONE, 1876) – FR

Subclassis Heterobranchia BURMEISTER, 1837  
 Ordo Allogastropoda HASZPRUNAR, 1985  
 Superfamilia Valvatoidea J.E. GRAY, 1840  
Familia Valvatidae J.E. GRAY, 1840

**Genus *Valvata* O.F. MÜLLER, 1773**

**Subgenus *Valvata* O.F. MÜLLER, 1773**

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – FR

**Subgenus *Tropidina* H. & A. ADAMS, 1854**

- *Valvata (Tropidina) macrostoma* MÖRCH, 1864 – FR

**Subgenus *Cincinna* HÜBNER, 1810**

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – FR

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814  
 Ordo Hygrophila A. FÉRUSAC, 1822  
 Superfamilia Acroloxoidea THIELE, 1931  
Familia Acroloxidae THIELE, 1931

**Genus *Acroloxus* H. BECK, 1838**

- *Acroloxus lacustris* (LINNAEUS, 1758) – FR

Superfamilia Lymnaeoidea RAFINESQUE, 1815  
Familia Lymnaeidae RAFINESQUE, 1815  
 Subfamilia Lymnaeinae RAFINESQUE, 1815

**Genus *Galba* SCHRANK, 1803**

**Subgenus *Galba* SCHRANK, 1803**

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – FR

**Genus *Stagnicola* JEFFREYS, 1830**

- *Stagnicola corvus* (GMELIN, 1791) – FR
- *Stagnicola fuscus* (C. PFEIFFER, 1821) – FR
- *Stagnicola palustris* (O.F. MÜLLER, 1774) – FR

**Genus *Omphiscola* RAFINESQUE, 1819**

- *Omphiscola glabra* (O.F. MÜLLER, 1774) – FR
- *Omphiscola reticulata* (GASSIES, 1867) – FR

**Genus *Radix* MONTFORT, 1810**

- *Radix ampla* (W. HARTMANN, 1821) – FR
- *Radix auricularia* (LINNAEUS, 1758) – FR
- *Radix balthica* (LINNAEUS, 1758) – FR
- *Radix labiata* (ROSSMÄSSLER, 1835) – FR

**Genus *Myxas* G.B. SOWERBY I, 1822**

- *Myxas glutinosa* (O.F. MÜLLER, 1774) – FR

**Genus *Lymnaea* LAMARCK, 1799**

- *Lymnaea stagnalis* (LINNAEUS, 1758) – FR

**Genus *Pseudosuccinea* F.C. BAKER, 1908**

- *Pseudosuccinea columella* (SAY, 1817) – FR

Superfamilia Planorboidea RAFINESQUE, 1815

Familia Physidae FITZINGER, 1833

Subfamilia Physinae FITZINGER, 1833

Tribus Physini FITZINGER, 1833

**Genus *Physa* DRAPARNAUD, 1801**

- *Physa fontinalis* (LINNAEUS, 1758) – FR

Tribus Haitiini D.W. TAYLOR, 2003

**Genus *Haitia* CLENCH & AGUAYO, 1932**

- *Haitia acuta* (DRAPARNAUD, 1805) – FR

Subfamilia Aplexinae STAROBOGATOV, 1967

Tribus Aplexini STAROBOGATOV, 1967

**Genus *Aplexa* FLEMING, 1820**

- *Aplexa hypnorum* (LINNAEUS, 1758) – FR

Familia Planorbidae RAFINESQUE, 1815

Subfamilia Bulininae P. FISCHER & CROSSE, 1880

Tribus Bulinini P. FISCHER & CROSSE, 1880

**Genus *Bulinus* O.F. MÜLLER, 1781**

**Subgenus *Isidora* EHRENBERG, 1831**

- *Bulinus (Isidora) truncatus contortus* (MICHAUD, 1829) – FR
- *Bulinus (Isidora) truncatus rivularis* (PHILIPPI, 1836) – FR

Tribus Coretini J.E. GRAY, 1847

**Genus *Planorbarius* DUMÉRIL, 1806**

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – FR

**Genus *Planorbella* HALDEMAN, 1843**

- *Planorbella duryi* (WETHERBY, 1879) – FR

**Genus *Menetus* H. & A. ADAMS, 1855**

**Subgenus *Dilatata* CLESSIN, 1885**

- *Menetus (Dilatata) dilatatus* (GOULD, 1841) – FR

Tribus Miratestini P. & F. SARASIN, 1897

**Genus *Ferrissia* WALKER, 1903**

**Subgenus *Pettancyllus* IREDALE, 1943**

- *Ferrissia (Pettancyllus) wautieri* (MIROLLI, 1960) – FR

Subfamilia Planorbinae RAFINESQUE, 1815

Tribus Planorbini RAFINESQUE, 1815

**Genus *Planorbis* O.F. MÜLLER, 1773**

**Subgenus *Planorbis* O.F. MÜLLER, 1773**

- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – FR
- *Planorbis (Planorbis) moquini* REQUIEN, 1848 – FR
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – FR

**Genus *Anisus* S. STUDER, 1820**

**Subgenus *Anisus* S. STUDER, 1820**

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – FR
- *Anisus (Anisus) septemgyratus* (ROSSMÄSSLER, 1835) – FR
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – FR

**Subgenus *Disculifer* C. BOETTGER, 1944**

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – FR
- *Anisus (Disculifer) vorticulus* (TROSCHER, 1834) – FR

**Genus *Bathyomphalus* CHARPENTIER, 1837**

- *Bathyomphalus contortus* (LINNAEUS, 1758) – FR

**Genus *Gyraulus* CHARPENTIER, 1837**

**Subgenus *Gyraulus* CHARPENTIER, 1837**

- *Gyraulus (Gyraulus) acronicus* (A. FÉRUSSAC, 1807) – FR
- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – FR
- *Gyraulus (Gyraulus) chinensis* (DUNKER, 1848) – FR

**Subgenus *Torquis* DALL, 1905**

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – FR
- *Gyraulus (Torquis) parvus* (SAY, 1817) – FR

**Subgenus *Lamorbis* STAROBOGATOV, 1967**

- *Gyraulus (Lamorbis) rossmaessleri* (AUERSWALD, 1852) – FR

**Subgenus *Armiger* W. HARTMANN, 1843**

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – FR

Tribus Segmentinini F.C. BAKER, 1945

**Genus *Hippeutis* CHARPENTIER, 1837**

- *Hippeutis complanatus* (LINNAEUS, 1758) – FR

**Genus *Segmentina* FLEMING, 1818**

- *Segmentina nitida* (O.F. MÜLLER, 1774) – FR

Tribus Ancylini RAFINESQUE, 1815

**Genus *Ancylus* O.F. MÜLLER, 1773**

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – FR

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990

Superfamilia Otinoidea H. & A. ADAMS, 1855

Familia Otinidae H. & A. ADAMS, 1855

**Genus *Otina* J.E. GRAY, 1847**

- *Otina ovata* (TH. BROWN, 1827) – FR

Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)

Familia Ellobiidae L. PFEIFFER, 1854 (1822)

Subfamilia Pythiinae ODHNER, 1925 (1880)

**Genus *Myosotella* MONTEROSATO, 1906**

- *Myosotella denticulata* (MONTAGU, 1803) – FR
- *Myosotella myosotis* (DRAPARNAUD, 1801) – FR

**Genus *Ovatella* BIVONA, 1832**

- *Ovatella firminii* (PAYRAUDEAU, 1827) – FR

Subfamilia Ellobiinae L. PFEIFFER, 1854 (1822)

**Genus *Leucophytia* WINCKWORTH, 1949**

- *Leucophytia bidentata* (MONTAGU, 1808) – FR

Subfamilia Pedipedinae P. FISCHER & CROSSE, 1880

**Genus *Pseudomelampus* PALLARY, 1900**

- *Pseudomelampus exiguus* (R.T. LOWE, 1832) – FR

Subfamilia Carychiinae JEFFREYS, 1830

**Genus *Carychium* O.F. MÜLLER, 1773**

**Subgenus *Carychium* O.F. MÜLLER, 1773**

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – FR

**Subgenus *Saraphia* RISSO, 1826**

- *Carychium (Saraphia) mariae* PAULUCCI, 1878 – FR
- *Carychium (Saraphia) tridentatum* (RISSO, 1826) – FR

**Genus *Zospeum* BOURGUIGNAT, 1856**

- *Zospeum bellesi* E. GITTENBERGER, 1973 – FR

Ordo Systellomatophora PILSBRY, 1948  
Superfamilia Onchidioidea RAFINESQUE, 1815  
Familia Onchidiidae RAFINESQUE, 1815

**Genus *Onchidella* J.E. GRAY, 1850**

- *Onchidella celtica* (CUVIER, 1817) – FR
- *Onchidella nana* (PHILIPPI, 1844) – FR

Ordo Stylommatophora A. SCHMIDT, 1855  
Subordo Elasmognatha MÖRCH, 1865  
Superfamilia Succineoidea H. BECK, 1837  
Familia Succineidae H. BECK, 1837  
Subfamilia Succineinae H. BECK, 1837

**Genus *Succinea* DRAPARNAUD, 1801**

- *Succinea putris* (LINNAEUS, 1758) – FR

**Genus *Succinella* J. MABILLE, 1871**

- *Succinella oblonga* (DRAPARNAUD, 1801) – FR

**Genus *Oxyloma* WESTERLUND, 1885**

**Subgenus *Oxyloma* WESTERLUND, 1885**

- *Oxyloma (Oxyloma) elegans elegans* (RISSO, 1826) – FR
- *Oxyloma (Oxyloma) sarsii* (ESMARK, 1886) – FR

Subfamilia Catinellinae ODHNER, 1950

**Genus *Quickella* C. BOETTGER, 1939**

- *Quickella arenaria* (POTIEZ & MICHAUD, 1835) – FR

Subordo Orthurethra PILSBRY, 1900  
Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)  
Familia Cochlicopidae PILSBRY, 1900 (1879)  
Subfamilia Cochlicopinae PILSBRY, 1900 (1879)

**Genus *Cochlicopa* A. FÉRUSAC, 1821**

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – FR
- *Cochlicopa lubricella* (PORRO, 1838) – FR
- *Cochlicopa nitens* (M. VON GALLENSTEIN, 1848) – FR

Subfamilia Azecinae H. WATSON, 1920

**Genus *Azeca* FLEMING, 1828**

- *Azeca goodalli* (A. FÉRUSAC, 1821) – FR

**Genus *Hypnophila* BOURGUIGNAT, 1858**

- *Hypnophila boissii* (DUPUY, 1851) – FR
- *Hypnophila remyi* (C. BOETTGER, 1949) – FR

**Genus *Cryptazeca* DE FOLIN & BÉRILLON, 1877**

- *Cryptazeca monodonta* (DE FOLIN & BÉRILLON, 1877) – FR
- *Cryptazeca subcylindrica* DE FOLIN & BÉRILLON, 1877 – FR

Superfamilia Pupilloidea TURTON, 1831  
Familia Lauriidae STEENBERG, 1925

**Genus *Lauria* J.E. GRAY, 1840**

**Subgenus *Lauria* J.E. GRAY, 1840**

- *Lauria (Lauria) cylindracea* (DA COSTA, 1778) – FR
- *Lauria (Lauria) sempronii* (CHARPENTIER, 1837) – FR

**Genus *Leiostyla* R.T. LOWE, 1852**

**Subgenus *Leiostyla* R.T. LOWE, 1852**

- *Leiostyla (Leiostyla) anglica* (A. FÉRUSAC, 1821) – FR

Familia Orculidae PILSBRY, 1918  
 Subfamilia Orculinae PILSBRY, 1918

**Genus *Orcula* HELD, 1838**

- *Orcula dolium dolium* (DRAPARNAUD, 1801) – FR

**Genus *Sphyradium* CHARPENTIER, 1837**

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – FR

**Genus *Pagodulina* CLESSIN, 1876**

- *Pagodulina austeniana austeniana* (G. NEVILL, 1880) – FR
- *Pagodulina pagodula pagodula* (DES MOULINS, 1830) – FR
- *Pagodulina pagodula principalis* KLEMM, 1939 – FR
- *Pagodulina subdola subdola* (GREDLER, 1856) – FR

Familia Argnidæ HUDEC, 1965

**Genus *Argna* COSSMANN, 1889**

- *Argna biplicata biplicata* (MICHAUD, 1831) – FR
- *Argna bourguignatiana* (G. NEVILL, 1880) – FR
- *Argna ferrari blanci* (BOURGUIGNAT, 1874) – FR

Familia Valloniidae MORSE, 1864  
 Subfamilia Valloniinae MORSE, 1864

**Genus *Vallonia* RISSO, 1826**

- *Vallonia costata* (O.F. MÜLLER, 1774) – FR
- *Vallonia declivis* STERKI 1893 – FR
- *Vallonia enniensis* (GREDLER, 1856) – FR

- *Vallonia excentrica* STERKI, 1893 – FR
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – FR

**Genus *Plagyrona* E. GITTENBERGER, 1977**

- *Plagyrona placida* (SHUTTLEWORTH, 1852) – FR

**Genus *Gittenbergia* GIUSTI, CASTAGNOLO & MANGANELLI, 1985**

- *Gittenbergia sororcula* (BENOIT, 1859) – FR

Subfamilia Acanthinulinae STEENBERG, 1917

**Genus *Acanthinula* H. BECK, 1847**

- *Acanthinula aculeata* (O.F. MÜLLER 1774) – FR

Familia Pupillidae TURTON, 1831

**Genus *Pupilla* FLEMING, 1828**

**Subgenus *Pupilla* FLEMING, 1828**

- *Pupilla (Pupilla) alpicola* (CHARPENTIER, 1837) – FR
- *Pupilla (Pupilla) bigranata* (ROSSMÄSSLER, 1839) – FR
- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – FR
- *Pupilla (Pupilla) pratensis* (CLESSIN, 1871) – FR
- *Pupilla (Pupilla) sterrii* (VOITH, 1840) – FR
- *Pupilla (Pupilla) triplicata* (S. STUDER, 1820) – FR

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

**Genus *Pyramidula* FITZINGER, 1833**

- *Pyramidula pusilla* (VALLOT, 1801) – FR
- *Pyramidula rupestris* (DRAPARNAUD, 1801) – FR

Familia Chondrinidae STEENBERG, 1925

Subfamilia Granariinae KOKSHOORN & E. GITTENBERGER, 2010

**Genus *Granopupa* O. BOETTGER, 1889**

- *Granopupa granum* (DRAPARNAUD, 1801) – FR

**Genus *Granaria* HELD, 1838**

- *Granaria braunii braunii* (ROSSMÄSSLER, 1842) – FR
- *Granaria frumentum frumentum* (DRAPARNAUD, 1801) – FR
- *Granaria frumentum illyrica* (ROSSMÄSSLER, 1835) – FR
- *Granaria stabilei stabilei* (E. VON MARTENS, 1865) – FR
- *Granaria stabilei anceyi* (FAGOT, 1881) – FR
- *Granaria variabilis* (DRAPARNAUD, 1801) – FR

**Genus *Solatopupa* PILSBRY, 1917**

- *Solatopupa cianensis* (CAZIOT, 1910) – FR
- *Solatopupa guidoni guidoni* (CAZIOT, 1904) – FR
- *Solatopupa pallida* (ROSSMÄSSLER, 1842) – FR?



- *Solatopupa psarolena* (BOURGUIGNAT, 1858) – FR
- *Solatopupa similis* (BRUGUIÈRE, 1792) – FR

Subfamilia Chondrininae STEENBERG, 1925

**Genus *Abida* TURTON, 1831**

- *Abida ateni* E. GITTENBERGER, 1973 – FR
- *Abida attenuata* (FAGOT, 1886) – FR
- *Abida bigerrensis* (MOQUIN-TANDON, 1856) – FR
- *Abida cylindrica* (MICHAUD, 1829) – FR
- *Abida gittenbergeri* BÖßNECK, 2000 – FR
- *Abida occidentalis* (FAGOT, 1888) – FR
- *Abida partioti* (SAINT-SIMON, 1848) – FR
- *Abida polyodon* (DRAPARNAUD, 1801) – FR
- *Abida pyrenaearia* (MICHAUD, 1831) – FR
- *Abida secale secale* (DRAPARNAUD, 1801) – FR
- *Abida secale affinis* (ROSSMÄSSLER, 1839) – FR
- *Abida secale boileausiana* (KÜSTER, 1845) – FR
- *Abida secale saxicola* (MOQUIN-TANDON, 1843) – FR
- *Abida vergniesiana* (KÜSTER, 1847) – FR

**Genus *Chondrina* REICHENBACH, 1828**

- *Chondrina ascendens* (WESTERLUND, 1878) – FR
- *Chondrina avenacea avenacea* (BRUGUIÈRE, 1792) – FR
- *Chondrina bigorriensis* (DES MOULINS 1835) – FR
- *Chondrina centralis* (FAGOT, 1891) – FR
- *Chondrina falkneri* E. GITTENBERGER, 2002 – FR
- *Chondrina farinesii* (DES MOULINS, 1835) – FR
- *Chondrina gerhardi* E. GITTENBERGER, 2002 – FR
- *Chondrina megacheilos caziotiana* PILSBRY, 1918 – FR
- *Chondrina tenuimarginata* (DES MOULINS, 1835) – FR

Familia Vertiginidae FITZINGER, 1833  
 Subfamilia Vertigininae FITZINGER, 1833  
 Tribus Truncatellinini STEENBERG, 1925

**Genus *Columella* WESTERLUND, 1878**

- *Columella aspera* WALDÉN, 1966 – FR
- *Columella columella* (G. VON MARTENS, 1830) – FR
- *Columella edentula* (DRAPARNAUD, 1805) – FR

**Genus *Truncatellina* R.T. LOWE, 1852**

- *Truncatellina arcensis* KLEMM, 1943 – FR
- *Truncatellina callicratis* (SCACCHI, 1833) – FR
- *Truncatellina claustralis* (GREDLER, 1856) – FR
- *Truncatellina cylindrica* (A. FÉRUSSAC, 1807) – FR
- *Truncatellina monodon* (HELD, 1837) – FR

Tribus Vertiginini FITZINGER, 1833

**Genus *Vertigo* O.F. MÜLLER, 1773**

**Subgenus *Vertigo* O.F. MÜLLER, 1773**

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – FR
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – FR
- *Vertigo (Vertigo) genesii* (GREDLER, 1856) – FR
- *Vertigo (Vertigo) lilljeborgi* (WESTERLUND, 1871) – FR
- *Vertigo (Vertigo) modesta arctica* (WALLENBERG, 1858) – FR
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – FR
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – FR
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – FR
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – FR

**Subgenus *Vertilla* MOQUIN-TANDON, 1856**

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – FR

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)

Familia Enidae B.B. WOODWARD, 1903 (1880)

Subfamilia Eninae B.B. WOODWARD, 1903 (1880)

Tribus Enini B.B. WOODWARD, 1903 (1880)

**Genus *Jaminia* RISSO, 1826**

- *Jaminia quadridens quadridens* (O.F. MÜLLER, 1774) – FR
- *Jaminia quadridens elongata* (MOQUIN-TANDON, 1856) – FR

**Genus *Ena* TURTON, 1831**

- *Ena montana* (DRAPARNAUD, 1801) – FR

Tribus Multidentulini SCHILEYKO, 1978

**Genus *Merdigera* HELD, 1838**

- *Merdigera obscura* (O.F. MÜLLER, 1774) – FR

Tribus Chondrulini WENZ, 1923

**Genus *Zebrina* HELD, 1838**

- *Zebrina detrita detrita* (O.F. MÜLLER, 1774) – FR

**Genus *Chondrula* H. BECK, 1837**

- *Chondrula tridens tridens* (O.F. MÜLLER, 1774) – FR

Subordo \*\*\*\* (unnamed)

Superfamilia Achatinoidea SWAINSON, 1840

Familia Ferussaciidae BOURGUIGNAT, 1883

**Genus *Cecilioides* A. FÉRUSSAC, 1814**

**Subgenus *Cecilioides* A. FÉRUSSAC, 1814**

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – FR
- *Cecilioides (Cecilioides) eucharista* (BOURGUIGNAT, 1864) – FR
- *Cecilioides (Cecilioides) veneta* (STROBEL, 1855) – FR

**Genus *Hohenwartiana* BOURGUIGNAT, 1864**

- *Hohenwartiana hohenwarti* (ROSSMÄSSLER, 1839) – FR

**Genus *Ferussacia* RISSO, 1826**

**Subgenus *Ferussacia* RISSO, 1826**

- *Ferussacia* (*Ferussacia*) *folliculus* (GMELIN, 1791) – FR

**Subgenus *Pegea* RISSO, 1826**

- *Ferussacia* (*Pegea*) *carnea* (RISSO, 1826) – FR

Familia Subulinidae P. FISCHER & CROSSE, 1877

Subfamilia Rumininae WENZ, 1923

**Genus *Rumina* RISSO, 1826**

- *Rumina decollata* (LINNAEUS, 1758) – FR
- *Rumina saharica* PALLARY, 1901 – FR

Subordo Sigmurethra PILSBRY, 1900  
 Superfamilia Clausilioidea J.E. GRAY, 1855  
Familia Clausiliidae J.E. GRAY, 1855  
 Subfamilia Laminiferinae WENZ, 1923

**Genus *Neniatlanta* BOURGUIGNAT, 1876**

- *Neniatlanta pauli* (J. MABILLE, 1865) – FR

**Genus *Bofilliella* EHRMANN, 1927**

- *Bofilliella subarcuata* (BOFILL, 1897) – FR

Subfamilia Alopiinae A.J. WAGNER, 1913  
 Tribus Medorini H. NORDSIECK, 1997

**Genus *Leucostigma* A.J. WAGNER, 1919**

- *Leucostigma candidescens leucostigma* (ROSSMÄSSLER, 1836) – FR
- *Leucostigma candidescens samnitica* (ROSSMÄSSLER, 1842) – FR

Tribus Cochlodinini LINDHOLM, 1925 (1923)

**Genus *Cochlodina* A. FÉRUSSAC, 1821**

**Subgenus *Cochlodina* A. FÉRUSSAC, 1821**

- *Cochlodina* (*Cochlodina*) *laminata laminata* (MONTAGU, 1803) – FR

**Subgenus *Stabilea* DE BETTA, 1870**

- *Cochlodina* (*Stabilea*) *fimbriata fimbriata* (ROSSMÄSSLER, 1835) – FR
- *Cochlodina* (*Stabilea*) *triloba* (O. BOETTGER, 1870) – FR

**Subgenus *Cochlodinastra* H. NORDSIECK, 1977**

- *Cochlodina* (*Cochlodinastra*) *comensis comensis* (L. PFEIFFER, 1850) – FR

**Subgenus *Paracochlodina* H. NORDSIECK, 1969**

- *Cochlodina (Paracochlodina) orthostoma orthostoma* (MENKE, 1828) – FR

**Subgenus *Procochlodina* H. NORDSIECK, 1969**

- *Cochlodina (Procochlodina) meisneriana meisneriana* (SHUTTLEWORTH, 1843) – FR
- *Cochlodina (Procochlodina) meisneriana adjaciensis* (SHUTTLEWORTH, 1843) – FR

Tribus Delimini R. BRANDT, 1956

**Genus *Charpentieria* STABILE, 1864**

**Subgenus *Charpentieria* STABILE, 1864**

- *Charpentieria (Charpentieria) dyodon thomasiana* (KÜSTER, 1850) – FR
- *Charpentieria (Charpentieria) itala punctata* (MICHAUD, 1831) – FR

**Genus *Papillifera* W. HARTMANN, 1842**

- *Papillifera papillaris papillaris* (O.F. MÜLLER, 1774) – FR
- *Papillifera papillaris affinis* (PHILIPPI, 1836) – FR
- *Papillifera solida solida* (DRAPARNAUD, 1805) – FR

Subfamilia Clausiliinae J.E. GRAY, 1855

Tribus Clausiliini J.E. GRAY, 1855

**Genus *Ruthenica* LINDHOLM, 1924**

- *Ruthenica filograna filograna* (ROSSMÄSSLER, 1836) – FR

**Genus *Macrogastra* W. HARTMANN, 1841**

**Subgenus *Macrogastra* W. HARTMANN, 1841**

- *Macrogastra (Macrogastra) ventricosa ventricosa* (DRAPARNAUD, 1801) – FR

**Subgenus *Pseudovestia* H. NORDSIECK, 1977**

- *Macrogastra (Pseudovestia) rolphii rolphii* (TURTON, 1826) – FR
- *Macrogastra (Pseudovestia) rolphii digonostoma* (BOURGUIGNAT, 1877) – FR

**Subgenus *Pyrostoma* VEST, 1867**

- *Macrogastra (Pyrostoma) attenuata lineolata* (HELD, 1836) – FR
- *Macrogastra (Pyrostoma) attenuata sabaudina* (BOURGUIGNAT, 1877) – FR
- *Macrogastra (Pyrostoma) badia alpina* H. NORDSIECK, 2006 – FR
- *Macrogastra (Pyrostoma) mellae mellae* (STABILE, 1864) – FR
- *Macrogastra (Pyrostoma) mellae leia* (BOURGUIGNAT, 1869) – FR
- *Macrogastra (Pyrostoma) mellae ripkeni* FALKNER, 2000 – FR
- *Macrogastra (Pyrostoma) plicatula plicatula* (DRAPARNAUD, 1801) – FR

**Genus *Clausilia* DRAPARNAUD, 1805**

**Subgenus *Clausilia* DRAPARNAUD, 1805**

- *Clausilia (Clausilia) rugosa rugosa* (DRAPARNAUD, 1801) – FR
- *Clausilia (Clausilia) rugosa andusiensis* COUTAGNE, 1886 – FR
- *Clausilia (Clausilia) rugosa belonidea* BOURGUIGNAT, 1877 – FR
- *Clausilia (Clausilia) rugosa lamalouensis* A. LETOURNEUX, 1877 – FR
- *Clausilia (Clausilia) rugosa parvula* (A. FÉRUSAC, 1807) – FR

- *Clausilia (Clausilia) rugosa penchinati* BOURGUIGNAT, 1876 – FR
- *Clausilia (Clausilia) rugosa pinii* WESTERLUND, 1878 – FR
- *Clausilia (Clausilia) rugosa provincialis* COUTAGNE, 1886 – FR
- *Clausilia (Clausilia) rugosa reboudii* DUPUY, 1851 – FR
- *Clausilia (Clausilia) bidentata bidentata* (STRØM, 1765) – FR
- *Clausilia (Clausilia) bidentata abietina* DUPUY, 1849 – FR
- *Clausilia (Clausilia) bidentata crenulata* RISSO, 1826 – FR
- *Clausilia (Clausilia) cruciata cuspidata* HELD, 1836 – FR
- *Clausilia (Clausilia) cruciata bonellii* E. VON MARTENS, 1873 – FR

**Subgenus *Andraea* L. PFEIFFER, 1848**

- *Clausilia (Andraea) dubia dubia* DRAPARNAUD, 1805 – FR
- *Clausilia (Andraea) dubia geretica* BOURGUIGNAT, 1877 – FR

**Genus *Neostyriaca* A.J. WAGNER, 1920**

- *Neostyriaca corynodes saxatilis* (W. HARTMANN, 1843) – FR

Subfamilia Baleinae A.J. WAGNER, 1913

**Genus *Laciniaria* W. HARTMANN, 1842**

- *Laciniaria plicata plicata* (DRAPARNAUD, 1801) – FR

**Genus *Balea* J.E. GRAY, 1824**

- *Balea heydeni* VON MALTZAN, 1881 – FR
- *Balea perversa* (LINNAEUS, 1758) – FR

**Genus *Alinda* H. & A. ADAMS, 1855**

**Subgenus *Alinda* H. & A. Adams, 1855**

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – FR

Superfamilia Testacelloidea J.E. GRAY, 1840

Familia Testacellidae J.E. GRAY, 1840

**Genus *Testacella* LAMARCK, 1801**

**Subgenus *Testacella* LAMARCK, 1801**

- *Testacella (Testacella) bisulcata* RISSO, 1826 – FR
- *Testacella (Testacella) haliotidea* DRAPARNAUD, 1801 – FR
- *Testacella (Testacella) maugei* A. FÉRUSSAC, 1819 – FR
- *Testacella (Testacella) scutulum* G.B. SOWERBY I, 1820 – FR

**Subgenus *Testacelloides* A.J. WAGNER, 1914**

- *Testacella (Testacelloides) gestroi* ISSEL, 1873 – FR

Superfamilia Punctoidea MORSE, 1864

Familia Punctidae MORSE, 1864

**Genus *Punctum* MORSE, 1864**

**Subgenus *Punctum* MORSE, 1864**

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – FR

**Genus *Paralaoma* IREDALE, 1913**

- *Paralaoma servilis* (SHUTTLEWORTH, 1852) – FR

Familia Helicodiscidae H.B. BAKER, 1927

**Genus *Lucilla* R.T. LOWE, 1852**

- *Lucilla scintilla* (R.T. LOWE, 1852) – FR
- *Lucilla singleyana* (PILSBRY, 1889) – FR

Familia Discidae THIELE, 1931 (1866)

**Genus *Discus* FITZINGER, 1833**

**Subgenus *Discus* FITZINGER, 1833**

- *Discus (Discus) ruderatus ruderatus* (W. HARTMANN, 1821) – FR

**Subgenus *Gonyodiscus* FITZINGER, 1833**

- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – FR
- *Discus (Gonyodiscus) rotundatus omalisma* (FAGOT, 1879) – FR

Superfamilia Gastrodontoidea TRYON, 1866

Familia Pristilomatidae T. COCKERELL, 1891

**Genus *Vitrea* FITZINGER, 1833**

- *Vitrea contracta* (WESTERLUND, 1871) – FR
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – FR
- *Vitrea diaphana diaphana* (S. STUDER, 1820) – FR
- *Vitrea etrusca* (PAULUCCI, 1878) – FR
- *Vitrea narbonensis* (CLESSIN, 1877) – FR
- *Vitrea pseudotrolli* L. PINTÉR, 1983 – FR
- *Vitrea subrimata* (REINHARDT, 1871) – FR

Familia Euconulidae H.B. BAKER, 1928

Subfamilia Euconulinae H.B. BAKER, 1928

**Genus *Euconulus* REINHARDT, 1883**

**Subgenus *Euconulus* REINHARDT, 1883**

- *Euconulus (Euconulus) callopisticus* (BOURGUIGNAT, 1880) – FR
- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – FR
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – FR
- *Euconulus (Euconulus) trochiformis* (MONTAGU, 1803) – FR

Familia Gastrodontidae TRYON, 1866

**Genus *Zonitoides* LEHMANN, 1862**

**Subgenus *Zonitoides* LEHMANN, 1862**

- *Zonitoides (Zonitoides) excavatus* (ALDER, 1830) – FR
- *Zonitoides (Zonitoides) jaccetanicus* (BOURGUIGNAT, 1870) – FR?
- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – FR

Familia Oxychilidae P. HESSE, 1927 (1879)  
Subfamilia Daudebardiinae KOBELT, 1906

**Genus *Daudebardia* W. HARTMANN, 1821**

**Subgenus *Daudebardia* W. HARTMANN, 1821**

- *Daudebardia (Daudebardia) brevipes* (DRAPARNAUD, 1805) – FR
- *Daudebardia (Daudebardia) rufa* (DRAPARNAUD, 1805) – FR

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

**Genus *Oxychilus* FITZINGER, 1833**

**Subgenus *Oxychilus* FITZINGER, 1833**

- *Oxychilus (Oxychilus?) adjaciensis* (CAZIOT, 1903) – FR
- *Oxychilus (Oxychilus) amblyopus* (J. MABILLE, 1869) – FR
- *Oxychilus (Oxychilus) blauneri* (SHUTTLEWORTH, 1843) – FR
- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – FR
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – FR
- *Oxychilus (Oxychilus) farinesianus* (BOURGUIGNAT, 1870) – FR
- *Oxychilus (Oxychilus) maceanus* (BOURGUIGNAT, 1869) – FR

**Subgenus *Ortizius* FORCART, 1957**

- *Oxychilus (Ortizius) alliaris* (J.S. MILLER, 1822) – FR
- *Oxychilus (Ortizius) altimirai* (RIEDEL, 1972) – FR
- *Oxychilus (Ortizius) clarus* (HELD, 1838) – FR
- *Oxychilus (Ortizius) colliourensis* (LOCARD, 1894) – FR
- *Oxychilus (Ortizius) edmundi* (FALKNER, 2008) – FR
- *Oxychilus (Ortizius) lathyri* (J. MABILLE, 1869) – FR
- *Oxychilus (Ortizius) navarricus navarricus* (BOURGUIGNAT, 1870) – FR
- *Oxychilus (Ortizius) navarricus helveticus* (BLUM, 1881) – FR
- *Oxychilus (Ortizius) obscuratus* (PORRO, 1841) – FR
- *Oxychilus (Ortizius) requienii* (MOQUIN-TANDON, 1855) – FR
- *Oxychilus (Ortizius) shuttleworthianus* (PINI, 1883) – FR
- *Oxychilus (Ortizius) tropidophorus* (J. MABILLE, 1869) – FR

**Genus *Morlina* A.J. WAGNER, 1914**

- *Morlina glabra glabra* (ROSSMÄSSLER, 1835) – FR
- *Morlina glabra harlei* (FAGOT, 1884) – FR?

**Genus *Mediterranea* CLESSIN, 1880**

- *Mediterranea depressa* (STERKI, 1880) – FR
- *Mediterranea hydatina hydatina* (ROSSMÄSSLER, 1838) – FR

Subfamilia Godwiniinae C.M. COOKE, 1921

**Genus *Aegopinella* LINDHOLM, 1927**

- *Aegopinella epipedostoma epipedostoma* (FAGOT, 1879) – FR
- *Aegopinella epipedostoma iuncta* HUDEC, 1964 – FR
- *Aegopinella minor* (STABILE, 1864) – FR
- *Aegopinella nitens* (MICHAUD, 1831) – FR
- *Aegopinella nitidula* (DRAPARNAUD, 1805) – FR

- *Aegopinella pura* (ALDER, 1830) – FR

**Genus *Retinella* P. FISCHER, 1877**

**Subgenus *Retinella* P. FISCHER, 1877**

- *Retinella* (*Retinella*?) *pseudoaegopinella* GIUSTI, BOATO & BODON, 1986 – FR

**Subgenus *Retinelloides* RIEDEL, 1977**

- *Retinella* (*Retinelloides*) *incerta* (DRAPARNAUD, 1805) – FR

**Genus *Nesovitrea* C. M. COOKE, 1921**

**Subgenus *Perpolita* H.B. BAKER, 1928**

- *Nesovitrea* (*Perpolita*) *hammonis* (STRØM, 1765) – FR
- *Nesovitrea* (*Perpolita*) *petronella* (L. PFEIFFER, 1853) – FR

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)

Familia Parmacellidae P. FISCHER, 1856 (1855)

**Genus *Parmacella* CUVIER, 1804**

- *Parmacella gervaisii* MOQUIN-TANDON, 1850 – FR

Familia Milacidae ELLIS, 1926

**Genus *Milax* J.E. GRAY, 1855**

- *Milax gagates* (DRAPARNAUD, 1801) – FR
- *Milax nigricans* (PHILIPPI, 1836) – FR
- *Milax ochraceus* (BÉRENGUIER, 1900) – FR

**Genus *Tandonia* LESSONA & POLLONERA, 1882**

- *Tandonia budapestensis* (HAZAY, 1880) – FR
- *Tandonia rustica* (MILLET, 1843) – FR
- *Tandonia sowerbyi* (A. FÉRUSSAC, 1823) – FR

Superfamilia Zonitoidea MÖRCH, 1864

Familia Zonitidae MÖRCH, 1864

**Genus *Zonites* MONTFORT, 1810**

- *Zonites algirus* (LINNAEUS, 1758) – FR

Superfamilia Limacoidea LAMARCK, 1801

Familia Vitrinidae FITZINGER, 1833

**Genus *Semilimax* J.E. GRAY, 1847**

- *Semilimax pyrenaicus* (A. FÉRUSSAC, 1821) – FR
- *Semilimax semilimax* (J. FERUSSAC, 1802) – FR

**Genus *Hessemilimax* SCHILEYKO, 1986**

- *Hessemilimax kotulae* (WESTERLUND, 1883) – FR



**Genus *Vitrinobrachium* KÜNKEL, 1929**

- *Vitrinobrachium breve* (A. FÉRUSSAC, 1821) – FR

**Genus *Eucobresia* H.B. BAKER, 1929**

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – FR
- *Eucobresia glacialis* (FORBES, 1837) – FR
- *Eucobresia nivalis* (DUMONT & MORTILLET, 1854) – FR

**Genus *Vitrina* DRAPARNAUD, 1801**

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – FR

**Genus *Phenacolimax* STABILE, 1859**

- *Phenacolimax major* (A. FÉRUSSAC, 1807) – FR
- *Phenacolimax stabilei* (LESSONA, 1880) – FR

**Genus *Oligolimax* P. FISCHER, 1878**

- *Oligolimax annularis* (S. STUDER, 1820) – FR

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

**Genus *Boettgerilla* SIMROTH, 1910**

- *Boettgerilla pallens* SIMROTH, 1912 – FR

Familia Limacidae LAMARCK, 1801  
Subfamilia Limacinae LAMARCK, 1801

**Genus *Limax* LINNAEUS, 1758**

- *Limax albipes* DUMONT & MORTILLET, 1853 – FR
- *Limax alpinus* A. FERUSSAC, 1821 – FR?
- *Limax cinereoniger* WOLF, 1803 – FR
- *Limax corsicus* MOQUIN-TANDON, 1855 – FR
- *Limax erythrus* BOURGUIGNAT, 1864 – FR
- *Limax granosus* BÉRENGUIER, 1900 – FR
- *Limax lachensis* BÉRENGUIER, 1900 – FR
- *Limax maximus* LINNAEUS, 1758 – FR
- *Limax millipunctatus* PINI, 1884 – FR
- *Limax squamosus* BÉRENGUIER, 1900 – FR
- *Limax vizzavonensis* FALKNER & NITZ, 2010 – FR-COR
- *Limax wolterstorffi* SIMROTH, 1900 – FR

**Genus *Limacus* LEHMANN, 1864**

- *Limacus flavus* (LINNAEUS, 1758) – FR
- *Limacus maculatus* (KALENICZENKO, 1851) – FR?

**Genus *Malacolimax* MALM, 1868**

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – FR

**Genus *Lehmannia* HEYNEMANN, 1863**

- *Lehmannia marginata* (O.F. MÜLLER, 1774) – FR
- *Lehmannia melitensis* (LESSONA & POLLONERA, 1882) – FR
- *Lehmannia requienii* POLLONERA, 1896 – FR
- *Lehmannia rupicola* LESSONA & POLLONERA, 1882 – FR

**Genus *Ambigolimax* Pollonera, 1887**

- *Ambigolimax valentianus* (A. FÉRUSAC, 1822) – FR

Familia Agriolimacidae H. WAGNER, 1935  
Subfamilia Agriolimacinae H. WAGNER, 1935

**Genus *Deroceras* RAFINESQUE, 1820**

**Subgenus *Deroceras* RAFINESQUE, 1820**

- *Deroceras (Deroceras) adolphi* WIKTOR, 1998 – FR
- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758) – FR
- *Deroceras (Deroceras) altimirai* (VAN REGTEREN ALTENA, 1969) – FR
- *Deroceras (Deroceras) cazioti* (POLLONERA, 1896) – FR
- *Deroceras (Deroceras) chevallieri* VAN REGTEREN ALTENA, 1973 – FR
- *Deroceras (Deroceras) corsicum* (SIMROTH, 1900) – FR
- *Deroceras (Deroceras) klemmi* GROSSU, 1972 – FR
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – FR
- *Deroceras (Deroceras) levisarcobelum* DE WINTER, 1986 – FR
- *Deroceras (Deroceras) panormitanum* (LESSONA & POLLONERA, 1882) – FR
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – FR
- *Deroceras (Deroceras) rodnae* GROSSU & LUPU, 1965 – FR
- *Deroceras (Deroceras) sardum* (SIMROTH, 1886) – FR?
- *Deroceras (Deroceras) sturanyi* (SIMROTH, 1894) – FR
- *Deroceras (Deroceras) vascoanum* DE WINTER, 1986 – FR

Superfamilia Arionoidea J.E. GRAY, 1840  
Familia Arionidae J.E. GRAY, 1840

**Genus *Arion* A. FÉRUSAC, 1819**

**Subgenus *Arion* A. FÉRUSAC, 1819**

- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – FR
- *Arion (Arion) magnus* TORRES MINGUEZ, 1923 – FR
- *Arion (Arion) rufus* (LINNAEUS, 1758) – FR

**Subgenus *Mesarion* P. HESSE, 1926**

- *Arion (Mesarion) atripunctatus* DUMONT & MORTILLET, 1853 – FR
- *Arion (Mesarion) euthymeanus* FLORENCE, 1886 – FR
- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – FR
- *Arion (Mesarion) molinae* GARRIDO, CASTILLEJO & IGLESIAS, 1995 – FR
- *Arion (Mesarion) subfuscus* (DRAPARNAUD, 1805) – FR

**Subgenus *Carinarion* P. HESSE, 1926**

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – FR
- *Arion (Carinarion) fasciatus* (NILSSON, 1823) – FR
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – FR

**Subgenus *Kobeltia* SEIBERT, 1873**

- *Arion (Kobeltia) anthracius* BOURGUIGNAT, 1886 – FR
- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – FR
- *Arion (Kobeltia) fagophilus* DE WINTER, 1986 – FR
- *Arion (Kobeltia) hortensis* A. FÉRUSSAC, 1819 – FR
- *Arion (Kobeltia) intermedius* NORMAND, 1852 – FR
- *Arion (Kobeltia) obesoductus* P. REISCHÜTZ, 1979 – FR

Superfamilia Helicoidea RAFINESQUE, 1815  
Familia Sphincterochilidae ZILCH, 1960 (1910)  
Subfamilia Sphincterochilinae ZILCH, 1960 (1910)

**Genus *Sphincterochila* ANCEY, 1887**

**Subgenus *Albea* PALLARY, 1910**

- *Sphincterochila (Albea) candidissima candidissima* (DRAPARNAUD, 1801) – FR

Familia Elonidae E. GITTENBERGER, 1977  
Subfamilia Eloninae E. GITTENBERGER, 1977

**Genus *Elona* H. & A. ADAMS, 1855**

- *Elona quimperiana* (BLAINVILLE, 1821) – FR

**Genus *Norelona* H. NORDSIECK, 1986**

- *Norelona pyrenaica* (DRAPARNAUD, 1805) – FR

Familia Bradybaenidae PILSBRY, 1934 (1898)  
Subfamilia Bradybaeninae PILSBRY, 1934 (1898)  
Tribus Bradybaenini PILSBRY, 1934 (1898)

**Genus *Fruticicola* HELD, 1838**

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – FR

Familia Helicodontidae KOBELT, 1904  
Subfamilia Helicodontinae KOBELT, 1904

**Genus *Helicodonta* A. FÉRUSSAC, 1821**

- *Helicodonta angigyra* (ROSSMÄSSLER, 1834) – FR
- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – FR

Familia Trissexodontidae H. NORDSIECK, 1987

**Genus *Trissexodon* PILSBRY, 1895**

- *Trissexodon constrictus* (BOUBÉE, 1836) – FR

**Genus *Mastigophallus* P. HESSE, 1918**

- *Mastigophallus rangianus* (MICHAUD, 1831) – FR

**Genus *Caracollina* H. BECK, 1837**

**Subgenus *Caracollina* H. BECK, 1837**

- *Caracollina (Caracollina) lenticula* (MICHAUD, 1831) – FR

Familia Cochlicellidae SCHILEYKO, 1972

**Genus *Cochlicella* A. FÉRUSSAC, 1821**

**Subgenus *Cochlicella* A. FÉRUSSAC, 1821**

- *Cochlicella (Cochlicella) acuta* (O.F. MÜLLER, 1774) – FR
- *Cochlicella (Cochlicella) conoidea* (DRAPARNAUD, 1801) – FR

**Subgenus *Prietocella* SCHILEYKO & MENKHORST, 1997**

- *Cochlicella (Prietocella) barbara* (LINNAEUS, 1758) – FR

Familia Hygromiidae TRYON, 1866

Subfamilia Monachinae WENZ, 1930 (1904)

Tribus Euomphaliini SCHILEYKO, 1978

**Genus *Euomphalia* WESTERLUND, 1889**

- *Euomphalia strigella strigella* (DRAPARNAUD, 1801) – FR
- *Euomphalia strigella ruscinica* (BOURGUIGNAT, 1881) – FR

Tribus Monachaini WENZ, 1930 (1904)

**Genus *Monacha* FITZINGER 1833**

**Subgenus *Monacha* FITZINGER 1833**

- *Monacha (Monacha) auturica* FALKNER, 2000 – FR
- *Monacha (Monacha) cantiana* (MONTAGU, 1803) – FR
- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – FR
- *Monacha (Monacha) cemenelea* (RISSO, 1826) – FR
- *Monacha (Monacha) martensiana* (TIBERI, 1869) – FR

**Subgenus *Metatheba* P. HESSE, 1914**

- *Monacha (Metatheba) atacis* E. GITTENBERGER & DE WINTER, 1985 – FR

**Subgenus ?**

- *Monacha* (subg. ?) *lamalouensis* (REYNÈS, 1870) – FR

**Genus *Ashfordia* J.W. TAYLOR, 1917**

- *Ashfordia granulata* (ALDER, 1830) – FR

Subfamilia Geomitrinae C. BOETTGER, 1909

Tribus Trochoideini H. NORDSIECK, 1987

**Genus *Trochoidea* T. BROWN, 1827**

**Subgenus *Trochoidea* T. BROWN, 1827**

- *Trochoidea (Trochoidea) elegans* (GMELIN, 1791) – FR
- *Trochoidea (Trochoidea) pyramidata* (DRAPARNAUD, 1805) – FR
- *Trochoidea (Trochoidea) trochoides* (POIRET, 1789) – FR

**Genus *Xerocrassa* MONTEROSATO, 1892**  
**Subgenus ?**

- *Xerocrassa* (subg. ?) *geyeri* (Soós, 1926) – FR
- *Xerocrassa* (subg. ?) *pallaresica* (FAGOT, 1886) – FR
- *Xerocrassa* (subg. ?) *penchinati* (BOURGUIGNAT, 1868) – FR
- *Xerocrassa* (subg. ?) *ripacurcica oreina* (FAGOT, 1888) – FR

Subfamilia Ciliellinae SCHILEYKO, 1970

**Genus *Ciliella* MOUSSON, 1872**

- *Ciliella ciliata* (W. HARTMANN, 1821) – FR

**Genus *Montserratina* ORTIZ DE ZÁRATE LÓPEZ, 1946**

- *Montserratina becasis* (RAMBUR, 1868) – FR
- *Montserratina martorelli* (BOURGUIGNAT, 1870) – FR

Subfamilia Ponentininae SCHILEYKO, 1991

**Genus *Ponentina* P. HESSE, 1921**

- *Ponentina revelata* (MICHAUD, 1831) – FR
- *Ponentina subvirescens* (BELLAMY, 1839) – FR

Subfamilia Hygromiinae TRYON, 1866  
Tribus Trochulini LINDHOLM, 1927

**Genus *Trochulus* CHEMNITZ, 1786**

**Subgenus *Trochulus* CHEMNITZ, 1786**

- *Trochulus* (*Trochulus*) *ataxiacus* (FAGOT, 1884) – FR
- *Trochulus* (*Trochulus*) *clandestinus putonii* (CLESSIN, 1874) – FR
- *Trochulus* (*Trochulus*) *hispidus* (LINNAEUS, 1758) – FR
- *Trochulus* (*Trochulus*) *montanus* (S. STUDER, 1820) – FR
- *Trochulus* (*Trochulus*) *phorochaetia* (BOURGUIGNAT, 1864) – FR
- *Trochulus* (*Trochulus*) *plebeius* (DRAPARNAUD, 1805) – FR
- *Trochulus* (*Trochulus*) *sericeus* (DRAPARNAUD, 1801) – FR
- *Trochulus* (*Trochulus*) *striolatus abludens* (LOCARD, 1888) – FR
- *Trochulus* (*Trochulus*) *villosus* (DRAPARNAUD, 1805) – FR

**Genus *Petasina* H. BECK, 1847**

**Subgenus *Edentiella* POLIŃSKI, 1929**

- *Petasina* (*Edentiella*) *edentula edentula* (DRAPARNAUD, 1805) – FR
- *Petasina* (*Edentiella*) *edentula helvetica* (POLIŃSKI, 1929) – FR

**Genus *Helicopsis* FITZINGER, 1833**

- *Helicopsis striata striata* (O.F. MÜLLER, 1774) – FR

**Genus *Xeropicta* MONTEROSATO, 1892**

- *Xeropicta derbentina* (KRYNICKI, 1836) – FR

Tribus Helicellini IHERING, 1909

**Genus *Xerotricha* MONTEROSATO, 1892**

- *Xerotricha apicina* (LAMARCK, 1822) – FR
- *Xerotricha conspurcata* (DRAPARNAUD, 1801) – FR
- *Xerotricha renei* (FAGOT, 1882) – FR

**Genus *Helicella* A. FÉRUSAC, 1821**

- *Helicella bolenensis* (LOCARD, 1882) – FR
- *Helicella iberica* (RAMBUR, 1869) – FR
- *Helicella itala itala* (LINNAEUS, 1758) – FR
- *Helicella nubigena* (DE SAULCY, 1852) – FR
- *Helicella sabulivaga* (J. MABILLE, 1881) – FR

**Genus *Candidula* KOBELT, 1871**

- *Candidula gigaxii* (L. PFEIFFER, 1847) – FR
- *Candidula intersecta* (POIRET, 1801) – FR
- *Candidula unifasciata unifasciata* (POIRET, 1801) – FR
- *Candidula unifasciata acosmia* (BOURGUIGNAT, 1882) – FR
- *Candidula unifasciata rugosiuscula* (MICHAUD, 1831) – FR

Tribus Hygromiini TRYON, 1866

**Genus *Hygromia* Risso, 1826**

**Subgenus *Hygromia* Risso, 1826**

- *Hygromia (Hygromia) cinctella* (DRAPARNAUD, 1801) – FR

**Subgenus *Riedelia* SCHILEYKO, 1972**

- *Hygromia (Riedelia) limbata limbata* (DRAPARNAUD, 1805) – FR
- *Hygromia (Riedelia) limbata sublimbata* (BOURGUIGNAT, 1882) – FR
- *Hygromia (Riedelia) odeca* (BOURGUIGNAT, 1882) – FR
- *Hygromia (Riedelia) tassyi* (BOURGUIGNAT, 1884) – FR

**Genus *Zenobiella* GUDE & B.B. WOODWARD, 1921**

- *Zenobiella subrufescens* (J.S. MILLER, 1822) – FR

**Genus *Cyrnotheba* GERMAIN, 1928**

- *Cyrnotheba corsica* (SHUTTLEWORTH, 1843) – FR

**Genus *Ichnusotricha* GIUSTI & MANGANELLI, 1987**

- *Ichnusotricha berninii* GIUSTI & MANGANELLI, 1987 – FR

**Genus *Cernuella* SCHLÜTER, 1838**

**Subgenus *Cernuella* SCHLÜTER, 1838**

- *Cernuella (Cernuella) aginnica* (LOCARD, 1882) – FR
- *Cernuella (Cernuella) cisalpina* (ROSSMÄSSLER, 1837) – FR
- *Cernuella (Cernuella) virgata* (DA COSTA, 1778) – FR

**Subgenus *Xerocincta* MONTEROSATO, 1892**

- *Cernuella (Xerocincta) neglecta* (DRAPARNAUD, 1805) – FR

Tribus Leptaxini C. BOETTGER, 1909

**Genus *Pseudotrichia* SCHILEYKO, 1970**

- *Pseudotrichia rubiginosa* (ROSSMÄSSLER, 1838) – FR

**Genus *Monachoides* GUDE & B.B. WOODWARD, 1921**

- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – FR

**Genus *Perforatella* SCHLÜTER, 1838**

- *Perforatella bidentata* (GMELIN, 1791) – FR

**Genus *Urticicola* LINDHOLM, 1927**

- *Urticicola glabellus glabellus* (DRAPARNAUD, 1801) – FR
- *Urticicola glabellus telonensis* (MITTRE, 1842) – FR
- *Urticicola isaricus isaricus* (LOCARD, 1882) – FR
- *Urticicola isaricus ventouxianus* (FORCART, 1946) – FR
- *Urticicola mounierensis mounierensis* (CAZIOT, 1909) – FR
- *Urticicola mounierensis maynardi* (CAZIOT, 1909) – FR
- *Urticicola moutonii* (DUPUY, 1848) – FR
- *Urticicola suberinus* (BÉRENGUIER, 1882) – FR

Tribus incerta

**Genus *Xerolenta* MONTEROSATO, 1892**

- *Xerolenta obvia obvia* (MENKE, 1828) – FR

**Genus *Pyrenaearia* P. HESSE, 1921**

- *Pyrenaearia carascalensis carascalensis* (MICHAUD, 1831) – FR
- *Pyrenaearia carascalensis transfuga* (FAGOT, 1885) – FR

**Genus *Xerosecta* MONTEROSATO, 1892**

**Subgenus *Xerosecta* MONTEROSATO, 1892**

- *Xerosecta (Xerosecta) explanata* (O.F. MÜLLER, 1774) – FR

**Subgenus *Xeromagna* MONTEROSATO, 1892**

- *Xerosecta (Xeromagna) arigonis* (A. SCHMIDT, 1853) – FR
- *Xerosecta (Xeromagna) cespitum* (DRAPARNAUD, 1801) – FR
- *Xerosecta (Xeromagna) introducta* (A. & J.B. VILLA, 1841) – FR
- *Xerosecta (Xeromagna) terverii* (MICHAUD, 1831) – FR

**Genus *Microxeromagna* ORTIZ DE ZÁRATE LÓPEZ, 1950**

- *Microxeromagna lowei* (POTIEZ & MICHAUD, 1835) – FR

**Genus *Ganula* E. GITTENBERGER, 1970**

- *Ganula lanuginosa* (BOISSY, 1835) – FR

Familia Helicidae RAFINESQUE, 1815

Subfamilia Ariantinae MÖRCH, 1864

**Genus *Arianta* TURTON, 1831**

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – FR
- *Arianta arbustorum alpicola* (A. FÉRUSAC, 1821) – FR
- *Arianta arbustorum canigonensis* (BOUBÉE, 1833) – FR
- *Arianta arbustorum repellini* (REEVE, 1852) – FR
- *Arianta arbustorum vareliensis* RIPKEN & FALKNER, 2000 – FR
- *Arianta xatartii* (FARINES, 1834) – FR

**Genus *Helicigona* A. FÉRUSAC, 1821**

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – FR
- *Helicigona lapicida andorrca* (BOURGUIGNAT, 1876) – FR

**Genus *Chilostoma* FITZINGER, 1833**

**Subgenus *Chilostoma* FITZINGER, 1833**

- *Chilostoma (Chilostoma) millieri* (BOURGUIGNAT, 1880) – FR
- *Chilostoma (Chilostoma) zonatum flavovirens* (DUMONT & MORTILLET, 1852) – FR
- *Chilostoma (Chilostoma) zonatum foetens* (S. STUDER, 1820) – FR

**Subgenus *Corneola* HELD, 1838**

- *Chilostoma (Corneola) acrotricha* (P. FISCHER, 1877) – FR
- *Chilostoma (Corneola) crombezi* (LOCARD, 1882) – FR
- *Chilostoma (Corneola) desmoulinsii desmoulinsii* (FARINES, 1834) – FR
- *Chilostoma (Corneola) squamatium* (ROSSMÄSSLER, 1835) – FR

**Subgenus *Cingulifera* HELD, 1838**

- *Chilostoma (Cingulifera) cingulatum cingulatum* (S. STUDER, 1820) – FR
- *Chilostoma (Cingulifera) frigidum liguricum* (KOBELT, 1876) – FR

**Subgenus *Delphinatia* P. HESSE, 1931**

- *Chilostoma (Delphinatia) fontenillii fontenillii* (MICHAUD, 1829) – FR
- *Chilostoma (Delphinatia) fontenillii alpinum* (MICHAUD, 1831) – FR
- *Chilostoma (Delphinatia) glaciale* (A. FÉRUSAC, 1832) – FR

**Genus *Isognomostoma* FITZINGER, 1833**

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – FR

**Genus *Causa* SCHILEYKO, 1971**

- *Causa holosericea* (S. STUDER, 1820) – FR

Subfamilia Helicinae RAFINESQUE, 1815

Tribus Murellini P. HESSE, 1918

**Genus *Marmorana* W. HARTMANN, 1844**

**Subgenus *Marmorana* W. HARTMANN, 1844**



- *Marmorana (Marmorana) serpentina serpentina* (A. FÉRUSSAC, 1821) – FR

**Subgenus *Murella* L. PFEIFFER, 1877**

- *Marmorana (Murella) muralis muralis* (O.F. MÜLLER, 1774) – FR

**Genus *Macularia* ALBERS, 1850**

- *Macularia niciensis niciensis* (A. FÉRUSSAC, 1821) – FR
- *Macularia niciensis dupuyi* (WESTERLUND, 1876) – FR
- *Macularia niciensis guebhardi* (CAZIOT, 1903) – FR
- *Macularia saintivesi* (KOBELT, 1906) – FR

**Genus *Tacheocampylaea* L. PFEIFFER, 1877**

- *Tacheocampylaea acropachia acropachia* (J. MABILLE, 1880) – FR
- *Tacheocampylaea acropachia garciai* (HAGENMÜLLER, 1888) – FR
- *Tacheocampylaea acropachia pollonerae* (CAZIOT, 1888) – FR
- *Tacheocampylaea cyrniaca cyrniaca* (DUTAILLY, 1867) – FR
- *Tacheocampylaea cyrniaca faucicola* (HAGENMÜLLER, 1888) – FR
- *Tacheocampylaea cyrniaca omphalophora* (DUTAILLY, 1867) – FR
- *Tacheocampylaea raspailii* (PAYRAUDEAU, 1827) – FR
- *Tacheocampylaea romagnolii romagnolii* (DUTAILLY, 1867) – FR
- *Tacheocampylaea romagnolii deschampsiana* (HAGENMÜLLER, 1888) – FR

Tribus Thebini WENZ, 1923

**Genus *Theba* RISSO, 1826**

- *Theba pisana pisana* (O.F. MÜLLER, 1774) – FR

Tribus Helicini RAFINESQUE, 1815

**Genus *Cepaea* HELD, 1838**

**Subgenus *Cepaea* HELD, 1838**

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – FR
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – FR

**Subgenus *Austrotachea* G. PFEFFER, 1930**

- *Cepaea (Austrotachea) sylvatica* (DRAPARNAUD, 1801) – FR

**Genus *Pseudotachea* C. BOETTGER, 1909**

- *Pseudotachea splendida* (DRAPARNAUD 1801) – FR

**Genus *Otala* SCHUMACHER, 1817**

**Subgenus *Otala* SCHUMACHER, 1817**

- *Otala (Otala) punctata* (O.F. MÜLLER, 1774) – FR

**Genus *Eobania* P. HESSE, 1913**

- *Eobania vermiculata* (O.F. MÜLLER, 1774) – FR

**Genus *Cantareus* RISSO, 1826**

- *Cantareus apertus* (BORN 1778) – FR

**Genus *Cornu* BORN, 1778**

- *Cornu aspersum* (O.F. MÜLLER, 1774) – FR

**Genus *Tyrrhenaria* P. HESSE, 1918**

- *Tyrrhenaria ceratina* (SHUTTLEWORTH, 1843) – FR

**Genus *Helix* LINNAEUS, 1758**

**Subgenus *Helix* LINNAEUS, 1758**

- *Helix (Helix) lucorum* LINNAEUS, 1758 – FR
- *Helix (Helix) melanostoma* DRAPARNAUD, 1801 – FR
- *Helix (Helix) pomatia* LINNAEUS, 1758 – FR