

FAUNA EUROPAEA PROJECT

Checklist of the land and freshwater Gastropoda of Germany

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogezaand, the Netherlands, phone +31-598-852132)

Last update: July 24th, 2011

Send remarks/additions/corrections to Ruud.Bank@quicknet.nl

Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See www.faunaeur.org for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the www.faunaeur.org is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24th, 2011. Furthermore, the systematic framework of the Gastropoda of www.faunaeur.org is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abandoned. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

Phylum Mollusca CUVIER, 1795
Classis Gastropoda CUVIER, 1795
Subclassis Neritimorpha KOKEN, 1896
Ordo Cycloneritimorpha FRÝDA, 1998
Superfamilia Neritoidea RAFINESQUE, 1815
Familia Neritidae RAFINESQUE, 1815
Subfamilia Neritinae POEY, 1852
Tribus Theodoxini BANDEL, 2001

Genus *Theodoxus* MONTFORT, 1810

Subgenus *Theodoxus* MONTFORT, 1810

- *Theodoxus (Theodoxus) danubialis danubialis* (C. PFEIFFER, 1828) – DE
- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – DE
- *Theodoxus (Theodoxus) transversalis* (C. PFEIFFER, 1828) – DE

Subclassis Caenogastropoda COX, 1960
 Ordo Architaenioglossa HALLER, 1890
 Superfamilia Cyclophoroidea J.E. GRAY, 1847
Familia Cochlostomatidae KOBELT, 1902

Genus *Cochlostoma* JAN, 1830

Subgenus *Cochlostoma* JAN, 1830

- *Cochlostoma (Cochlostoma) septemspirale septemspirale* (RAZOUKOWSKY, 1789) – DE

Familia Aciculidae J.E. GRAY, 1850

Genus *Acicula* W. HARTMANN, 1821

- *Acicula fusca* (MONTAGU, 1803) – DE
- *Acicula lineata lineata* (DRAPARNAUD, 1801) – DE
- *Acicula lineolata banki* BOETERS, E. GITTENBERGER & SUBAI, 1993 – DE

Genus *Platyla* MOQUIN-TANDON, 1856

- *Platyla gracilis* (CLESSIN, 1877) – DE
- *Platyla polita polita* (W. HARTMANN, 1840) – DE

Genus *Renea* G. NEVILL, 1880

- *Renea veneta* (PIRONA, 1865) – DE

Superfamilia Viviparoidea J.E. GRAY, 1847
Familia Viviparidae J.E. GRAY, 1847
 Subfamilia Viviparinae J.E. GRAY, 1847

Genus *Viviparus* MONTFORT, 1810

- *Viviparus acerosus acerosus* (BOURGUIGNAT, 1862) – DE
- *Viviparus ater ater* (DE CRISTOFORI & JAN, 1832) – DE
- *Viviparus contectus* (MILLET, 1813) – DE
- *Viviparus viviparus* (LINNAEUS, 1758) – DE

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997
 Ordo *** (unnamed)
 Superfamilia Cerithioidea FLEMING, 1822
Familia Thiaridae GILL, 1871 (1823)

Genus *Melanoides* OLIVIER, 1804

- *Melanoides tuberculatus* (O.F. MÜLLER, 1774) – DE

Ordo Littorinimorpha PHELINTSEV, 1963
 Superfamilia Littorinoidea CHILDREN, 1834
Familia Pomatiidae NEWTON, 1891 (1828)

Genus *Pomatias* S. STUDER, 1789

- *Pomatias elegans* (O.F. MÜLLER, 1774 – DE

Superfamilia Rissoidae J.E. GRAY, 1847
Familia Bithyniidae J.E. GRAY, 1857

Genus *Bithynia* LEACH, 1818

- *Bithynia leachii* (SHEPPARD, 1823) – DE
- *Bithynia tentaculata* (LINNAEUS, 1758) – DE
- *Bithynia troschellii* (PAASCH, 1842) – DE

Familia Cochliopidae TRYON, 1866
 Subfamilia Semisalsinae GIUSTI & PEZZOLI, 1980

Genus *Heleobia* STIMPSON, 1865

Subgenus *Semisalsa* RADOMAN, 1974

- *Heleobia (Semisalsa) stagnorum* (GMELIN, 1791) – DE

Familia Hydrobiidae STIMPSON, 1865
 Subfamilia Tateinae THIELE, 1925

Genus *Potamopyrgus* STIMPSON, 1865

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – DE

Subfamilia Hydrobiinae STIMPSON, 1865

Genus *Hydrobia* W. HARTMANN, 1821

- *Hydrobia neglecta* MUUS, 1963 – DE

Genus *Ecrobia* STIMPSON, 1865

- *Ecrobia ventrosa* (MONTAGU, 1803) – DE

Genus *Peringia* PALADILHE, 1874

- *Peringia ulvae* (PENNANT, 1777) – DE

Subfamilia Belgrandiinae DE STEFANI, 1877
 Tribus Belgrandiini DE STEFANI, 1877

Genus *Sadleriana* CLESSIN, 1890

- *Sadleriana bavarica* BOETERS, 1989 – DE

Tribus Belgrandiellini RADOMAN, 1983

Genus *Bythiospeum* BOURGUIGNAT, 1882

- *Bythiospeum acicula* (HELD, 1838) – DE
- *Bythiospeum allingense* (CLESSIN, 1877) – DE
- *Bythiospeum alzense* BOETERS, 2001 – DE
- *Bythiospeum clessini clessini* (WEINLAND, 1883) – DE
- *Bythiospeum clessini moenanum* (FLACH, 1886) – DE

- *Bythiospeum clessini posterum* (GEYER, 1904) – DE
- *Bythiospeum clessini septentrionale* (SCHÜTT, 1960) – DE
- *Bythiospeum dubium* (GEYER, 1904) – DE
- *Bythiospeum exiguum* (GEYER, 1904) – DE
- *Bythiospeum gonostoma* (GEYER, 1905) – DE
- *Bythiospeum haessleini* (ZWANZIGER, 1939) – DE
- *Bythiospeum heldii* (CLESSIN, 1909) – DE
- *Bythiospeum helveticum* (CLESSIN, 1882) – DE
- *Bythiospeum husmanni* (C. BOETTGER, 1963) – DE
- *Bythiospeum labiatum* (GEYER, 1904) – DE
- *Bythiospeum lamperti* (GEYER, 1907) – DE
- *Bythiospeum pellucidum* (SECKENDORF, 1846) – DE
- *Bythiospeum puerkhaueri puerkhaueri* (CLESSIN, 1877) – DE
- *Bythiospeum puerkhaueri gibbula* (FLACH, 1886) – DE
- *Bythiospeum putei putei* (GEYER, 1904) – DE
- *Bythiospeum putei roesleri* (GEYER, 1904) – DE
- *Bythiospeum quenstedti quenstedti* (WIEDERSHEIM, 1873) – DE
- *Bythiospeum quenstedti ara* (GEYER, 1905) – DE
- *Bythiospeum quenstedti turbinella* (GEYER, 1905) – DE
- *Bythiospeum quenstedti weinlandi* (GEYER, 1904) – DE
- *Bythiospeum rhenanum rhenanum* (LAIS, 1935) – DE
- *Bythiospeum sandbergeri* (FLACH, 1886) – DE
- *Bythiospeum saxigenum saxigenum* (GEYER, 1905) – DE
- *Bythiospeum saxigenum danubiale* (GEYER, 1907) – DE
- *Bythiospeum senefelderi* (GEYER, 1907) – DE
- *Bythiospeum sterkianum sterkianum* (CLESSIN, 1882) – DE
- *Bythiospeum sterkianum lauterborni* (F. HAAS, 1936) – DE
- *Bythiospeum suevicum* (GEYER, 1905) – DE
- *Bythiospeum taxisii* (GEYER, 1907) – DE
- *Bythiospeum turritum* (CLESSIN, 1877) – DE
- *Bythiospeum waegelei* (HÄSSLEIN, 1938) – DE

Tribus Pseudohoratiini RADOMAN, 1973

Genus *Avenionia* NICOLAS, 1882

- *Avenionia roberti* BOETERS, 1967 – DE

Familia Lithoglyphidae TRYON, 1866
Subfamilia Lithoglyphinae TRYON, 1866

Genus *Lithoglyphus* C. PFEIFFER, 1828

- *Lithoglyphus naticoides* (C. PFEIFFER, 1828) – DE

Familia Amnicolidae Tryon, 1863
Subfamilia Amnicolinae TRYON, 1863

Genus *Marstoniopsis* VAN REGTEREN ALTENA, 1936

- *Marstoniopsis insubrica* (KÜSTER, 1853) – DE

Genus *Bythinella* MOQUIN-TANDON, 1856

- *Bythinella austriaca conica* CLESSIN, 1910 – DE
- *Bythinella badensis* BOETERS, 1981- DE

- *Bythinella bavarica* CLESSIN, 1877 – DE
- *Bythinella compressa* (FRAUENFELD, 1857) – DE
- *Bythinella dunkeri* (FRAUENFELD, 1857) – DE
- *Bythinella intermedia* MAHLER, 1951 – DE
- *Bythinella isolata* BOETERS, 2006 – DE

Subfamilia Emmericiinae BRUSINA, 1870

Genus *Emmericia* BRUSINA, 1870

- *Emmericia patula* (BRUMATI, 1838) – DE

Familia Assimineidae H. & A. ADAMS, 1856
Subfamilia Assimineinae H. & A. ADAMS, 1856

Genus *Assiminea* FLEMING, 1828

Subgenus *Assiminea* FLEMING, 1828

- *Assiminea (Assiminea) grayana* FLEMING, 1828 – DE

Subclassis Heterobranchia BURMEISTER, 1837
Ordo Allogastropoda HASZPRUNAR, 1985
Superfamilia Valvatoidea J.E. GRAY, 1840
Familia Valvatidae J.E. GRAY, 1840

Genus *Valvata* O.F. MÜLLER, 1773

Subgenus *Valvata* O.F. MÜLLER, 1773

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – DE

Subgenus *Tropidina* H. & A. ADAMS, 1854

- *Valvata (Tropidina) macrostoma* MÖRCH, 1864 – DE

Subgenus *Cincinna* HÜBNER, 1810

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – DE
- *Valvata (Cincinna) studeri* BOETERS & FALKNER, 1998 – DE

Genus *Borysthenia* LINDHOLM, 1913

- *Borysthenia naticina* (MENKE, 1845) – DE

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814
Ordo Hygrophila A. FÉRUSAC, 1822
Superfamilia Acroloxoidea THIELE, 1931
Familia Acroloxidae THIELE, 1931

Genus *Acroloxus* H. BECK, 1838

- *Acroloxus lacustris* (LINNAEUS, 1758) – DE

Superfamilia Lymnaeoidea RAFINESQUE, 1815
Familia Lymnaeidae RAFINESQUE, 1815
Subfamilia Lymnaeinae RAFINESQUE, 1815

Genus *Galba* SCHRANK, 1803

Subgenus *Galba* SCHRANK, 1803

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – DE

Genus *Catascopia* MEIER-BROOK & BARGUES, 2003

- *Catascopia terebra* (WESTERLUND, 1885) – DE

Genus *Stagnicola* JEFFREYS, 1830

- *Stagnicola corvus* (GMELIN, 1791) – DE
- *Stagnicola fuscus* (C. PFEIFFER, 1821) – DE
- *Stagnicola palustris* (O.F. MÜLLER, 1774) – DE
- *Stagnicola turricula* (HELD, 1836) – DE

Genus *Omphiscola* RAFINESQUE, 1819

- *Omphiscola glabra* (O.F. MÜLLER, 1774) – DE

Genus *Radix* MONTFORT, 1810

- *Radix ampla* (W. HARTMANN, 1821) – DE
- *Radix auricularia* (LINNAEUS, 1758) – DE
- *Radix balthica* (LINNAEUS, 1758) – DE
- *Radix labiata* (ROSSMÄSSLER, 1835) – DE
- *Radix lagotis* (SCHRANK, 1803) – DE

Genus *Myxas* G.B. SOWERBY I, 1822

- *Myxas glutinosa* (O.F. MÜLLER, 1774) – DE

Genus *Lymnaea* LAMARCK, 1799

- *Lymnaea stagnalis* (LINNAEUS, 1758) – DE

Superfamilia Planorboidea RAFINESQUE, 1815

Familia Physidae FITZINGER, 1833

Subfamilia Physinae FITZINGER, 1833

Tribus Physini FITZINGER, 1833

Genus *Physa* DRAPARNAUD, 1801

- *Physa fontinalis* (LINNAEUS, 1758) – DE

Tribus Haitiini D.W. TAYLOR, 2003

Genus *Haitia* CLENCH & AGUAYO, 1932

- *Haitia acuta* (DRAPARNAUD, 1805) – DE

Subfamilia Aplexinae STAROBOGATOV, 1967

Tribus Aplexini STAROBOGATOV, 1967

Genus *Aplexa* FLEMING, 1820

- *Aplexa hypnorum* (LINNAEUS, 1758) – DE

Familia Planorbidae RAFINESQUE, 1815

Subfamilia Bulininae P. FISCHER & CROSSE, 1880
Tribus Coretini J.E. GRAY, 1847

Genus *Planorbarius* DUMÉRIL, 1806

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – DE

Genus *Planorbella* HALDEMAN, 1843

- *Planorbella duryi* (WETHERBY, 1879) – DE

Genus *Menetus* H. & A. ADAMS, 1855

Subgenus *Dilatata* CLESSIN, 1885

- *Menetus (Dilatata) dilatatus* (GOULD, 1841) – DE

Tribus Miratestini P. & F. SARASIN, 1897

Genus *Ferrissia* WALKER, 1903

Subgenus *Pettancylus* IREDALE, 1943

- *Ferrissia (Pettancylus) wautieri* (MIROLI, 1960) – DE

Subfamilia Planorbinae RAFINESQUE, 1815
Tribus Planorbini RAFINESQUE, 1815

Genus *Planorbis* O.F. MÜLLER, 1773

Subgenus *Planorbis* O.F. MÜLLER, 1773

- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – DE
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – DE

Genus *Anisus* S. STUDER, 1820

Subgenus *Anisus* S. STUDER, 1820

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – DE
- *Anisus (Anisus) septemgyratus* (ROSSMÄSSLER, 1835) – DE
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – DE

Subgenus *Disculifer* C. BOETTGER, 1944

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – DE
- *Anisus (Disculifer) vorticulus* (TROSCHER, 1834) – DE

Genus *Bathyomphalus* CHARPENTIER, 1837

- *Bathyomphalus contortus* (LINNAEUS, 1758) – DE

Genus *Gyraulus* CHARPENTIER, 1837

Subgenus *Gyraulus* CHARPENTIER, 1837

- *Gyraulus (Gyraulus) acronicus* (A. FÉRUSAC, 1807) – DE
- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – DE
- *Gyraulus (Gyraulus) chinensis* (DUNKER, 1848) – DE

Subgenus *Torquis* DALL, 1905

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – DE
- *Gyraulus (Torquis) parvus* (SAY, 1817) – DE

Subgenus *Lamorbis* STAROBOGATOV, 1967

- *Gyraulus (Lamorbis) riparius* (WESTERLUND, 1865) – DE
- *Gyraulus (Lamorbis) rossmaessleri* (AUERSWALD, 1852) – DE

Subgenus *Armiger* W. HARTMANN, 1843

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – DE

Tribus Segmentinini F.C. BAKER, 1945

Genus *Hippeutis* CHARPENTIER, 1837

- *Hippeutis complanatus* (LINNAEUS, 1758) – DE

Genus *Segmentina* FLEMING, 1818

- *Segmentina nitida* (O.F. MÜLLER, 1774) – DE

Tribus Ancylini RAFINESQUE, 1815

Genus *Ancylus* O.F. MÜLLER, 1773

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – DE

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990
 Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)
Familia Ellobiidae L. PFEIFFER, 1854 (1822)
 Subfamilia Pythiinae ODHNER, 1925 (1880)

Genus *Myosotella* MONTEROSATO, 1906

- *Myosotella myosotis* (DRAPARNAUD, 1801) – DE

Subfamilia Carychiinae JEFFREYS, 1830

Genus *Carychium* O.F. MÜLLER, 1773

Subgenus *Carychium* O.F. MÜLLER, 1773

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – DE

Subgenus *Saraphia* RISSO, 1826

- *Carychium (Saraphia) tridentatum* (RISSO, 1826) – DE

Ordo Stylommatophora A. SCHMIDT, 1855
 Subordo Elasmognatha MÖRCH, 1863
 Superfamilia Succineoidea H. BECK, 1837
Familia Succineidae H. BECK, 1837
 Subfamilia Succineinae H. BECK, 1837

Genus *Succinea* DRAPARNAUD, 1801

- *Succinea putris* (LINNAEUS, 1758) – DE

Genus *Succinella* J. MABILLE, 1871

- *Succinella oblonga* (DRAPARNAUD, 1801) – DE

Genus *Oxyloma* WESTERLUND, 1885

Subgenus *Oxyloma* WESTERLUND, 1885

- *Oxyloma (Oxyloma) elegans elegans* (RISSO, 1826) – DE
- *Oxyloma (Oxyloma) sarsii* (ESMARK, 1886) – DE

Subfamilia Catinellinae ODHNER, 1950

Genus *Quickella* C. BOETTGER, 1939

- *Quickella arenaria* (POTIEZ & MICHAUD, 1835) – DE

Subordo Orthurethra PILSBRY, 1900

Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)

Familia Cochlicopidae PILSBRY, 1900 (1879)

Subfamilia Cochlicopinae PILSBRY, 1900 (1879)

Genus *Cochlicopa* A. FÉRUSAC, 1821

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – DE
- *Cochlicopa lubricella* (PORRO, 1838) – DE
- *Cochlicopa nitens* (M. VON GALLENSTEIN, 1848) – DE

Subfamilia Azecinae H. WATSON, 1920

Genus *Azeca* FLEMING, 1828

- *Azeca goodalli* (A. FÉRUSAC, 1821) – DE

Superfamilia Pupilloidea TURTON, 1831

Familia Lauriidae STEENBERG, 1925

Genus *Lauria* J.E. GRAY, 1840

Subgenus *Lauria* J.E. GRAY, 1840

- *Lauria (Lauria) cylindracea* (DA COSTA, 1778) – DE

Familia Orculidae PILSBRY, 1918

Subfamilia Orculinae PILSBRY, 1918

Genus *Orcula* HELD, 1838

- *Orcula dolium dolium* (DRAPARNAUD, 1801) – DE
- *Orcula gularis gularis* (ROSSMÄSSLER, 1837) – DE

Genus *Sphyradium* CHARPENTIER, 1837

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – DE

Genus *Pagodulina* CLESSIN, 1876

- *Pagodulina pagodula principalis* KLEMM, 1939 – DE

Familia Valloniidae MORSE, 1864
Subfamilia Valloniinae MORSE, 1864

Genus *Vallonia* RISSO, 1826

- *Vallonia costata* (O.F. MÜLLER, 1774) – DE
- *Vallonia declivis* STERKI, 1893 – DE
- *Vallonia enniensis* (GREDLER, 1856) – DE
- *Vallonia excentrica* STERKI, 1893 – DE
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – DE
- *Vallonia suevica* GEYER, 1908 – DE

Subfamilia Acanthinulinae STEENBERG, 1917

Genus *Acanthinula* H. BECK, 1847

- *Acanthinula aculeata* (O.F. MÜLLER 1774) – DE

Genus *Spermodea* WESTERLUND, 1903

- *Spermodea lamellata* (JEFFREYS, 1830) – DE

Familia Pupillidae TURTON, 1831

Genus *Pupilla* FLEMING, 1828

Subgenus *Pupilla* FLEMING, 1828

- *Pupilla (Pupilla) alpicola* (CHARPENTIER, 1837) – DE
- *Pupilla (Pupilla) bigranata* (ROSSMÄSSLER, 1839) – DE
- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – DE
- *Pupilla (Pupilla) pratensis* (CLESSIN, 1871) – DE
- *Pupilla (Pupilla) sterrii* (VOITH, 1840) – DE
- *Pupilla (Pupilla) triplicata* (S. STUDER, 1820) – DE

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

Genus *Pyramidula* FITZINGER, 1833

- *Pyramidula pusilla* (VALLOT, 1801) – DE

Familia Chondrinidae STEENBERG, 1925

Subfamilia Granariinae KOKSHOORN & E. GITTENBERGER, 2010

Genus *Granaria* HELD, 1838

- *Granaria frumentum frumentum* (DRAPARNAUD, 1801) – DE

Subfamilia Chondrininae STEENBERG, 1925

Genus *Abida* TURTON, 1831

- *Abida secale secale* (DRAPARNAUD, 1801) – DE

Genus *Chondrina* REICHENBACH, 1828

- *Chondrina arcadica clienta* (WESTERLUND, 1883) – DE
- *Chondrina avenacea avenacea* (BRUGUIÈRE, 1792) – DE

Familia Vertiginidae FITZINGER, 1833
Subfamilia Vertigininae FITZINGER, 1833
Tribus Truncatellini STEENBERG, 1925

Genus *Columella* WESTERLUND, 1878

- *Columella aspera* WALDÉN, 1966 – DE
- *Columella columella* (G. VON MARTENS, 1830) – DE
- *Columella edentula* (DRAPARNAUD, 1805) – DE

Genus *Truncatellina* R.T. LOWE, 1852

- *Truncatellina callicratis* (SCACCHI, 1833) – DE
- *Truncatellina claustralis* (GREDLER, 1856) – DE
- *Truncatellina costulata* (NILSSON, 1823) – DE
- *Truncatellina cylindrica* (A. FÉRUSAC, 1807) – DE
- *Truncatellina monodon* (HELD, 1837) – DE

Tribus Vertiginini FITZINGER, 1833

Genus *Vertigo* O.F. MÜLLER, 1773

Subgenus *Vertigo* O.F. MÜLLER, 1773

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – DE
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – DE
- *Vertigo (Vertigo) geyeri* LINDHOLM, 1925 – DE
- *Vertigo (Vertigo) heldi* (CLESSIN, 1877) – DE
- *Vertigo (Vertigo) lilljeborgi* (WESTERLUND, 1871) – DE
- *Vertigo (Vertigo) modesta arctica* (WALLENBERG, 1858) – DE
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – DE
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – DE
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – DE
- *Vertigo (Vertigo) ronneyensis* (WESTERLUND, 1871) – DE
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – DE

Subgenus *Vertilla* MOQUIN-TANDON, 1856

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – DE

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)

Familia Enidae B.B. WOODWARD, 1903 (1880)

Subfamilia Eninae B.B. WOODWARD, 1903 (1880)

Tribus Enini B.B. WOODWARD, 1903 (1880)

Genus *Jaminia* RISSO, 1826

- *Jaminia quadridens quadridens* (O.F. MÜLLER, 1774) – DE

Genus *Ena* TURTON, 1831

- *Ena montana* (DRAPARNAUD, 1801) – DE

Tribus Multidentulini SCHILEYKO, 1978

Genus *Merdigera* HELD, 1838

- *Merdigera obscura* (O.F. MÜLLER, 1774) – DE

Tribus Chondrulini WENZ, 1923

Genus *Zebrina* HELD, 1838

- *Zebrina detrita detrita* (O.F. MÜLLER, 1774) – DE

Genus *Chondrula* H. BECK, 1837

- *Chondrula tridens tridens* (O.F. MÜLLER, 1774) – DE
- *Chondrula tridens eximia* (ROSSMÄSSLER, 1835) – DE

Subordo **** (unnamed)
 Superfamilia Achatinoidea SWAINSON, 1840
Familia Ferussaciidae BOURGUIGNAT, 1883

Genus *Cecilioides* A. FÉRUSAC, 1814

Subgenus *Cecilioides* A. FÉRUSAC, 1814

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – DE

Subordo Sigmurethra PILSBRY, 1900
 Superfamilia Clausilioidea J.E. GRAY, 1855
Familia Clausiliidae J.E. GRAY, 1855
 Subfamilia Alopiinae A.J. WAGNER, 1913
 Tribus Medorini H. NORDSIECK, 1997

Genus *Medora* H. & A. ADAMS, 1855

- *Medora almissana almissana* (KÜSTER, 1847) – DE

Tribus Cochlodinini LINDHOLM, 1925 (1923)

Genus *Cochlodina* A. FÉRUSAC, 1821

Subgenus *Cochlodina* A. FÉRUSAC, 1821

- *Cochlodina (Cochlodina) costata franconica* EHRMANN, 1933 – DE
- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – DE

Subgenus *Stabilea* DE BETTA, 1870

- *Cochlodina (Stabilea) fimbriata fimbriata* (ROSSMÄSSLER, 1835) – DE

Subgenus *Paracochlodina* H. NORDSIECK, 1969

- *Cochlodina (Paracochlodina) orthostoma orthostoma* (MENKE, 1828) – DE

Tribus Delimini R. BRANDT, 1956

Genus *Charpentieria* STABILE, 1864

Subgenus *Charpentieria* STABILE, 1864

- *Charpentieria (Charpentieria) itala braunii* (ROSSMÄSSLER, 1836) – DE

Subfamilia Clausiliinae J.E. GRAY, 1855
 Tribus Clausiliini J.E. GRAY, 1855

Genus *Ruthenica* LINDHOLM, 1924

- *Ruthenica filograna filograna* (ROSSMÄSSLER, 1836) – DE

Genus *Pseudofusulus* H. NORDSIECK, 1977

- *Pseudofusulus varians* (C. PFEIFFER, 1828) – DE

Genus *Erjavecina* BRUSINA, 1870

- *Erjavecina bergeri* (ROSSMÄSSLER, 1836) – DE

Genus *Macrogastra* W. HARTMANN, 1841

Subgenus *Macrogastra* W. HARTMANN, 1841

- *Macrogastra (Macrogastra) ventricosa ventricosa* (DRAPARNAUD, 1801) – DE

Subgenus *Pseudovestia* H. NORDSIECK, 1977

- *Macrogastra (Pseudovestia) rolphii rolphii* (TURTON, 1826) – DE

Subgenus *Pyrostoma* VEST, 1867

- *Macrogastra (Pyrostoma) attenuata lineolata* (HELD, 1836) – DE
- *Macrogastra (Pyrostoma) badia badia* (C. PFEIFFER, 1828) – DE
- *Macrogastra (Pyrostoma) badia alpina* H. NORDSIECK, 2006 – DE
- *Macrogastra (Pyrostoma) badia mucida* (ROSSMÄSSLER, 1835) – DE
- *Macrogastra (Pyrostoma) densestriata gredleri* H. NORDSIECK, 1993 – DE
- *Macrogastra (Pyrostoma) plicatula plicatula* (DRAPARNAUD, 1801) – DE

Genus *Clausilia* DRAPARNAUD, 1805

Subgenus *Clausilia* DRAPARNAUD, 1805

- *Clausilia (Clausilia) bidentata bidentata* (STRØM, 1765) – DE
- *Clausilia (Clausilia) cruciata cruciata* (S. STUDER, 1820) – DE
- *Clausilia (Clausilia) cruciata cuspidata* HELD, 1836 – DE
- *Clausilia (Clausilia) pumila pumila* C. PFEIFFER, 1828 – DE
- *Clausilia (Clausilia) rugosa parvula* (A. FÉRUSAC, 1807) – DE

Subgenus *Andraea* L. PFEIFFER, 1848

- *Clausilia (Andraea) dubia dubia* DRAPARNAUD, 1805 – DE
- *Clausilia (Andraea) dubia vindobonensis* A. SCHMIDT, 1856 – DE

Genus *Neostyriaca* A.J. WAGNER, 1920

- *Neostyriaca corynodes corynodes* (HELD, 1836) – DE
- *Neostyriaca corynodes saxatilis* (W. HARTMANN, 1843) – DE

Subfamilia Baleinae A.J. WAGNER, 1913

Genus *Laciniaria* W. HARTMANN, 1842

- *Laciniaria plicata plicata* (DRAPARNAUD, 1801) – DE

Genus *Balea* J.E. GRAY, 1824

- *Balea perversa* (LINNAEUS, 1758) – DE

Genus *Alinda* H. & A. ADAMS, 1855

Subgenus *Alinda* H. & A. ADAMS, 1855

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – DE
- *Alinda (Alinda) biplicata forsteriana* (CLESSIN, 1876) – DE

Genus *Vestia* P. HESSE, 1916

Subgenus *Vestia* P. HESSE, 1916

- *Vestia (Vestia) turgida* (ROSSMÄSSLER, 1836) – DE

Genus *Bulgarica* O. BOETTGER, 1877

Subgenus *Strigilecula* KENNARD & B.B. WOODWARD, 1923

- *Bulgarica (Strigilecula) cana cana* (HELD, 1836) – DE
- *Bulgarica (Strigilecula) vetusta festiva* (KÜSTER, 1856) – DE

Superfamilia Testacelloidea J.E. GRAY, 1840

Familia Testacellidae J.E. GRAY, 1840

Genus *Testacella* LAMARCK, 1801

Subgenus *Testacella* LAMARCK, 1801

- *Testacella (Testacella) haliotidea* DRAPARNAUD, 1801 – DE

Superfamilia Punctoidea MORSE, 1864

Familia Punctidae MORSE, 1864

Genus *Punctum* MORSE, 1864

Subgenus *Punctum* MORSE, 1864

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – DE

Genus *Paralaoma* IREDALE, 1913

- *Paralaoma servilis* (SHUTTLEWORTH, 1852) – DE

Familia Helicodiscidae H.B. BAKER, 1927

Genus *Lucilla* R.T. LOWE, 1852

- *Lucilla scintilla* (R.T. LOWE, 1852) – DE
- *Lucilla singleyana* (PILSBRY, 1889) – DE

Familia Discidae THIELE, 1931 (1866)

Genus *Discus* FITZINGER, 1833

Subgenus *Discus* FITZINGER, 1833

- *Discus (Discus) ruderatus ruderatus* (W. HARTMANN, 1821) – DE

Subgenus *Gonyodiscus* FITZINGER, 1833

- *Discus (Gonyodiscus) perspectivus* (MEGERLE VON MÜHLFELD, 1816) – DE
- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – DE

Superfamilia Gastrodontoidea TRYON, 1866
Familia Pristilomatidae T. COCKERELL, 1891

Genus *Vitrea* FITZINGER, 1833

- *Vitrea contracta* (WESTERLUND, 1871) – DE
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – DE
- *Vitrea diaphana diaphana* (S. STUDER, 1820) – DE
- *Vitrea subrimata* (REINHARDT, 1871) – DE
- *Vitrea transsylvanica* (CLESSIN, 1877) – DE

Familia Euconulidae H.B. BAKER, 1928
Subfamilia Euconulinae H.B. BAKER, 1928

Genus *Euconulus* REINHARDT, 1883

Subgenus *Euconulus* REINHARDT, 1883

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – DE
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – DE
- *Euconulus (Euconulus) trochiformis* (MONTAGU, 1803) – DE

Familia Gastrodontidae TRYON, 1866

Genus *Zonitoides* LEHMANN, 1862

Subgenus *Zonitoides* LEHMANN, 1862

- *Zonitoides (Zonitoides) excavatus* (ALDER, 1830) – DE
- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – DE

Familia Oxychilidae P. HESSE, 1927 (1879)
Subfamilia Daudebardiinae KOBELT, 1906

Genus *Daudebardia* W. HARTMANN, 1821

Subgenus *Daudebardia* W. HARTMANN, 1821

- *Daudebardia (Daudebardia) brevipes* (DRAPARNAUD, 1805) – DE
- *Daudebardia (Daudebardia) rufa* (DRAPARNAUD, 1805) – DE

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

Genus *Oxychilus* FITZINGER, 1833

Subgenus *Oxychilus* FITZINGER, 1833

- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – DE
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – DE
- *Oxychilus (Oxychilus) mortilleti mortilleti* (L. PFEIFFER, 1859) – DE
- *Oxychilus (Oxychilus) mortilleti planus* (CLESSIN, 1877) – DE

Subgenus *Ortizius* FORCART, 1957

- *Oxychilus (Ortizius) alliarius* (J.S. MILLER, 1822) – DE
- *Oxychilus (Ortizius) clarus* (HELD, 1838) – DE
- *Oxychilus (Ortizius) navarricus helveticus* (BLUM, 1881) – DE

Genus *Morlina* A.J. WAGNER, 1914

- *Morlina glabra glabra* (ROSSMÄSSLER, 1835) – DE

Genus *Mediterranea* CLESSIN, 1880

- *Mediterranea depressa* (STERKI, 1880) – DE

Subfamilia Godwiniinae C.M. COOKE, 1921

Genus *Aegopinella* LINDHOLM, 1927

- *Aegopinella epipedostoma iuncta* HUDEC, 1964 – DE
- *Aegopinella minor* (STABILE, 1864) – DE
- *Aegopinella nitens* (MICHAUD, 1831) – DE
- *Aegopinella nitidula* (DRAPARNAUD, 1805) – DE
- *Aegopinella pura* (ALDER, 1830) – DE
- *Aegopinella ressmanni* (WESTERLUND, 1883) – DE

Genus *Nesovitrea* C. M. COOKE, 1921

Subgenus *Perpolita* H.B. BAKER, 1928

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – DE
- *Nesovitrea (Perpolita) petronella* (L. PFEIFFER, 1853) – DE

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)
Familia Milacidae ELLIS, 1926

Genus *Milax* J.E. GRAY, 1855

- *Milax gagates* (DRAPARNAUD, 1801) – DE
- *Milax nigricans* (PHILIPPI, 1836) – DE

Genus *Tandonia* LESSONA & POLLONERA, 1882

- *Tandonia budapestensis* (HAZAY, 1880) – DE
- *Tandonia ehrmanni* (SIMROTH, 1910) – DE
- *Tandonia rustica* (MILLET, 1843) – DE

Superfamilia Zonitoidea MÖRCH, 1864
Familia Zonitidae MÖRCH, 1864

Genus *Aegopis* FITZINGER, 1833

- *Aegopis verticillus* (LAMARCK, 1822) – DE

Superfamilia Limacoidea LAMARCK, 1801
Familia Vitrinidae FITZINGER, 1833

Genus *Semilimax* J.E. GRAY, 1847

- *Semilimax semilimax* (J. FÉRUSSAC, 1802) – DE

Genus *Hessemilimax* SCHILEYKO, 1986

- *Hessemilimax kotulae* (WESTERLUND, 1883) – DE

Genus *Vitrinobrachium* KÜNKEL, 1929

- *Vitrinobrachium breve* (A. FÉRUSAC, 1821) – DE

Genus *Eucobresia* H.B. BAKER, 1929

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – DE
- *Eucobresia glacialis* (FORBES, 1837) – DE
- *Eucobresia nivalis* (DUMONT & MORTILLET, 1854) – DE
- *Eucobresia pegorarii* (POLLONERA, 1884) – DE

Genus *Vitrina* DRAPARNAUD, 1801

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – DE

Genus *Phenacolimax* STABILE, 1859

- *Phenacolimax major* (A. FÉRUSAC, 1807) – DE

Genus *Oligolimax* P. FISCHER, 1878

- *Oligolimax annularis* (S. STUDER, 1820) – DE

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

Genus *Boettgerilla* SIMROTH, 1910

- *Boettgerilla pallens* SIMROTH, 1912 – DE

Familia Limacidae LAMARCK, 1801
Subfamilia Limacinae LAMARCK, 1801

Genus *Limax* LINNAEUS, 1758

- *Limax cinereoniger* WOLF, 1803 – DE
- *Limax maximus* LINNAEUS, 1758 – DE

Genus *Limacus* LEHMANN, 1864

- *Limacus flavus* (LINNAEUS, 1758) – DE

Genus *Malacolimax* MALM, 1868

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – DE

Genus *Lehmannia* HEYNEMANN, 1863

- *Lehmannia janetscheki* FORCART, 1966 – DE
- *Lehmannia marginata* (O.F. MÜLLER, 1774) – DE
- *Lehmannia nyctelia* (BOURGUIGNAT, 1861) – DE
- *Lehmannia rupicola* LESSONA & POLLONERA, 1882 – DE

Familia Agriolimacidae H. WAGNER, 1935
Subfamilia Agriolimacinae H. WAGNER, 1935

Genus *Deroceras* RAFINESQUE, 1820

Subgenus *Deroceras* RAFINESQUE, 1820

- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758) – DE

- *Deroceras (Deroceras) klemmi* GROSSU, 1972 – DE
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – DE
- *Deroceras (Deroceras) panormitanum* (LESSONA & POLLONERA, 1882) – DE
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – DE
- *Deroceras (Deroceras) rodnae* GROSSU & LUPU, 1965 – DE
- *Deroceras (Deroceras) sturanyi* (SIMROTH, 1894) – DE

Genus *Krynickillus* KALENICZENKO, 1851

Subgenus *Krynickillus* KALENICZENKO, 1851

- *Krynickillus (Krynickillus) melanocephalus* KALENICZENKO, 1851 – DE

Superfamilia Arionoidea J.E. GRAY, 1840
Familia Arionidae J.E. GRAY, 1840

Genus *Arion* A. FÉRUSAC, 1819

Subgenus *Arion* A. FÉRUSAC, 1819

- *Arion (Arion) ater* (LINNAEUS, 1758) – DE
- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – DE
- *Arion (Arion) rufus* (LINNAEUS, 1758) – DE

Subgenus *Mesarion* P. HESSE, 1926

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – DE
- *Arion (Mesarion?) simrothi* KÜNKEL, 1909 – DE
- *Arion (Mesarion) subfuscus* (DRAPARNAUD, 1805) – DE

Subgenus *Carinarion* P. HESSE, 1926

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – DE
- *Arion (Carinarion) fasciatus* (NILSSON, 1823) – DE
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – DE

Subgenus *Kobeltia* SEIBERT, 1873

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – DE
- *Arion (Kobeltia) hortensis* A. FÉRUSAC, 1819 – DE
- *Arion (Kobeltia) intermedius* NORMAND, 1852 – DE
- *Arion (Kobeltia) obesoductus* P. REISCHÜTZ, 1979 – DE

Superfamilia Helicoidea RAFINESQUE, 1815
Familia Bradybaenidae PILSBRY, 1934 (1898)
 Subfamilia Bradybaeninae PILSBRY, 1934 (1898)
 Tribus Bradybaenini PILSBRY, 1934 (1898)

Genus *Fruticicola* HELD, 1838

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – DE

Familia Helicodontidae KOBELT, 1904
 Subfamilia Helicodontinae KOBELT, 1904

Genus *Helicodonta* A. FÉRUSAC, 1821

- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – DE

Familia Hygromiidae TRYON, 1866
Subfamilia Monachinae WENZ, 1930 (1904)
Tribus Euomphaliini SCHILEYKO, 1978

Genus *Euomphalia* WESTERLUND, 1889

- *Euomphalia strigella strigella* (DRAPARNAUD, 1801) – DE

Tribus Monachini WENZ, 1930 (1904)

Genus *Monacha* FITZINGER 1833

Subgenus *Monacha* FITZINGER 1833

- *Monacha (Monacha) cantiana* (MONTAGU, 1803) – DE
- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – DE

Subfamilia Geomitrinae C. BOETTGER, 1909
Tribus Trochoideini H. NORDSIECK, 1987

Genus *Xerocrassa* MONTEROSATO, 1892

Subgenus ?

- *Xerocrassa* (subg. ?) *geyeri* (Soós, 1926) – DE

Subfamilia Hygromiinae TRYON, 1866
Tribus Trochulini LINDHOLM, 1927

Genus *Trochulus* CHEMNITZ, 1786

Subgenus *Trochulus* CHEMNITZ, 1786

- *Trochulus (Trochulus) alpicola* (EDER, 1921) – DE
- *Trochulus (Trochulus) clandestinus clandestinus* (W. HARTMANN, 1821) – DE
- *Trochulus (Trochulus) coelomphala* (LOCARD, 1888) – DE
- *Trochulus (Trochulus) graminicola* (FALKNER, 1973) – DE
- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – DE
- *Trochulus (Trochulus) sericeus* (DRAPARNAUD, 1801) – DE
- *Trochulus (Trochulus) striolatus striolatus* (C. PFEIFFER, 1828) – DE
- *Trochulus (Trochulus) striolatus austriacus* (MAHLER, 1952) – DE?
- *Trochulus (Trochulus) striolatus danubialis* (CLESSIN, 1874) – DE
- *Trochulus (Trochulus) villosus* (DRAPARNAUD, 1805) – DE

Subgenus *Plicuteria* SCHILEYKO, 1978

- *Trichia (Plicuteria) lubomirskii* (ŚLÓSARSKI, 1881) – DE

Genus *Petasina* H. BECK, 1847

Subgenus *Petasina* H. BECK, 1847

- *Petasina (Petasina) unidentata unidentata* (DRAPARNAUD, 1805) – DE
- *Petasina (Petasina) unidentata alpestris* (CLESSIN, 1878) – DE
- *Petasina (Petasina) unidentata norica* (POLIŃSKI, 1929) – DE
- *Petasina (Petasina) unidentata subalpestris* (POLIŃSKI, 1929) – DE

Subgenus *Edentiella* POLIŃSKI, 1929

- *Petasina (Edentiella) edentula helvetica* (POLIŃSKI, 1929) – DE
- *Petasina (Edentiella) edentula liminifera* (HELD, 1836) – DE

- *Petasina (Edentiella) edentula subleucozona* (WESTERLUND, 1889) – DE
- *Petasina (Edentiella) edentula suevica* (POLIŃSKI, 1929) – DE

Genus *Helicopsis* FITZINGER, 1833

- *Helicopsis striata striata* (O.F. MÜLLER, 1774) – DE

Tribus Helicellini IHERING, 1909

Genus *Helicella* A. FÉRUSSAC, 1821

- *Helicella itala itala* (LINNAEUS, 1758) – DE
- *Helicella bolenensis* (LOCARD, 1882) – DE

Genus *Candidula* KOBELT, 1871

- *Candidula gigaxii* (L. PFEIFFER, 1847) – DE
- *Candidula intersecta* (POIRET, 1801) – DE
- *Candidula unifasciata unifasciata* (POIRET, 1801) – DE

Tribus Hygromiini TRYON, 1866

Genus *Hygromia* Risso, 1826

Subgenus *Hygromia* Risso, 1826

- *Hygromia (Hygromia) cinctella* (DRAPARNAUD, 1801) – DE

Genus *Cernuella* SCHLÜTER, 1838

Subgenus *Cernuella* SCHLÜTER, 1838

- *Cernuella (Cernuella) cisalpina* (ROSSMÄSSLER, 1837) – DE

Subgenus *Xerocincta* MONTEROSATO, 1892

- *Cernuella (Xerocincta) neglecta* (DRAPARNAUD, 1805) – DE

Tribus Leptaxini C. BOETTGER, 1909

Genus *Pseudotrichia* SCHILEYKO, 1970

- *Pseudotrichia rubiginosa* (ROSSMÄSSLER, 1838) – DE

Genus *Monachoides* GUDE & B.B. WOODWARD, 1921

- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – DE
- *Monachoides vicinus* (ROSSMÄSSLER, 1842) – DE

Genus *Perforatella* SCHLÜTER, 1838

- *Perforatella bidentata* (GMELIN, 1791) – DE

Genus *Urticicola* LINDHOLM, 1927

- *Urticicola umbrosus* (C. PFEIFFER, 1828) – DE

Tribus incerta

Genus *Xerolenta* MONTEROSATO, 1892

- *Xerolenta obvia obvia* (MENKE, 1828) – DE

Familia Helicidae RAFINESQUE, 1815

Subfamilia Ariantinae MÖRCH, 1864

Genus *Arianta* TURTON, 1831

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – DE
- *Arianta arbustorum alpicola* (A. FÉRUSAC, 1821) – DE

Genus *Helicigona* A. FÉRUSAC, 1821

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – DE

Genus *Drobacia* BRUSINA, 1904

- *Drobacia banatica* (ROSSMÄSSLER, 1838) – DE

Genus *Chilostoma* FITZINGER, 1833

Subgenus *Chilostoma* FITZINGER, 1833

- *Chilostoma (Chilostoma) achates achates* (ROSSMÄSSLER, 1835) – DE

Subgenus *Cingulifera* HELD, 1838

- *Chilostoma (Cingulifera) cingulatum baldense* (ROSSMÄSSLER, 1839) – DE
- *Chilostoma (Cingulifera) cingulatum peregrini* FALKNER, 1998 – DE
- *Chilostoma (Cingulifera) cingulatum preslii* (ROSSMÄSSLER, 1836) – DE

Genus *Faustina* KOBELT, 1904

- *Faustina illyrica illyrica* (STABILE, 1864) – DE

Genus *Isognomostoma* FITZINGER, 1833

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – DE

Genus *Causa* SCHILEYKO, 1971

- *Causa holosericea* (S. STUDER, 1820) – DE

Subfamilia Helicinae RAFINESQUE, 1815

Tribus Helicini RAFINESQUE, 1815

Genus *Cepaea* HELD, 1838

Subgenus *Cepaea* HELD, 1838

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – DE
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – DE

Subgenus *Austrotachea* G. PFEFFER, 1930

- *Cepaea (Austrotachea) sylvatica* (DRAPARNAUD, 1801) – DE
- *Cepaea (Austrotachea) vindobonensis* (C. PFEIFFER, 1828) – DE

Genus *Cornu* BORN, 1778

- *Cornu aspersum* (O.F. MÜLLER, 1774) – DE

Genus *Helix* LINNAEUS, 1758

Subgenus *Helix* LINNAEUS, 1758

- *Helix (Helix) pomatia* LINNAEUS, 1758 – DE