

# FAUNA EUROPAEA PROJECT

## Checklist of the land and freshwater Gastropoda of Greece

Prepared by Ruud A. Bank

(Chopinlaan 21, 9603 AM Hoogezand, the Netherlands, phone +31-598-852132)

Last update: July 24<sup>th</sup>, 2011

Send remarks/additions/corrections to Ruud.Bank@quicknet.nl

### Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See [www.faunaeur.org](http://www.faunaeur.org) for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the [www.faunaeur.org](http://www.faunaeur.org) is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24<sup>th</sup>, 2011. Futhermore, the systematic framework of the Gastropoda of [www.faunaeur.org](http://www.faunaeur.org) is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abonded. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

- R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.
- P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

---

GR-AEG	Vóreion Aiyáion (North Aegean Is.)
GR-CYC	Kikládes (Cyclades Is.)
GR-DOD	Dodekánisos (Dodecanese Is.)
GR-GRC	Greek mainland (including Andikíthira I., Evvia I., Ionian Is., Samothráki I., Northern Sporades Is., Thásos I.)
GR-KRI	Kriti (Crete) (including small adjacent islands like Gávdhos. Note: Andikíthira I. belongs to GR-GRC)

---

Phylum Mollusca CUVIER, 1795  
Classis Gastropoda CUVIER, 1795  
Subclassis Neritimorpha KOKEN, 1896  
Ordo Cycloneritimorpha FRÝDA, 1998  
Superfamilia Neritoidea RAFINESQUE, 1815  
Familia Neritidae RAFINESQUE, 1815  
Subfamilia Neritinae POEY, 1852  
Tribus Theodoxini BANDEL, 2001

**Genus *Theodoxus* MONTFORT, 1810**  
**Subgenus *Theodoxus* MONTFORT, 1810**

- *Theodoxus (Theodoxus) euxinus* (CLESSIN, 1885) – GR-GRC
- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – GR-GRC
- *Theodoxus (Theodoxus) fluviatilis subthermalis* ISSEL, 1865 – GR-GRC, GR-AEG
- *Theodoxus (Theodoxus) saulcyi* (BOURGUIGNAT, 1852) – GR-GRC, GR-KRI, GR-CYC  
[*ghigii* GAMBETTA, 1929; *graeca* WESTERLUND, 1886; *melanoleuca* KÜSTER, 1863;  
*peloponensis* RECLUZ, 1850]

**Subgenus *Neritaea* ROTH, 1855**

- *Theodoxus (Neritaea) anaticus* (RÉCLUZ, 1844) – GR-GRC, GR-AEG, GR-KRI
- *Theodoxus (Neritaea) varius varius* (MENKE, 1828) – GR-GRC  
[*rivalis* JAN, 1830]
- *Theodoxus (Neritaea) varius callosus* (DESHAYES, 1835) – GR-GRC  
[*limosa* RECLUZ, 1845]

Superordo Caenogastropoda COX, 1960  
Ordo Architaenioglossa HALLER, 1890  
Superfamilia Cyclophoroidea J.E. GRAY, 1847  
Familia Cyclophoridae J.E. GRAY, 1847  
Subfamilia Cyclophorinae J.E. GRAY, 1847  
Tribus \*\*\*\* (unnamed)

**Genus *Pholeoteras* STURANY, 1904**

- *Pholeoteras euthrix* STURANY, 1904 – GR-GRC
- *Pholeoteras olympios* A. REISCHÜTZ, P. REISCHÜTZ & W. FISCHER, 2008 – GR-GRC
- *Pholeoteras zilchi* SUBAI, 1993 – GR-GRC

Familia Cochlostomatidae KOBELT, 1902

**Genus *Cochlostoma* JAN, 1830**  
**Subgenus *Cochlostoma* JAN, 1830**

- *Cochlostoma (Cochlostoma) cretense* (MALTZAN, 1887) – GR-KRI
- *Cochlostoma (Cochlostoma) elegans imoschiense* (A.J. WAGNER, 1906) – GR-GRC
- *Cochlostoma (Cochlostoma) scalarinum* (A. & J.B. VILLA, 1841) – GR-GRC

**Subgenus *Turritus* WESTERLUND, 1883**

- *Cochlostoma (Turritus) euhoicum* (WESTERLUND, 1885) – GR-GRC

[*certus* WESTERLUND, 1892]

- *Cochlostoma (Turritus) gracile subaiorum* SCHÜTT, 1977 – GR-GRC
- *Cochlostoma (Turritus) kleciaki arnatorum* (A.J. WAGNER, 1906) – GR-GRC
- *Cochlostoma (Turritus) pageti* KLEMM, 1962 – GR-GRC

#### **Subgenus *Holcopoma* KOBELT & MOELLENDORFF, 1899**

- *Cochlostoma (Holcopoma) achaicum* (O. BOETTGER, 1885) – GR-GRC  
[*coerulea* A.J. WAGNER, 1897; *diplestes* WESTERLUND, 1894; *maxima* A.J. WAGNER, 1897]
- *Cochlostoma (Holcopoma) hellenicum hellenicum* (SAINT-SIMON, 1869) – GR-GRC
- *Cochlostoma (Holcopoma) hellenicum athenarum* (SAINT-SIMON, 1869) – GR-GRC
- *Cochlostoma (Holcopoma) parnonis* SCHÜTT, 1981 – GR-GRC
- *Cochlostoma (Holcopoma) tessellatum tessellatum* (ROSSMÄSSLER, 1837) – GR-GRC  
[*corcyrensis* WESTERLUND, 1885; *oribates* WESTERLUND, 1885]
- *Cochlostoma (Holcopoma) tessellatum densestriatum* (P. HESSE, 1882) – GR-GRC
- *Cochlostoma (Holcopoma) tessellatum excisum* (MOUSSON, 1859) – GR-GRC
- *Cochlostoma (Holcopoma) tessellatum griseum* (MOUSSON, 1859) – GR-GRC
- *Cochlostoma (Holcopoma) tessellatum moussoni* (O. BOETTGER, 1883) – GR-GRC
- *Cochlostoma (Holcopoma) tessellatum nordsiecki* SCHÜTT, 1977 – GR-GRC
- *Cochlostoma (Holcopoma) tessellatum platanusae* KLEMM, 1962 – GR-GRC

#### Familia Aciculidae J.E. GRAY, 1850

#### **Genus *Acicula* W. HARTMANN, 1821**

- *Acicula corcyrensis* (O. BOETTGER, 1883) – GR-GRC  
[*reitteri* O. BOETTGER, 1883]
- *Acicula hausdorfi* BOETERS, E. GITTENBERGER & SUBAI, 1989 – GR-GRC
- *Acicula multilineata* BOETERS, E. GITTENBERGER & SUBAI, 1989 – GR-GRC
- *Acicula szigethyannae* SUBAI, 1977 – GR-GRC

#### **Genus *Platyla* MOQUIN-TANDON, 1856**

- *Platyla gracilis* (CLESSIN, 1877) – GR-GRC  
[*trigonostoma* PALADILHE, 1868; *rothi* CLESSIN, 1911; *graeca* SUBAI, 1976]
- *Platyla minutissima* BOETERS, E. GITTENBERGER & SUBAI, 1989 – GR-GRC
- *Platyla peloponnesica* BOETERS, E. GITTENBERGER & SUBAI, 1989 – GR-GRC
- *Platyla pinteri* (SUBAI, 1976) – GR-GRC
- *Platyla similis* (REINHARDT, 1880) – GR-GRC  
[*delpretei* PAULUCCI, 1881; *diluviana* HOCKER, 1907; *serbica* CLESSIN, 1911; *transsilvanica* A.J. WAGNER, 1912; *bulgarica* A.J. WAGNER, 1927; *beieri* KÄUFEL, 1930]

#### Superfamilia Viviparoidea J.E. GRAY, 1847

#### Familia Viviparidae J.E. GRAY, 1847

#### Subfamilia Viviparinae J.E. GRAY, 1847

#### **Genus *Viviparus* MONTFORT, 1810**

- *Viviparus acerosus acerosus* (BOURGUIGNAT, 1862) – GR-GRC
- *Viviparus ater hellenicus* (CLESSIN, 1879) – GR-GRC
- *Viviparus contectus* (MILLET, 1813) – GR-GRC  
[*corcyrensis* KOBELT, 1908]
- *Viviparus mamillatus* (KÜSTER, 1852) – GR-GRC  
[*gigantea* KOBELT, 1877; *janinensis* MOUSSON, 1859]

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997  
Ordo \*\*\*\* (unnamed)  
Superfamilia Cerithioidea FLEMING, 1822  
Familia Melanopsidae H. & A. ADAMS, 1854

**Genus *Melanopsis* A. FÉRUSAC, 1807**

- *Melanopsis buccinoidea* (OLIVIER, 1801) – GR-GRC, GR-KRI, GR-AEG, GR-DOD, GR-CYC  
[*astropaliae* GAMBETTA, 1929; *erosa* ROTH, 1839]

**Genus *Esperiana* BOURGUIGNAT, 1877**

**Subgenus *Microcolpia* BOURGUIGNAT, 1884**

- *Esperiana (Microcolpia) daudebartii stussineri* SCHÜTT & BILGIN, 1974 – GR-GRC

**Genus *Holandriana* BOURGUIGNAT, 1884**

- *Holandriana holandrii* (C. PFEIFFER, 1828) – GR-GRC

Ordo Littorinimorpha PCHELINTSEV, 1963  
Superfamilia Littorinoidea CHILDREN, 1834  
Familia Pomatiidae NEWTON, 1891 (1828)

**Genus *Pomatias* S. STUDER, 1789**

- *Pomatias elegans* (O.F. MÜLLER, 1774) – GR-GRC

Superfamilia Rissoidae J.E. GRAY, 1847  
Familia Bithyniidae J.E. GRAY, 1857

**Genus *Bithynia* LEACH, 1818**

- *Bithynia graeca* (WESTERLUND, 1879) – GR-GRC  
[*gracilis* LOCARD, 1894; *graeca* LOCARD, 1894]
- *Bithynia candiota* WESTERLUND, 1886 – GR-GRC, GR-KRI
- *Bithynia cretensis* GLÖER & MAASSEN, 2009 – GR-KRI
- *Bithynia hellenica* Kobelt, 1891 – GR-GRC
- *Bithynia kastorias* GLÖER, ALBRECHT & WILKE, 2007 – GR-GRC
- *Bithynia schwabii* FRAUENFELD, 1865 – GR-GRC

**Genus *Pseudobithynia* GLÖER & PEŠIĆ, 2006**

- *Pseudobithynia ambrakis* GLÖER, FALNIOWSKI & PEŠIĆ, 2010 – GR-GRC
- *Pseudobithynia euboeensis* GLÖER, FALNIOWSKI & PEŠIĆ, 2010 – GR-GRC
- *Pseudobithynia falniowskii* GLÖER & PEŠIĆ, 2006 – GR-GRC
- *Pseudobithynia gittenbergeri* GLÖER & MAASSEN, 2009 – GR-AEG
- *Pseudobithynia hemmeni* GLÖER & MAASSEN, 2009 – GR-GRC
- *Pseudobithynia panetolis* GLÖER, ALBRECHT & WILKE, 2007 – GR-GRC
- *Pseudobithynia renei* (LETOURNEUX, 1887) – Distribution: GR-GRC  
[*corcyrense* LETOURNEUX, 1887; *phaeacina* LOCARD, 1894; *servainianum* LETOURNEUX, 1887;  
*stossichiana* LOCARD, 1894; *viride* LETOURNEUX, 1887]
- *Pseudobithynia trichonis* GLÖER, ALBRECHT & WILKE, 2007 – GR-GRC
- *Pseudobithynia westerlundii* GLÖER & PEŠIĆ, 2006 – GR-GRC
- *Pseudobithynia zogari* GLÖER, FALNIOWSKI & PEŠIĆ, 2010 – GR-GRC

Familia Moitessieriidae BOURGUIGNAT, 1863

**Genus *Clameia* BOETERS & E. GITTENBERGER, 1990**

- *Clameia brooki* BOETERS & E. GITTENBERGER, 1990 – GR-GRC

Familia Cochliopidae TRYON, 1866

Subfamilia Semisalsinae GIUSTI & PEZZOLI, 1980

**Genus *Heleobia* STIMPSON, 1865**

**Subgenus *Semisalsa* RADOMAN, 1974**

- *Heleobia (Semisalsa) achaja achaja* (CLESSIN, 1878) – GR-GRC, GR-AEG  
[*graeca* RADOMAN, 1974]
- *Heleobia (Semisalsa) achaja sorella* (WESTERLUND, 1879) – GR-GRC  
[*thiesseae* WESTERLUND, 1886]
- *Heleobia (Semisalsa) maltzani* (WESTERLUND, 1886) – GR-KRI
- *Heleobia (Semisalsa) steindachneri* (WESTERLUND, 1902) – GR-GRC
- *Heleobia (Semisalsa) tritonum* (BOURGUIGNAT, 1852) – GR-GRC

Familia Hydrobiidae STIMPSON, 1865

Subfamilia Hydrobiinae STIMPSON, 1865

**Genus *Pseudamnicola* PAULUCCI, 1878 [Adriainsula RADOMAN, 1978]**

**Subgenus *Pseudamnicola* PAULUCCI, 1878**

- *Pseudamnicola (Pseudamnicola) brachia* (WESTERLUND, 1886) – GR-KRI  
[*exotica* E. VON MARTENS, 1889]
- *Pseudamnicola (Pseudamnicola) chia* (E. VON MARTENS, 1889) – GR-AEG
- *Pseudamnicola (Pseudamnicola) exilis* (FRAUENFELD, 1863) – GR-GRC
- *Pseudamnicola (Pseudamnicola) macrostoma macrostoma* (KÜSTER, 1853) – GR-GRC, GR-CYC,  
GR-AEG
- *Pseudamnicola (Pseudamnicola) macrostoma negropontina* (CLESSIN, 1878) – GR-GRC  
[*euboica* KOBELT, 1891]
- *Pseudamnicola (Pseudamnicola) pieperi* SCHÜTT, 1980 – GR-DOD

Subfamilia Belgrandiinae DE STEFANI, 1877

Tribus Belgrandiini DE STEFANI, 1877

**Genus *Radomaniola* SZAROWSKA, 2006 [Orientalina RADOMAN, 1978; Orientalia RADOMAN, 1972]**

- *Radomaniola albanica* (RADOMAN, 1973) – GR-GRC
- *Radomaniola curta bermius* (P. REISCHÜTZ, 1988) – GR-GRC

**Genus *Grossuana* RADOMAN, 1983**

- *Grossuana euxina vurliana* (RADOMAN, 1966) – GR-GRC
- *Grossuana haesitans* (WESTERLUND, 1881) – GR-GRC  
[*delphica* RADOMAN, 1973; *hessei* KOBELT, 1891]

**Genus *Belgrandia* BOURGUIGNAT, 1870**

- *Belgrandia ionica* (SCHÜTT, 1980) – GR-GRC

**Genus *Fissuria* BOETERS, 1981**

- *Fissuria raehlei* (SCHÜTT, 1980) – GR-GRC

**Genus *Litthabitella* BOETERS, 1970**

- *Litthabitella chilodia* (WESTERLUND, 1886) – GR-GRC

**Genus *Trichonia* SCHÜTT, 1980**

- *Trichonia kephalovrissonia* RADOMAN, 1973 – GR-GRC
- *Trichonia trichonica* RADOMAN, 1973 – GR-GRC

**Genus *Graecorientalia* RADOMAN, 1983**

- *Graecorientalia vrissiana* (RADOMAN, 1966) – GR-GRC

**Genus *Turcorientalia* RADOMAN, 1973**

**Subgenus *Turcorientalia* RADOMAN, 1973**

- *Turcorientalia (Turcorientalia) hohenackeri hohenackeri* (KÜSTER, 1853) – GR-GRC, GR-AEG
- *Turcorientalia (Turcorientalia) hohenackeri marginata* (WESTERLUND, 1881) – GR-GRC
- *Turcorientalia (Turcorientalia) seminula* (FRAUENFELD, 1863) – GR-GRC, GR-DOD  
[*filiola* WESTERLUND, 1881]

**Genus *Pseudoislamia* RADOMAN, 1979**

- *Pseudoislamia balcanica* RADOMAN, 1979 – GR-GRC

**Genus *Daphniola* RADOMAN, 1973**

- *Daphniola exigua exigua* (A. SCHMIDT, 1856) – GR-GRC  
[*graeca* RADOMAN, 1973; *hellenica* WESTERLUND, 1898]
- *Daphniola exigua pangaea* (P. REISCHÜTZ, 1984) – GR-GRC
- *Daphniola louisi* FALNIOWSKI & SZAROWSKA, 2000 – GR-GRC

**Genus *Prespolitorea* RADOMAN, 1983**

- *Prespolitorea malaprespensis* RADOMAN, 1973 – GR-GRC

Tribus Belgrandiellini RADOMAN, 1983

**Genus *Belgrandiella* A.J. WAGNER, 1928**

- *Belgrandiella bulgarica* ANGELOV, 1972 – GR-GRC

**Genus *Paladilhiosis* PAVLOVIC, 1913**

- *Paladilhiosis blanci* (WESTERLUND, 1886) – GR-GRC
- *Paladilhiosis janinensis* SCHÜTT, 1962 – GR-GRC
- *Paladilhiosis neaugustensis* P. REISCHÜTZ, 1988 – GR-GRC
- *Paladilhiosis thessalica* (SCHÜTT, 1970) – GR-GRC

**Genus *Iglica* A. J. WAGNER, 1928**

**Subgenus *Iglica* A. J. WAGNER, 1928**

- *Iglica (Iglica) wolfischeri* A. REISCHÜTZ & P. REISCHÜTZ, 2004 – GR-GRC

### **Subgenus *Raphica* SCHÜTT, 1975**

- *Iglica (Raphica) alpheus* A. REISCHÜTZ & P. REISCHÜTZ, 2004 – GR-GRC
- *Iglica (Raphica) maasseni* SCHÜTT, 1980 – GR-DOD
- *Iglica (Raphica) sidariensis* SCHÜTT, 1980 – GR-GRC

Tribus Graecoanatolicini RADOMAN, 1973

### **Genus *Graecoanatolica* RADOMAN, 1973**

- *Graecoanatolica macedonica* RADOMAN & STANKOVIČ, 1979 – GR-GRC
- *Graecoanatolica vegorriticola* (SCHÜTT, 1962) – GR-GRC

Subfamilia Islamiinae RADOMAN, 1973

### **Genus *Islamia* RADOMAN, 1973 [*Adriolitorea* RADOMAN, 1974]**

- *Islamia bendidis* P. REISCHÜTZ, 1988 – GR-GRC
- *Islamia? edlingerii* (A. REISCHÜTZ & P. REISCHÜTZ, 2004) – GR-GRC
- *Islamia epirana* (SCHÜTT, 1962) – GR-GRC
- *Islamia graeca* RADOMAN, 1973 – GR-GRC
- *Islamia hadei hadei* (E. GITTENBERGER, 1982) – GR-GRC, GR-AEG
- *Islamia hadei molai* (A. REISCHÜTZ & P. REISCHÜTZ, 2008) – GR-GRC
- *Islamia trichoniana* RADOMAN, 1979 – GR-GRC

Familia Amnicolidae TRYON, 1863  
Subfamilia Amnicolinae TRYON, 1863

### **Genus *Bythinella* MOQUIN-TANDON, 1856**

- *Bythinella atypikos* A. REISCHÜTZ, P. REISCHÜTZ & W. FISCHER, 2008 – GR-GRC
- *Bythinella beckmanni* A. REISCHÜTZ, P. REISCHÜTZ & W. FISCHER, 2008 – GR-GRC
- *Bythinella charpentieri charpentieri* (ROTH, 1855) – GR-GRC  
[*parnassia* O. BOETTGER, 1892]
- *Bythinella charpentieri cabirius* P. REISCHÜTZ, 1988 – GR-GRC
- *Bythinella cretensis* SCHÜTT, 1980 – GR-KRI
- *Bythinella kosensis* SCHÜTT, 1980 – GR-AEG, GR-DOD

### **Genus *Parabythinella* RADOMAN, 1973**

- *Parabythinella graeca* RADOMAN, 1979 – GR-GRC
- *Parabythinella macedonica* (HADZISCE, 1963) – GR-GRC  
[*lacustris* HADZISCE, 1963]

Familia Pyrgulidae E. VON MARTENS, 1858  
Subfamilia Pyrgulinae E. VON MARTENS, 1858

### **Genus *Pyrgohydrobia* RADOMAN, 1955**

#### **Subgenus *Prespopyrigula* RADOMAN, 1983**

- *Pyrgohydrobia (Prespopyrigula) prespaensis* (URBANSKI, 1939) – GR-GRC  
[*prespaensis* HADZISCE, 1955]

### **Genus *Pyrgula* DE CRISTOFORI & JAN, 1832**

- *Pyrgula acicula* A. REISCHÜTZ & P. REISCHÜTZ, 2002 – GR-GRC
- *Pyrgula falkneri* A. REISCHÜTZ & P. REISCHÜTZ, 2002 – GR-GRC
- *Pyrgula pambotis* A. REISCHÜTZ & P. REISCHÜTZ, 2002 – GR-GRC

**Genus *Dianella* GUDE, 1913** [*Diana* CLESSIN, 1878]

- *Dianella schlickumi* SCHÜTT, 1962 – GR-GRC
- *Dianella thiesseana* (KOBELT, 1878) – GR-GRC  
[*albida* WESTERLUND, 1879; *filicostata* WESTERLUND, 1879]

Familia Truncatellidae J.E. GRAY, 1840  
Subfamilia Truncatellinae J.E. GRAY, 1840

**Genus *Truncatella* Risso, 1826**

- *Truncatella subcylindrica* (LINNAEUS, 1767) – GR-GRC, GR-DOD, GR-AEG

Subclassis Heterobranchia BURMEISTER, 1837  
Ordo Allogastropoda HASZPRUNAR, 1985  
Superfamilia Valvatoidea J.E. GRAY, 1840  
Familia Valvatidae J.E. GRAY, 1840

**Genus *Valvata* O.F. MÜLLER, 1773**

**Subgenus *Valvata* O.F. MÜLLER, 1773**

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – GR-GRC

**Subgenus *Tropidina* H. & A. ADAMS, 1854**

- *Valvata (Tropidina) macrostoma* MÖRCH, 1864 – GR-GRC

**Subgenus *Cincinna* HÜBNER, 1810**

- *Valvata (Cincinna) klemmi* SCHÜTT, 1962 – GR-GRC
- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – GR-GRC
- *Valvata (Cincinna?) theodokii* LOCARD, 1889 – GR-GRC  
[*cressidana* LOCARD, 1889; *tacitiana* LOCARD, 1889]

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814  
Ordo Hygrophila A. FÉRUSAC, 1822  
Superfamilia Acroloxoidea THIELE, 1931  
Familia Acroloxidae THIELE, 1931

**Genus *Acroloxus* H. BECK, 1838**

- *Acroloxus lacustris* (LINNAEUS, 1758) – GR-GRC

Superfamilia Lymnaeoidea RAFINESQUE, 1815  
Familia Lymnaeidae RAFINESQUE, 1815  
Subfamilia Lymnaeinae RAFINESQUE, 1815

**Genus *Galba* SCHRANK, 1803**

- *Galba truncatula* (O.F. MÜLLER, 1774) – GR-GRC, GR-AEG, GR-DOD, GR-CYC  
[*thiesseae* CLESSIN, 1879]



**Genus *Stagnicola* JEFFREYS, 1830**

- *Stagnicola fuscus* (C. PFEIFFER, 1821) – GR-GRC
- *Stagnicola palustris* (O.F. MÜLLER, 1774) – GR-GRC

**Genus *Radix* MONTFORT, 1810**

- *Radix ampla* (W. HARTMANN, 1821) – GR-GRC
- *Radix auricularia* (LINNAEUS, 1758) – GR-GRC  
[*sinuosa* WESTERLUND, 1893]
- *Radix balthica* (LINNAEUS, 1758) – GR-GRC  
[*atticus* ROTH, 1855]
- *Radix labiata* (ROSSMÄSSLER, 1835) – GR-GRC
- *Radix pinteri* SCHÜTT, 1974 – GR-GRC
- *Radix relicta* (POLINSKI, 1929) – GR-GRC

**Genus *Lymnaea* LAMARCK, 1799**

- *Lymnaea stagnalis* (LINNAEUS, 1758) – GR-GRC

**Genus *Pseudosuccinea* F.C. BAKER, 1908**

- *Pseudosuccinea columella* (SAY, 1817) – GR-GRC

Superfamilia Planorboidea RAFINESQUE, 1815

Familia Physidae FITZINGER, 1833

Subfamilia Physinae FITZINGER, 1833

Tribus Haitiini D.W. TAYLOR, 2003

**Genus *Haitia* CLENCH & AGUAYO, 1932**

- *Haitia acuta* (DRAPARNAUD, 1805) – GR-GRC, GR-AEG, GR-DOD  
[*achaiae* WESTERLUND, 1885; *capillata* GASSIES, 1869]

Familia Planorbidae RAFINESQUE, 1815

Subfamilia Bulininae P. FISCHER & CROSSE, 1880

Tribus Bulinini P. FISCHER & CROSSE, 1880

**Genus *Bulinus* O.F. MÜLLER, 1781**

**Subgenus *Isidora* EHRENBERG, 1831**

- *Bulinus (Isidora) truncatus rivularis* (PHILIPPI, 1836) – GR-KRI

Tribus Coretini J.E. GRAY, 1847

**Genus *Planorbarius* DUMERIL, 1806**

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – GR-GRC
- *Planorbarius corneus grandis* (DUNKER, 1850) – GR-GRC
- *Planorbarius corneus arabatzis* A. REISCHÜTZ, P. REISCHÜTZ & W. FISCHER, 2008 – GR-GRC

**Genus *Planorbella* HALDEMAN, 1843**

- *Planorbella duryi* (WETHERBY, 1879) – GR-GRC

Tribus Miratestini P. & F. SARASIN, 1897

**Genus *Ferrissia* WALKER, 1903**

**Subgenus *Pettancylus* IREDALE, 1943**

- *Ferrissia (Pettancylus) wautieri* (MIROLLI, 1960) – GR-GRC, GR-AEG

Subfamilia Planorbinae RAFINESQUE, 1815

Tribus Planorbini RAFINESQUE, 1815

**Genus *Planorbis* O.F. MÜLLER, 1773**

**Subgenus *Planorbis* O.F. MÜLLER, 1773**

- *Planorbis (Planorbis) atticus* BOURGUIGNAT, 1852 – GR-GRC, GR-CYC, GR-AEG, GR-KRI  
[*arethusa* CLESSIN, 1879; *heterodoxa* WESTERLUND & BLANC, 1879]
- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – GR-GRC
- *Planorbis (Planorbis) intermixtus* MOUSSON, 1874 – GR-GRC, GR-CYC  
[*graecus* CLESSIN, 1878]
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – GR-GRC

**Subgenus *Crassiplanorbis* MEIER-BROOK, 1976**

- *Planorbis (Crassiplanorbis) prespensis* (STURANY, 1894) – GR-GRC

**Genus *Anisus* S. STUDER, 1820**

**Subgenus *Anisus* S. STUDER, 1820**

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – GR-GRC, GR-KRI
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – GR-GRC

**Genus *Gyraulus* CHARPENTIER, 1837**

**Subgenus *Gyraulus* CHARPENTIER, 1837**

- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – GR-GRC
- *Gyraulus (Gyraulus) chinensis* (DUNKER, 1848) – GR-GRC
- *Gyraulus (Gyraulus?) janinensis* (MOUSSON, 1859) – GR-GRC
- *Gyraulus (Gyraulus) piscinarum* (BOURGUIGNAT, 1852) – GR-GRC

**Subgenus *Torquis* DALL, 1905**

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – GR-GRC
- *Gyraulus (Torquis) parvus* (SAY, 1817) – GR-GRC

**Subgenus *Armiger* W. HARTMANN, 1843**

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – GR-GRC  
[*dilectus* WESTERLUND, 1894]

**Subgenus *Carinogyraulus* POLINSKI, 1929**

- *Gyraulus (Carinogyraulus?) stankovici* HADZISCE, 1955 – GR-GRC

Tribus Segmentinini F.C. BAKER, 1945

**Genus *Hippeutis* CHARPENTIER, 1837**

- *Hippeutis complanatus* (LINNAEUS, 1758) – GR-GRC

**Genus *Segmentina* FLEMING, 1818**

- *Segmentina nitida* (O.F. MÜLLER, 1774) – GR-GRC, GR-KRI

Tribus Ancylini RAFINESQUE, 1815

**Genus *Ancylus* O.F. MÜLLER, 1773**

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – GR-GRC, GR-AEG, GR-DOD

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990  
 Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)  
Familia Ellobiidae L. PFEIFFER, 1854 (1822)  
 Subfamilia Pythiinae ODHNER, 1925 (1880)

**Genus *Myosotella* MONTEROSATO, 1906**

- *Myosotella myosotis* (DRAPARNAUD, 1801) – GR-GRC, GR-AEG

Subfamilia Carychiinae JEFFREYS, 1830

**Genus *Carychium* O.F. MÜLLER, 1773**

**Subgenus *Carychium* O.F. MÜLLER, 1773**

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – GR-GRC, GR-AEG  
 [*carychium* GMELIN, 1791; *inflata* HARTMANN, 1841; *rayianum* BOURGUIGNAT, 1857; *sianicum* CAZIOT, 1910; *passiriensis* SCHROTT, 1935]

**Subgenus *Saraphia* Risso, 1826**

- *Carychium (Saraphia?) hellenicum* BANK & E. GITTENBERGER, 1985 – GR-GRC, GR-KRI
- *Carychium (Saraphia) cf. schlickumi* STRAUCH, 1977 – GR-GRC
- *Carychium (Saraphia) tridentatum* (Risso, 1826) – GR-GRC  
 [*elongatum* A. & G.B. VILLA, 1841; *nanum* KÜSTER, 1841; *striolatum* BOURGUIGNAT, 1857; *elongatum* BALDWIN, 1909]

Ordo Stylommatophora A. SCHMIDT, 1855  
 Subordo Elasmognatha MÖRCH, 1863  
 Superfamilia Succineoidea H. BECK, 1837  
Familia Succineidae H. BECK, 1837  
 Subfamilia Succineinae H. BECK, 1837

**Genus *Succinea* DRAPARNAUD, 1801**

- *Succinea putris* (LINNAEUS, 1758) – GR  
 [*amphibia* DRAPARNAUD, 1801; *succinea* O.F. MÜLLER, 1774]

**Genus *Succinella* J. MABILLE, 1871**

- *Succinella oblonga* (DRAPARNAUD, 1801) – GR-GRC, GR-AEG

**Genus *Oxyloma* WESTERLUND, 1885**

**Subgenus *Oxyloma* WESTERLUND, 1885**

- *Oxyloma (Oxyloma) elegans elegans* (Risso, 1826) – GR-GRC  
[*angusta* S. STUDER, 1789; *succinea* S. STUDER, 1820; *major* RISSO, 1826; *pfeifferi* ROSSMÄSSLER, 1835; *longiscata* MORELET, 1845; *ochracea* DE BETTA, 1852]

Subordo Orthurethra PILSBRY, 1900  
Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)  
Familia Cochlicopidae PILSBRY, 1900 (1879)  
Subfamilia Cochlicopinae PILSBRY, 1900 (1879)

#### **Genus *Cochlicopa* A. FÉRUSAC, 1821**

- *Cochlicopa lubricella* (PORRO, 1838) – GR  
[*minima* SIEMASCHKO, 1857; *columna* CLESSIN, 1875]

Subfamilia Azecinae WATSON, 1920

#### **Genus *Hypnophila* BOURGUIGNAT, 1858**

- *Hypnophila cyclothyra* (O. BOETTGER, 1885) – GR-GRC
- *Hypnophila polita* (PORRO, 1838) – GR-GRC
- *Hypnophila zacynthia* (ROTH, 1855) – GR-GRC  
[*integra* MOUSSON, 1859]

Superfamilia Pupilloidea TURTON, 1831  
Familia Lauriidae STEENBERG, 1925

#### **Genus *Lauria* J.E. GRAY, 1840**

##### **Subgenus *Lauria* J.E. GRAY, 1840**

- *Lauria (Lauria) cylindracea* (DA COSTA, 1778) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*umbilicata* DRAPARNAUD, 1801; *inaequalis* WESTERLUND, 1887]
- *Lauria (Lauria) sempronii* (CHARPENTIER, 1837) – GR-GRC  
[*dilucida* ROSSMÄSSLER, 1837]
- *Lauria (Lauria) umbilica* (ROTH, 1839) – GR-CYC

Familia Orculidae PILSBRY, 1918  
Subfamilia Orculinae PILSBRY, 1918

#### **Genus *Orcula* HELD, 1838**

- *Orcula schmidtii transversalis* (WESTERLUND, 1894) – GR-GRC

#### **Genus *Orculella* STEENBERG, 1925**

- *Orculella astirakiensis* GITTENBERGER & HAUSDORF, 2004 – GR-KRI
- *Orculella creantirudis* GITTENBERGER & HAUSDORF, 2004 – GR-KRI
- *Orculella creticostata* GITTENBERGER & HAUSDORF, 2004 – GR-KRI
- *Orculella cretilasithi* GITTENBERGER & HAUSDORF, 2004 – GR-KRI
- *Orculella cretimaxima* GITTENBERGER & HAUSDORF, 2004 – GR-KRI
- *Orculella cretiminuta* GITTENBERGER & HAUSDORF, 2004 – GR-KRI
- *Orculella cretioreina* GITTENBERGER & HAUSDORF, 2004 – GR-KRI
- *Orculella critica* (L. PFEIFFER, 1856) – GR-GRC, GR-CYC, GR-DOD  
[*turcica* LETOURNEUX, 1884; *graecus* PILSBRY, 1922]
- *Orculella diensis* GITTENBERGER & HAUSDORF, 2004 – GR-KRI
- *Orculella exaggerata* (FUCHS & KÄUFEL, 1936) – GR-DOD
- *Orculella fodela* GITTENBERGER & HAUSDORF, 2004 – GR-KRI

- *Orculella franciscoi* GITTENBERGER & HAUSDORF, 2004 – GR-KRI
- *Orculella ignorata* HAUSDORF, 1996 – GR-GRC, GR-AEG, GR-DOD  
[*scyphoidaea* BOURGUIGNAT, 1891]
- *Orculella scalaris* GITTENBERGER & HAUSDORF, 2004 – GR-KRI

#### **Genus *Sphyradium* CHARPENTIER, 1837**

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – GR-GRC, GR-AEG  
[*coronata* S. STUDER, 1789; *bifilaris* MOUSSON, 1873; *unifilaris* O. BOETTGER, 1879; *tereticollis* WESTERLUND, 1896]

#### **Genus *Pagodulina* CLESSIN, 1876**

- *Pagodulina elegantissima* A. REISCHÜTZ, P. REISCHÜTZ & W. FISCHER, 2009 – GR-GRC
- *Pagodulina epirotes* KLEMM, 1939 – GR-GRC
- *Pagodulina hauseri* E. GITTENBERGER, 1978 – GR-AEG
- *Pagodulina klemmi* E. GITTENBERGER & SUBAI, 1978 – GR-GRC
- *Pagodulina sparsa* PILSBRY, 1924 – GR-GRC  
[*obliqua* WESTERLUND, 1887]

#### Familia Argnidae HUDEC, 1965

#### **Genus *Argna* COSSMANN, 1889**

- *Argna biplicata ulterior* KLEMM, 1962 – GR-GRC
- *Argna thracica* SUBAI, 1999 – GR-GRC

#### **Genus *Agardhiella* P. HESSE, 1923**

- *Agardhiella macrodonta* (P. HESSE, 1916) – GR-GRC
- *Agardhiella parreyssii* (L. PFEIFFER, 1848) – GR-GRC  
[*rumelica* P. HESSE, 1916]
- *Agardhiella skipetarica* (A.J. WAGNER, 1914) – GR-GRC
- *Agardhiella truncatella* (L. PFEIFFER, 1841) – GR-GRC

#### **Genus *Speleodentorcula* E. GITTENBERGER, 1985**

- *Speleodentorcula beroni* E. GITTENBERGER, 1985 – GR-GRC

#### Familia Valloniidae MORSE, 1864 Subfamilia Valloniinae MORSE, 1864

#### **Genus *Vallonia* RISSO, 1826**

- *Vallonia costata* (O.F. MÜLLER, 1774) – GR-GRC, GR-AEG
- *Vallonia enniensis* (GREDLER, 1856) – GR-GRC, GR-DOD
- *Vallonia excentrica* STERKI, 1893 – GR-GRC
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – GR-GRC

#### **Genus *Gittenbergia* GIUSTI, CASTAGNOLO & MANGANELLI, 1985**

- *Gittenbergia sororcula* (BENOIT, 1859) – GR-KRI  
[*arana* L. PFEIFFER, 1870; *astoma* O. BOETTGER, 1909]

#### **Genus *Plagyrona* E. GITTENBERGER, 1977**

- *Plagyrona placida* (SHUTTLEWORTH, 1852) – GR-GRC  
[*bussacona* DA SILVA E CASTRO, 1887; *debeauxiana* BOURGUIGNAT, 1863]

Subfamilia Acanthinulinae STEENBERG, 1917

**Genus *Acanthinula* H. BECK, 1847**

- *Acanthinula aculeata* (O.F. MÜLLER, 1774) – GR-GRC, GR-AEG, GR-DOD, GR-KRI  
[*albina* WESTERLUND, 1889]

Familia Pupillidae TURTON, 1831

**Genus *Pupilla* FLEMING, 1828**

**Subgenus *Pupilla* FLEMING, 1828**

- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – GR-GRC  
[*marginata* DRAPARNAUD, 1801; *?emigrata* WESTERLUND, 1897]
- *Pupilla (Pupilla) triplicata* (S. STUDER, 1820) – GR-GRC

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

**Genus *Pyramidula* FITZINGER, 1833**

- *Pyramidula cephalonica* (WESTERLUND, 1898) – GR-AEG, GR-GRC
- *Pyramidula chorismenostoma* (WESTERLUND & BLANC, 1879) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI
- *Pyramidula pusilla* (VALLOT, 1801) – GR-GRC, GR-AEG
- *Pyramidula rupestris* (DRAPARNAUD, 1801) – GR-GRC  
[*hierosolymitana* BOURGUIGNAT, 1852; *dalmatina* CLESSIN, 1887]

Familia Pleurodiscidae WENZ, 1923

**Genus *Pleurodiscus* WENZ, 1919**

- *Pleurodiscus balmei* (POTIEZ & MICHAUD, 1835) – GR-GRC, GR-AEG, GR-DOD  
[*flavida* ROSSMÄSSLER, 1839; *erdelii* ROTH, 1839; *teresae* BENOIT, 1843; *gabrielensis* GREGORIO, 1896]
- *Pleurodiscus sudensis* (L. PFEIFFER, 1846) – GR-KRI

Familia Chondrininidae STEENBERG, 1925

Subfamilia Granariinae KOKSHOORN & E. GITTENBERGER, 2010

**Genus *Granopupa* O. BOETTGER, 1889**

- *Granopupa granum* (DRAPARNAUD, 1801) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*aemula* E. VON MARTENS, 1872; *tetrodon* WESTERLUND, 1887; *krueperi* WESTERLUND, 1894]

**Genus *Granaria* HELD, 1838**

- *Granaria frumentum subaii* FEHÉR, DELI & SÓLEMOS, 2010 – GR-GRC

Subfamilia Chondrininae STEENBERG, 1925

**Genus *Chondrina* REICHENBACH, 1828**

- *Chondrina arcadica arcadica* (REINHARDT, 1881) – GR-GRC
- *Chondrina arcadica abundans* (WESTERLUND, 1894) – GR-GRC
- *Chondrina arcadica bulgarica* H. NORDSIECK, 1970 – GR-GRC
- *Chondrina arcadica clienta* (WESTERLUND, 1883) – GR-GRC  
[*hordeum* S. STUDER, 1820; *minor* KÜSTER, 1843; *paucidens* WESTERLUND, 1887; *subhordeum* WESTERLUND, 1887]
- *Chondrina spelta spelta* (H. BECK, 1837) – GR-GRC  
[*nana* POTIEZ & MICHAUD, 1838; *muehlfeldti* KÜSTER, 1843; *obscura* KÜSTER, 1843]
- *Chondrina spelta obsoleta* KLEMM, 1962 – GR-GRC

#### Genus *Rupestrella* MONTEROSATO, 1894

- *Rupestrella philippii philippii* (CANTRAINED, 1841) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*caprearum* ROSSMÄSSLER, 1842; *exigua* MOUSSON, 1859]
- *Rupestrella rhodia* (ROTH, 1839) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI

Familia *Vertiginidae* FITZINGER, 1833  
Subfamilia *Vertigininae* FITZINGER, 1833  
Tribus *Truncatellini* STEENBERG, 1925

#### Genus *Columella* WESTERLUND, 1878

- *Columella edentula* (DRAPARNAUD, 1805) – GR-GRC

#### Genus *Truncatellina* R.T. LOWE, 1852

- *Truncatellina callicratis* (SCACCHI, 1833) – GR-GRC  
[*strobili* GREDLER, 1853; *riverana* BENSON, 1854]
- *Truncatellina cameroni* TRIANTIS & POKRYSZKO, 2004 – GR-GRC
- *Truncatellina claustralis* (GREDLER, 1856) – GR-GRC  
[*anodus* GREDLER, 1856; *salurnensis* REINHARDT, 1877; *corcyrensis* O. BOETTGER, 1883]
- *Truncatellina cylindrica* (A. FÉRUSAC, 1807) – GR-GRC, GR-AEG  
[*minuta* O.F. MÜLLER, 1774; *minutissima* W. HARTMANN, 1821; *odontostoma* WESTERLUND, 1875]
- *Truncatellina rothi* (REINHARDT, 1916) – GR-GRC, GR-DOD, GR-KRI

Tribus *Vertiginini* FITZINGER, 1833

#### Genus *Vertigo* O.F. MÜLLER, 1773

##### Subgenus *Vertigo* O.F. MÜLLER, 1773

- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – GR-GRC, GR-KRI  
[*sexdentatus* MONTAGU, 1803]
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – GR-GRC
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – GR-GRC  
[*sarena* GREDLER, 1856; *athesina* GREDLER, 1856]

##### Subgenus *Vertilla* MOQUIN-TANDON, 1856

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – GR-GRC  
[*venetzi* CHARPENTIER, 1837; *hamata* HELD, 1837]

Superfamilia *Enoidea* B.B. WOODWARD, 1903 (1880)  
Familia *Enidae* B.B. WOODWARD, 1903 (1880)  
Subfamilia *Eninae* B.B. WOODWARD, 1903 (1880)

Tribus Enini B.B. WOODWARD, 1903 (1880)

**Genus *Turanena* LINDHOLM, 1922**

**Subgenus *Turanena* LINDHOLM, 1922**

- *Turanena (Turanena) carpathia* (O. BOETTGER, 1885) – GR-DOD
- *Turanena (Turanena) hemmeni* BANK & BUTOT, 1990 – GR-AEG
- *Turanena (Turanena) katerinae* E. GITTENBERGER, 1996 – GR-KRI

**Genus *Pseudochondrula* P. HESSE, 1933**

- *Pseudochondrula seductilis seductilis* (ROSSMÄSSLER, 1837) – GR-AEG  
[*cylindrica* ROSSMÄSSLER, 1837; *lunatica* ROSSMÄSSLER, 1837; *denticulatus* L. PFEIFFER, 1854; *priamus* KOBELT, 1893]

**Genus *Jaminia* RISSO, 1826**

- *Jaminia loewii* (PHILIPPI, 1844) – GR-AEG, GR-DOD  
[*godetianus* KOBELT, 1880; *samius* E. VON MARTENS, 1889; *ponsonbyi* WESTERLUND, 1892; *exilis* WESTERLUND, 1897; *smyrnensis* WESTERLUND, 1897]
- *Jaminia quadridens quadridens* (O.F. MÜLLER, 1774) – GR-GRC  
[*planilabris* O. BOETTGER, 1885; *?atticus* WESTERLUND, 1887; *?volensis* WESTERLUND, 1897]
- *Jaminia thiesseanus* (WESTERLUND, 1879) – GR-GRC  
[*hippolyti* KOBELT, 1880; *chilodius* WESTERLUND, 1887; *helikonicus* WESTERLUND, 1887]

**Genus *Ena* TURTON, 1831**

- *Ena elongata* (KOBELT, 1877) – GR-GRC
- *Ena montana* (DRAPARNAUD, 1801) – GR-GRC
- *Ena monticola monticola* (ROTH, 1856) – GR-GRC  
[*conemenosi* O. BOETTGER, 1885; *krueperi* O. BOETTGER, 1888]
- *Ena monticola dryops* (E. VON MARTENS, 1889) – GR-GRC
- *Ena monticola klissurica* BANK & MENKHORST, 1992 – GR-GRC
- *Ena subtilis corcyrensis* (MOUSSON, 1859) – GR-GRC

Tribus Multidentulini SCHILEYKO, 1978

**Genus *Merdigera* HELD, 1838**

- *Merdigera obscura* (O.F. MÜLLER, 1774) – GR-GRC

Tribus Chondrulini WENZ, 1923

**Genus *Zebrina* HELD, 1838**

- *Zebrina detrita* (O.F. MÜLLER, 1774) – GR-GRC  
[*radiatus* BRUGUIÈRE, 1789; *tumidus* MOUSSON, 1859; *inflatus* KOBELT, 1877; *cilicicus* KOBELT, 1901]
- *Zebrina fasciolata* (Olivier, 1801) – GR-DOD  
[*major* CHARPENTIER, 1847; *hebraicus* L. PFEIFFER, 1854; *fusconigra* ERBER, 1868; *piochardi* HEYNEMANN, 1870; *calverti* BOURGUIGNAT, 1876; *gracilis* WESTERLUND, 1887]

**Genus *Napaeopsis* STURANY & WAGNER, 1914**

- *Napaeopsis cefalonica* (MOUSSON, 1859) – GR-GRC
- *Napaeopsis mennoi* E. GITTENBERGER, 2008 – GR-GRC



- *Napaeopsis minima* BANK & MENKHORST, 1992 – GR-GRC
- *Napaeopsis ossicus ossicus* (O. BOETTGER, 1885) – GR-GRC
- *Napaeopsis ossicus discolor* (O. BOETTGER, 1885) – GR-GRC

#### Genus *Rhabdoena* KOBELT & MOELLENDORFF, 1902

- *Rhabdoena cosensis* (REEVE, 1849) – GR-AEG, GR-DOD  
[*caesius* O. BOETTGER, 1885; *chius* E. VON MARTENS, 1889; *symius* E. VON MARTENS, 1889; *cous* E. VON MARTENS, 1889; *turbinata* FUCHS & KÄUFEL, 1936]
- *Rhabdoena mirifica* (BANK & MENKHORST, 1992) – GR-AEG
- *Rhabdoena stokesi* (O. BOETTGER, 1885) – GR-CYC
- *Rhabdoena zasiensis* (BANK & MENKHORST, 1992) – GR-CYC

#### Genus *Chondrus* CUVIER, 1817

- *Chondrus zebra spoliatus* (L. PFEIFFER, 1846) – GR-GRC, GR-CYC, GR-DOD  
[?*compactus* L. PFEIFFER, 1848; *boeoticus* BOURGUIGNAT, 1876; *cadmeanus* BOURGUIGNAT, 1876; *heliconicus* BOURGUIGNAT, 1876; *obsoleta* P. HESSE, 1882; *brunneus* O. BOETTGER, 1894]

#### Genus *Chondrula* H. BECK, 1837

- *Chondrula beieri* KLEMM, 1962 – GR-GRC
- *Chondrula bergeri* (ROTH, 1839) – GR-GRC, GR-DOD  
[*tricuspis* ROSSMÄSSLER, 1842; *obesa* WESTERLUND, 1887; *turrita* WESTERLUND, 1887]
- *Chondrula macedonica* A.J. WAGNER, 1914 – GR-GRC  
[*procheuma* A.J. WAGNER, 1914]
- *Chondrula microtragus* (ROSSMÄSSLER, 1839) – GR-GRC  
[*artaensis* KLEMM, 1962; ?*euboicus* REEVE, 1849; ?*mutatus* WESTERLUND, 1890]
- *Chondrula minuta* (WESTERLUND, 1894) – GR-GRC  
[?*westerlundi* KOBELT, 1880]
- *Chondrula pindica* (WESTERLUND, 1894) – GR-GRC
- *Chondrula tricuspidata* (KÜSTER, 1843) – GR-GRC  
[*levaillantianus* BOURGUIGNAT, 1855; *foveicollis* O. BOETTGER, 1898]
- *Chondrula tridens tridens* (O.F. MÜLLER, 1774) – GR-GRC  
[*bayeri* L. PFEIFFER, 1858; *consentanea* WESTERLUND, 1887; ?*mygdonicus* WESTERLUND, 1894]
- *Chondrula wernerii* (STURANY, 1902) – GR-AEG

#### Genus *Mastus* H. BECK, 1837

- *Mastus abundans* MAASSEN, 1995 – GR-KRI
- *Mastus amenazada* WELTER-SCHULTES, 1999 - GR-KRI
- *Mastus athensis athensis* (L. PFEIFFER, 1847) – GR-GRC
- *Mastus athensis jaczewskii* (A.J. WAGNER, 1928) – GR-GRC
- *Mastus butoti* MAASSEN, 1995 – GR-KRI
- *Mastus carneolus* (MOUSSON, 1863) – GR-AEG  
[*subcarneolus* BOURGUIGNAT, 1876]
- *Mastus claudia* MAASSEN & WELTER-SCHULTES, 1998 – GR-KRI
- *Mastus cretensis* (L. PFEIFFER, 1846) – GR-KRI
- *Mastus emarginatus emarginatus* (DESHAYES, 1835) – GR-GRC, GR-DOD
- *Mastus emarginatus ehrenbergi* (L. PFEIFFER, 1847) – GR-GRC  
[*ventriosa* O. BOETTGER, 1894]
- *Mastus emarginatus turgidus* (KOBELT, 1877) – GR-DOD
- *Mastus etuberculatus* (FRAUENFELD, 1876) – GR-CYC

- [pseudogastrum P. HESSE, 1882; *milensis* O. BOETTGER, 1885]
- *Mastus gittenbergeri* MAASSEN, 1995 – GR-KRI
- *Mastus grandis grandis* (MOUSSON, 1859) – GR-GRC  
[*dirphicus* WESTERLUND, 1879; *ingens* KOBELT, 1880]
- *Mastus grandis giuricus* (WESTERLUND, 1901) – GR-GRC
- *Mastus hemmeni* MAASSEN, 1995 – GR-KRI
- *Mastus ierapetranus* MAASSEN, 1995 – GR-KRI
- *Mastus itanosensis* MAASSEN, 1995 – GR-KRI
- *Mastus olivaceus* (L. PFEIFFER, 1846) – GR-KRI
- *Mastus peloponnesicus peloponnesicus* (E. GITTENBERGER, 1984) – GR-GRC
- *Mastus procax* MAASSEN, 1995 – GR-KRI
- *Mastus pusio* (BRODERIP, 1836) – GR-CYC  
[*delesserti* BOURGUIGNAT, 1852]
- *Mastus riedeli* MAASSEN, 1995 – GR-KRI
- *Mastus rossmaessleri* (L. PFEIFFER, 1847) – GR-CYC, GR-DOD  
[*anaphiensis* FUCHS & KÄUFEL, 1936; ?*flavescens* WESTERLUND, 1887; ?*meus* WESTERLUND, 1890]
- *Mastus subaii* MAASSEN, 1995 – GR-KRI
- *Mastus sitiensis* MAASSEN, 1995 – GR-KRI
- *Mastus sphakiotus* MAASSEN, 1995 – GR-KRI
- *Mastus unius* (O. BOETTGER, 1885) – GR-DOD  
[*mestus* WESTERLUND, 1892]
- *Mastus violacea* MAASSEN, 1995 – GR-KRI

#### Genus *Meijeriella* BANK, 1985

- *Meijeriella canaliculata* BANK, 1985 – GR-AEG

Subordo \*\*\*\* (unnamed)  
Superfamilia Achatinoidea SWAINSON, 1840  
Familia Ferussaciidae BOURGUIGNAT, 1883

#### Genus *Cecilioides* A. FERUSSAC, 1814

- *Cecilioides acicula* (O.F. MÜLLER, 1774) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*terrestre* MONTAGU, 1803; *aciculoides* DE CRISTOFORI & JAN, 1832]
- *Cecilioides subsaxana* (BOURGUIGNAT, 1856) – GR-CYC, GR-AEG, GR-DOD-GR-KRI  
[*boettgeri* P. HESSE, 1882]
- *Cecilioides tumulorum* (BOURGUIGNAT, 1855) – GR-GRC, GR-CYC, GR-DOD, GR-KRI

#### Genus *Hohenwartiana* BOURGUIGNAT, 1864

- *Hohenwartiana hohenwarti* (ROSSMÄSSLER, 1839) – GR-GRC

#### Genus *Ferussacia* RISSO, 1826

##### Subgenus *Ferussacia* RISSO, 1826

- *Ferussacia (Ferussacia) folliculus* (GMELIN, 1791) – GR-GRC

Familia Subulinidae P. FISCHER & CROSSE, 1877  
Subfamilia Rumininae WENZ, 1923

#### Genus *Rumina* RISSO, 1826

- *Rumina decollata* (LINNAEUS, 1758) – GR-DOD, GR-KRI, GR-GRC

- *Rumina saharica* PALLARY, 1901 – GR-GRC, GR-CYC, GR-AEG, GR-DOD  
[*truncata* MOUSSON, 1854; *gracilis* L. PFEIFFER, 1856; *minima* KALTENBACH, 1951]

Subordo Sigmurethra PILSBRY, 1900  
Superfamilia Clausilioidea J.E. GRAY, 1855  
Familia Clausiliidae J.E. GRAY, 1855  
Subfamilia Serrulininae EHRMANN, 1927

#### Genus *Sciocochlea* C. BOETTGER, 1935

- *Sciocochlea collasi* (STURANY, 1904) – GR-GRC
- *Sciocochlea cryptica cryptica* SUBAI & SZEKERES, 1999 – GR-GRC
- *Sciocochlea cryptica acheron* A. REISCHÜTZ & P. REISCHÜTZ, 2004 – GR-GRC
- *Sciocochlea cryptica filiates* A. REISCHÜTZ & P. REISCHÜTZ, 2004 – GR-GRC
- *Sciocochlea nordsiecki* SUBAI, 1993 – GR-GRC

#### Genus *Graecophaedusa* RÄHLE, 1982

- *Graecophaedusa sperrlei* RÄHLE, 1982 – GR-GRC

#### Genus *Tsoukatosia* E. GITTENBERGER, 2000

##### Subgenus *Tsoukatosia* E. GITTENBERGER, 2000

- *Tsoukatosia (Tsoukatosia) liae* E. GITTENBERGER, 2000 – GR-GRC
- *Tsoukatosia (Tsoukatosia) subaii* HUNYADI & SZEKERES, 2009 – GR-GRC

##### Subgenus *Agiosspeleikos* A. REISCHÜTZ & P. REISCHÜTZ, 2003

- *Tsoukatosia (Agiosspeleikos) christinae* A. REISCHÜTZ & P. REISCHÜTZ, 2003 – GR-GRC

Subfamilia Alopiinae A.J. WAGNER, 1913  
Tribus Alopiini A.J. WAGNER, 1913

#### Genus *Triloba* VEST, 1867

- *Triloba thaumasia faueri* H. NORDSIECK, 1972 – GR-GRC

Tribus Medorini H. NORDSIECK, 1997

#### Genus *Agathylla* H. & A. ADAMS, 1855

##### Subgenus *Agathylla* H. & A. ADAMS, 1855

- *Agathylla (Agathylla) neutra neutra* (WESTERLUND, 1898) – GR-GRC  
[*scraparana* H. NORDSIECK, 1996]

#### Genus *Carinigera* MOELLENDORFF, 1873 [*Angiticosta* H. NORDSIECK, 1977; *Olympicosta* H. NORDSIECK, 1972]

##### Subgenus *Carinigera* MOELLENDORFF, 1873

- *Carinigera (Carinigera) albicosta* (O. BOETTGER, 1877) – GR-GRC
- *Carinigera (Carinigera) buresi buresi* (A.J. WAGNER, 1928) – GR-GRC
- *Carinigera (Carinigera) buresi cavallaensis* R. BRANDT, 1962 – GR-GRC
- *Carinigera (Carinigera) buresi conciliatrix* FUCHS & KÄUFEL, 1936 – GR-GRC
- *Carinigera (Carinigera) buresi dramaensis* H. NORDSIECK, 1977 – GR-GRC
- *Carinigera (Carinigera) buresi insularis* URBANSKI, 1960 – GR-GRC

- *Carinigera (Carinigera) buresi militis* H. NORDSIECK, 1977 – GR-GRC
- *Carinigera (Carinigera) buresi nordsiecki* E. GITTENBERGER & UIT DE WEERD, 2004 – GR-GRC
- *Carinigera (Carinigera) buresi polimilitis* E. GITTENBERGER & UIT DE WEERD, 2004 – GR-GRC
- *Carinigera (Carinigera) pharsalica* H. NORDSIECK, 1974 – GR-GRC
- *Carinigera (Carinigera) schuetti schuetti* R. BRANDT, 1962 – GR-GRC
- *Carinigera (Carinigera) schuetti limbrunneri* H. NORDSIECK, 1990 – GR-GRC
- *Carinigera (Carinigera) superba* H. NORDSIECK, 1977 – GR-GRC

#### Subgenus *Nymphogena* SAJÓ, 1968

- *Carinigera (Nymphogena) calabacensis* (WESTERLUND, 1892) – GR-GRC  
[*laevisculpta* WESTERLUND, 1894]
- *Carinigera (Nymphogena) dextrorsa* (O. BOETTGER, 1877) – GR-GRC  
[*crocea* SAJO, 1968]
- *Carinigera (Nymphogena) lophauchena* (STURANY, 1894) – GR-GRC
- *Carinigera (Nymphogena) praecipua praecipua* (SAJO, 1968) – GR-GRC
- *Carinigera (Nymphogena) praecipua serviana* (H. NORDSIECK, 1972) – GR-GRC
- *Carinigera (Nymphogena) stussineri stussineri* (O. BOETTGER, 1885) – GR-GRC  
[*minor* O. BOETTGER, 1885]
- *Carinigera (Nymphogena) stussineri brandti* (H. NORDSIECK, 1972) – GR-GRC
- *Carinigera (Nymphogena) stussineri pachychilina* (H. NORDSIECK, 1972) – GR-GRC
- *Carinigera (Nymphogena) tantilla* (R. BRANDT, 1972) – GR-GRC
- *Carinigera (Nymphogena?) thessalonica thessalonica* (H. NORDSIECK, 1972) – GR-GRC
- *Carinigera (Nymphogena?) thessalonica crassilabra* (NEUBERT, 1993) – GR-GRC
- *Carinigera (Nymphogena) torifera* (O. BOETTGER, 1885) – GR-GRC

#### Subgenus *Sporadhia* E. GITTENBERGER & UIT DE WEERD, 2006

- *Carinigera (Sporadhia) chelidromia chelidromia* (O. BOETTGER, 1889) – GR-GRC
- *Carinigera (Sporadhia) chelidromia giurica* (O. BOETTGER, 1892) – GR-GRC
- *Carinigera (Sporadhia) chelidromia piperica* (H. NORDSIECK, 1984) – GR-GRC
- *Carinigera (Sporadhia) leucorhapha* (O. BOETTGER, 1878) – GR-GRC
- *Carinigera (Sporadhia) liebegottae* (H. NORDSIECK, 1984) – GR-GRC
- *Carinigera (Sporadhia) praestans* (WESTERLUND, 1893) – GR-GRC

#### Genus *Vallatia* E. GITTENBERGER & UIT DE WEERD, 2006

- *Vallatia vallata vallata* (MOUSSON, 1859) – GR-GRC  
[*biplex* WESTERLUND, 1884]
- *Vallatia vallata errata* (FAUER, 1985) – GR-GRC

#### Genus *Isabellaria* VEST, 1867 [*Bathyclista* O. BOETTGER, 1885; *Charites* WESTERLUND, 1901; *Euclista* O. BOETTGER, 1878; *Protalbinaria* A.J. WAGNER, 1923; *Sericata* O. BOETTGER, 1878; *Venusta* O. BOETTGER, 1877]

- *Isabellaria abyssoclista* (O. BOETTGER, 1883) – GR-GRC
- *Isabellaria almae* (O. BOETTGER, 1889) – GR-GRC
- *Isabellaria bathyclista* (O. BOETTGER, 1879) – GR-GRC  
[*minor* O. BOETTGER, 1879]
- *Isabellaria clandestina clandestina* (ROSSMÄSSLER, 1857) – GR-GRC  
[*boeotica* KÜSTER, 1861; *dissimilis* WESTERLUND, 1884; *livadica* WESTERLUND, 1894; *scoliostoma* WESTERLUND, 1893]
- *Isabellaria clandestina subsuturalis* (WESTERLUND, 1893) – GR-GRC
- *Isabellaria isabellina isabellina* (L. PFEIFFER, 1842) – GR-GRC  
[*reeveana* L. PFEIFFER, 1850; *aeginae* WESTERLUND, 1890]

- *Isabellaria isabellina osculans* (E. VON MARTENS, 1876) – GR-GRC  
[*kondourana* WESTERLUND, 1878]
- *Isabellaria isabellina thebana* (E. VON MARTENS, 1876) – GR-GRC
- *Isabellaria lutracana* (H. NORDSIECK, 1977) – GR-GRC
- *Isabellaria parnassia* (O. BOETTGER, 1888) – GR-GRC
- *Isabellaria perplana perplana* (O. BOETTGER, 1877) – GR-GRC
- *Isabellaria perplana josephinae* (O. BOETTGER, 1880) – GR-GRC
- *Isabellaria perplana triodos* H. NORDSIECK, 1974 – GR-GRC
- *Isabellaria riedeli riedeli* R. BRANDT, 1961 – GR-GRC
- *Isabellaria riedeli distanta* SZEKERES, 1999 – GR-GRC
- *Isabellaria saxicola saxicola* (L. PFEIFFER, 1848) – GR-GRC  
[*rubicunda* KÜSTER, 1851; *fausta* A. SCHMIDT, 1868]
- *Isabellaria saxicola aperta* (KÜSTER, 1861) – GR-GRC
- *Isabellaria saxicola charpentieri* (L. PFEIFFER, 1849) – GR-GRC  
[*hanleyana* L. PFEIFFER, 1849; *laminifera* WESTERLUND, 1884; *prusia* WESTERLUND, 1893]
- *Isabellaria saxicola limbatula* H. NORDSIECK, 1993 – GR-GRC  
[*limbata* WESTERLUND, 1898]
- *Isabellaria saxicola lunellaris* (L. PFEIFFER, 1849) – GR-GRC  
[*strangolia* WESTERLUND, 1884]
- *Isabellaria saxicola negropontina* (L. PFEIFFER, 1849) – GR-GRC  
[*vespertina* WESTERLUND, 1884; *symphyta* WESTERLUND, 1893]
- *Isabellaria saxicola suturalis* (KÜSTER, 1861) – GR-GRC  
[*patula* KÜSTER, 1851]
- *Isabellaria saxicola thessala* (O. BOETTGER, 1886) – GR-GRC
- *Isabellaria sericata* (L. PFEIFFER, 1850) – GR-GRC  
[*bifilosa* O. BOETTGER, 1878; *senex* O. BOETTGER, 1878; *albofilosa* WESTERLUND, 1884;  
*delphica* WESTERLUND, 1884; *ejecta* WESTERLUND, 1901]
- *Isabellaria thermopylarum thermopylarum* (L. PFEIFFER, 1850) – GR-GRC  
[*venusta* A. SCHMIDT, 1868; *coarctata* WESTERLUND, 1878; *pusilla* WESTERLUND & BLANC,  
1879; *trisuturalis* O. BOETTGER, 1886]
- *Isabellaria thermopylarum blanci* (E. VON MARTENS, 1876) – GR-GRC
- *Isabellaria thermopylarum faueri* H. NORDSIECK, 1974 – GR-GRC

#### Genus *Inchoatia* E. GITTENBERGER & UIT DE WEERD, 2006

- *Inchoatia haussknechti haussknechti* (O. BOETTGER, 1886) – GR-GRC  
[*orina* WESTERLUND, 1894]
- *Inchoatia haussknechti alticola* (H. NORDSIECK, 1984) – GR-GRC
- *Inchoatia haussknechti hiltrudae* (H. NORDSIECK, 1974) – GR-GRC
- *Inchoatia haussknechti refuga* (WESTERLUND, 1894) – GR-GRC
- *Inchoatia haussknechti semilaevis* (O. BOETTGER, 1889) – GR-GRC
- *Inchoatia inchoata inchoata* (O. BOETTGER, 1889) – GR-GRC  
[*perfecta* WESTERLUND, 1901]
- *Inchoatia inchoata klemmi* (H. NORDSIECK, 1972) – GR-GRC
- *Inchoatia inchoata paramythica* (H. NORDSIECK, 1974) – GR-GRC
- *Inchoatia megdova megdova* (H. NORDSIECK, 1974) – GR-GRC
- *Inchoatia megdova palatalifera* (HAUSDORF, 1987) – GR-GRC
- *Inchoatia megdova tavropodensis* (FAUER, 1993) – GR-GRC
- *Inchoatia regina* (H. NORDSIECK, 1972) – GR-GRC

#### Genus *Albinaria* VEST, 1864

##### Subgenus *Graeca* O. BOETTGER, 1877 [*Profuga* O. BOETTGER, 1878]

- *Albinaria (Graeca) adriani adriani* (E. GITTENBERGER, 1987) – GR-GRC
- *Albinaria (Graeca) adriani gittenbergeri* H. NORDSIECK, 2007 – GR-GRC

- *Albinaria (Graeca) argynnis argynnis* (WESTERLUND, 1898) – GR-GRC
- *Albinaria (Graeca) argynnis angulipoma* H. NORDSIECK, 2007 – GR-GRC
- *Albinaria (Graeca) argynnis exaggerata* H. NORDSIECK, 2007 – GR-GRC
- *Albinaria (Graeca) argynnis geraniensis* NEUBERT, 1998 – GR-GRC
- *Albinaria (Graeca) argynnis levipalatalis* E. GITTENBERGER, 1994 – GR-GRC
- *Albinaria (Graeca) argynnis profundella* E. GITTENBERGER, 1994 – GR-GRC
- *Albinaria (Graeca) bigibbosula bigibbosula* WESTERLUND, 1878 – GR-GRC  
[*neglecta* FAUER, 1993]
- *Albinaria (Graeca) bigibbosula sibyllae* FAUER, 1993 – GR-GRC
- *Albinaria (Graeca) campylauchen campylauchen* (O. BOETTGER, 1883) – GR-GRC
- *Albinaria (Graeca) campylauchen sikeensis* (H. NORDSIECK, 1984) – GR-GRC
- *Albinaria (Graeca) campylauchen spiralifera* H. NORDSIECK, 2007 – GR-GRC
- *Albinaria (Graeca) hohorsti* H. NORDSIECK, 1984 – GR-GRC
- *Albinaria (Graeca) linnei* E. GITTENBERGER, 2008 – GR-GRC
- *Albinaria (Graeca) litoraria litoraria* NEUBERT, 1998 – GR-GRC
- *Albinaria (Graeca) litoraria profugella* H. NORDSIECK, 2007 – GR-GRC
- *Albinaria (Graeca) mixta mixta* H. NORDSIECK, 1984 – GR-GRC
- *Albinaria (Graeca) mixta inflexa* NEUBERT, 1998 – GR-GRC
- *Albinaria (Graeca) mixta interposita* H. NORDSIECK, 2007 – GR-GRC
- *Albinaria (Graeca) petrosa petrosa* (L. PFEIFFER, 1849) – GR-GRC
- *Albinaria (Graeca) petrosa astrosensis* H. NORDSIECK, 2007 – GR-GRC
- *Albinaria (Graeca) petrosa tanocola* H. NORDSIECK, 2007 – GR-GRC
- *Albinaria (Graeca) profuga* (CHARPENTIER, 1852) – GR-GRC  
[*minor* CHARPENTIER, 1852; *collaris* WESTERLUND, 1894; *argolina* WESTERLUND, 1894;  
*indigena* A. SCHMIDT, 1868]
- *Albinaria (Graeca) solicola solicola* NEUBERT, 1998 – GR-GRC
- *Albinaria (Graeca) solicola leonidiae* NEUBERT, 1998 – GR-GRC
- *Albinaria (Graeca) subaii* (H. NORDSIECK, 1984) – GR-GRC
- *Albinaria (Graeca) thiesseae* (O. BOETTGER, 1880) – GR-GRC

#### Subgenus *Graja* O. BOETTGER, 1878 [*Naevoza* O. BOETTGER, 1878]

- *Albinaria (Graja) adrianae adrianae* E. GITTENBERGER, 1979 – GR-GRC  
[*kocki* H. NORDSIECK, 1979]
- *Albinaria (Graja) adrianae dubia* E. GITTENBERGER, 1979 – GR-GRC
- *Albinaria (Graja) arcadica arcadica* (O. BOETTGER, 1878) – GR-GRC
- *Albinaria (Graja) arcadica dorica* (O. BOETTGER, 1889) – GR-GRC
- *Albinaria (Graja) arcadica hydriota* (O. BOETTGER, 1891) – GR-GRC
- *Albinaria (Graja) arcadica leucochroa* H. NORDSIECK, 1984 – GR-GRC
- *Albinaria (Graja) butoti butoti* (H. NORDSIECK, 1984) – GR-GRC
- *Albinaria (Graja) butoti gracilicosta* H. NORDSIECK, 2007 – GR-GRC
- *Albinaria (Graja) confusa confusa* (O. BOETTGER, 1878) – GR-GRC
- *Albinaria (Graja) confusa perconfusa* H. NORDSIECK, 2007 – GR-GRC
- *Albinaria (Graja) contaminata contaminata* (ROSSMÄSSLER, 1835) – GR-GRC  
[*fuscostrigata* O. BOETTGER, 1878; *lactea* ROSSMÄSSLER, 1839; *major* O. BOETTGER, 1878;  
*soluta* MOUSSON, 1859]
- *Albinaria (Graja) contaminata artaensis* (O. BOETTGER, 1878) – GR-GRC  
[*interjecta* KÄUFEL, 1930; *pumilio* KÄUFEL, 1930]
- *Albinaria (Graja) contaminata incommoda* (O. BOETTGER, 1878) – GR-GRC
- *Albinaria (Graja) contaminata muraria* (A. SCHMIDT, 1868) – GR-GRC
- *Albinaria (Graja) contaminata odysseus* (O. BOETTGER, 1878) – GR-GRC
- *Albinaria (Graja) contaminata periporon* KEMPERMAN & E. GITTENBERGER, 1992 – GR-GRC
- *Albinaria (Graja) grisea grisea* (DESHAYES, 1835) – GR-GRC  
[*thiesseana* O. BOETTGER, 1878]

- *Albinaria (Graja) grisea akrocurta* E. GITTENBERGER, 1994 – GR-GRC
- *Albinaria (Graja) grisea heterochroa* (WESTERLUND, 1894) – GR-GRC  
[*minor* STURANY, 1902; *wernerii* STURANY, 1902]
- *Albinaria (Graja) grisea immensa* (O. BOETTGER, 1889) – GR-GRC
- *Albinaria (Graja) grisea micromaculata* NEUBERT, 1998 – GR-GRC
- *Albinaria (Graja) idyllica* (E. GITTENBERGER, 1987) – GR-GRC
- *Albinaria (Graja) jonica jonica* (L. PFEIFFER, 1866) – GR-GRC
- *Albinaria (Graja) jonica assicola* KEMPERMAN & E. GITTENBERGER, 1990 – GR-GRC
- *Albinaria (Graja) krueperi krueperi* (L. PFEIFFER, 1866) – GR-GRC  
[*furcilla* WESTERLUND, 1879]
- *Albinaria (Graja) krueperi dissipata* (O. BOETTGER, 1878) – GR-GRC  
[*aetolica* WESTERLUND, 1890]
- *Albinaria (Graja) krueperi holostoma* (O. BOETTGER, 1883) – GR-GRC
- *Albinaria (Graja) nivea nivea* (L. PFEIFFER, 1854) – GR-GRC  
[*incrustedata* O. BOETTGER, 1883]
- *Albinaria (Graja) nivea cathara* (WESTERLUND, 1894) – GR-GRC
- *Albinaria (Graja) nivea goldfussi* (O. BOETTGER, 1883) – GR-GRC  
[*chaperi* WESTERLUND, 1886; *humillima* WESTERLUND, 1901]
- *Albinaria (Graja) nivea messenica* (E. VON MARTENS, 1876) – GR-GRC  
[*brenskii* O. BOETTGER, 1883; *laconica* O. BOETTGER, 1878]
- *Albinaria (Graja) schuchii schuchii* (ROSSMÄSSLER, 1836) – GR-GRC  
[*massenae* POTIEZ & MICHAUD, 1838; *maculosa* DESHAYES, 1835; *tumida* O. BOETTGER, 1878]
- *Albinaria (Graja) schuchii liebetruti* (CHARPENTIER, 1852) – GR-GRC  
[*inspersa* CHARPENTIER, 1852; *naevosa* L. PFEIFFER, 1841]
- *Albinaria (Graja) schuchii olympica* H. NORDSIECK, 1974 – GR-GRC  
[*oertzeni* O. BOETTGER, 1889: 52]
- *Albinaria (Graja) schuchii oscarii* (O. BOETTGER, 1883) – GR-GRC
- *Albinaria (Graja) schuchii samiensis* KEMPERMAN & E. GITTENBERGER, 1992 – GR-GRC
- *Albinaria (Graja) senilis senilis* (ROSSMÄSSLER, 1836) – GR-GRC  
[*modesta* ROSSMÄSSLER, 1836]
- *Albinaria (Graja) senilis castrensis* (MOUSSON, 1859) – GR-GRC  
[*major* O. BOETTGER, 1878; *othona* WESTERLUND, 1901]
- *Albinaria (Graja) senilis corcyrensis* (MOUSSON, 1859) – GR-GRC  
[*major* O. BOETTGER, 1878; *media* O. BOETTGER, 1878; *minor* O. BOETTGER, 1878]
- *Albinaria (Graja) senilis epirotica* (MOUSSON, 1859) – GR-GRC
- *Albinaria senilis flavescens* (O. BOETTGER, 1878) – GR-GRC  
[*transiens* O. BOETTGER, 1878; *interpicta* O. BOETTGER, 1878]
- *Albinaria (Graja) senilis inconstans* (MOUSSON, 1859) – GR-GRC
- *Albinaria (Graja) senilis kolpomyrtensis* KEMPERMAN & E. GITTENBERGER, 1990 – GR-GRC
- *Albinaria (Graja) senilis leucadia* (WESTERLUND, 1901) – GR-GRC
- *Albinaria (Graja) senilis saginata* (WESTERLUND, 1901) – GR-GRC

**Subgenus *Laconica* O. BOETTGER, 1878 [*Pistillum* O. BOETTGER, 1892; *Scopulosa* O. BOETTGER, 1878]**

- *Albinaria (Laconica) broemmeri* (O. BOETTGER, 1892) – GR-GRC
- *Albinaria (Laconica) gerolimena gerolimena* H. NORDSIECK, 1974 – GR-GRC
- *Albinaria (Laconica) gerolimena concinna* FAUER, 1978 – GR-GRC
- *Albinaria (Laconica) gerolimena maniensis* FAUER, 1978 – GR-GRC
- *Albinaria (Laconica) hians hians* (O. BOETTGER, 1878) – GR-GRC  
[*sublactea* O. BOETTGER, 1883; *immersa* WESTERLUND, 1898]
- *Albinaria (Laconica) hians achaica* (O. BOETTGER, 1885) – GR-GRC
- *Albinaria (Laconica) hians conemenosi* (O. BOETTGER, 1883) – GR-GRC
- *Albinaria (Laconica) hians cyclothyra* (O. BOETTGER, 1878) – GR-GRC

- *Albinaria (Laconica) hians macrodera* (O. BOETTGER, 1885) – GR-GRC
- *Albinaria (Laconica) hians perlactea* H. NORDSIECK, 1974 – GR-GRC
- *Albinaria (Laconica) hians violascens* (WESTERLUND, 1894) – GR-GRC
- *Albinaria (Laconica) ithomensis* H. NORDSIECK, 1978 – GR-GRC
- *Albinaria (Laconica) menelaus menelaus* (E. VON MARTENS, 1873) – GR-GRC  
[*minor* E. VON MARTENS, 1873]
- *Albinaria (Laconica) menelaus semicostulata* (O. BOETTGER, 1878) – GR-GRC  
[*juncea* WESTERLUND, 1894]
- *Albinaria (Laconica) scopulosa scopulosa* (CHARPENTIER, 1852) – GR-GRC
- *Albinaria (Laconica) scopulosa cristata* HAUSDORF, 1987 – GR-GRC
- *Albinaria (Laconica) scopulosa epirotes* H. NORDSIECK, 1974 – GR-GRC
- *Albinaria (Laconica) scopulosa faueri* HAUSDORF, 1987 – GR-GRC
- *Albinaria (Laconica) scopulosa glabricollis* (L. PFEIFFER, 1866) – GR-GRC
- *Albinaria (Laconica) scopulosa porrecta* HAUSDORF, 1987 – GR-GRC
- *Albinaria (Laconica) scopulosa winneguthi* (A.J. WAGNER, 1914) – GR-GRC
- *Albinaria (Laconica) voithii voithii* (ROSSMÄSSLER, 1836) – GR-GRC
- *Albinaria (Laconica) voithii agesilaus* (E. von MARTENS, 1873) – GR-GRC  
[*agamemnon* O. BOETTGER, 1878]

#### **Subgenus *Cerigana* O. BOETTGER, 1878**

- *Albinaria (Cerigana) compressa compressa* (L. PFEIFFER, 1850) – GR-GRC  
[*calcarea* O. BOETTGER, 1880]
- *Albinaria (Cerigana) compressa subcompressa* O. BOETTGER, 1894 – GR-GRC
- *Albinaria (Cerigana) cytherae cerigottana* (O. BOETTGER, 1894) – GR-GRC
- *Albinaria (Cerigana) cytherae cytherae* (O. BOETTGER, 1894) – GR-GRC  
[*petronella* WESTERLUND, 1894]
- *Albinaria (Cerigana) discolor discolor* (L. PFEIFFER, 1846) – GR-GRC
- *Albinaria (Cerigana) discolor flammulata* (L. PFEIFFER, 1850) – GR-GRC  
[*costulata* O. BOETTGER, 1878]
- *Albinaria (Cerigana) discolor inaequata* (O. BOETTGER, 1878) – GR-GRC
- *Albinaria (Cerigana) discolor moderata* FAUER, 1993 – GR-GRC
- *Albinaria (Cerigana) discolor zebra* H. NORDSIECK, 2007 – GR-GRC
- *Albinaria (Cerigana) edmundi* (E. GITTENBERGER, 1987) – GR-GRC
- *Albinaria (Cerigana) evelynae* E. GITTENBERGER, 1998 – GR-GRC
- *Albinaria (Cerigana) grayana* (L. PFEIFFER, 1846) – GR-GRC  
[*gracilior* O. BOETTGER, 1883; *graeca* L. PFEIFFER, 1850]
- *Albinaria (Cerigana) haessleini haessleini* (FAUER, 1978) – GR-GRC
- *Albinaria (Cerigana) haessleini ecclesiophila* H. NORDSIECK, 2007 – GR-GRC
- *Albinaria (Cerigana) haessleini eureka* E. GITTENBERGER, 1994 – GR-GRC
- *Albinaria (Cerigana) pelocarinata* E. GITTENBERGER, 1994 – GR-GRC
- *Albinaria (Cerigana) zilchi* FAUER, 1993 – GR-GRC

#### **Subgenus *Egana* O. BOETTGER, 1878 [*Striata* O. BOETTGER, 1878]**

- *Albinaria (Egana) amalthea amalthea* (WESTERLUND, 1878) – GR-KRI  
[*costulata* WESTERLUND, 1878; *pygmaea* O. BOETTGER, 1878]
- *Albinaria (Egana) amalthea bipalatalis* (E. VON MARTENS, 1878) – GR-KRI
- *Albinaria (Egana) arthuriana* (O. BOETTGER, 1878) – GR-KRI
- *Albinaria (Egana) candida candida* (L. PFEIFFER, 1850) – GR-KRI  
[? *straminea* A. SCHMIDT, 1868]
- *Albinaria (Egana) candida homalorhapse* (L. PFEIFFER, 1850) – GR-KRI  
[*strigata* L. PFEIFFER, 1850]
- *Albinaria (Egana) fulvula* FLACH, 1988 – GR-KRI



- *Albinaria (Egana) hippolyti hippolyti* (O. BOETTGER, 1878) – GR-KRI  
[*hieronymi* SCHILTHUIZEN & E. GITTENBERGER, 1990]
- *Albinaria (Egana) hippolyti aphrodite* (O. BOETTGER, 1883) – GR-KRI  
[*francisi* SCHILTHUIZEN & E. GITTENBERGER, 1990]
- *Albinaria (Egana) hippolyti asterousea* SCHILTHUIZEN, WELTER-SCHULTES & WIESE, 1993 – GR-KRI
- *Albinaria (Egana) hippolyti harmonica* SCHILTHUIZEN, WELTER-SCHULTES & WIESE, 1993 – GR-KRI
- *Albinaria (Egana) hippolyti holtzi* (STURANY, 1904) – GR-KRI  
[*neuteboomi* SCHILTHUIZEN & E. GITTENBERGER, 1990]
- *Albinaria (Egana) leonisorum* (O. BOETTGER, 1901) – GR-KRI
- *Albinaria (Egana) pondika* WELTER-SCHULTES, 2010 – GR-KRI
- *Albinaria (Egana) ulrikae* SCHILTHUIZEN & E. GITTENBERGER, 1990 – GR-KRI
- *Albinaria (Egana) violacea violacea* SCHILTHUIZEN & E. GITTENBERGER, 1990 – GR-KRI
- *Albinaria (Egana) violacea dextrogyra* SCHILTHUIZEN & E. GITTENBERGER, 1990 – GR-KRI
- *Albinaria (Egana) wiesei* E. GITTENBERGER, 1988 – GR-KRI
- *Albinaria (Egana) xanthostoma xanthostoma* (O. BOETTGER, 1883) – GR-KRI
- *Albinaria (Egana) xanthostoma loosjesi* H. NORDSIECK, 1977 – GR-KRI

#### Subgenus *Diadoma* WESTERLUND, 1901 [*Schultesiella* WIESE, 1989]

- *Albinaria (Diadoma) christae* WIESE, 1989 – GR-KRI
- *Albinaria (Diadoma) jaeckeli* WIESE, 1990 – GR-KRI
- *Albinaria (Diadoma) torticollis* (OLIVIER, 1801) – GR-KRI

#### Subgenus *Cretica* O. BOETTGER, 1878

- *Albinaria (Cretica) byzantina* (CHARPENTIER, 1852) – GR-KRI, GR-AEG  
[*adpersa* O. BOETTGER, 1878; *convexior* O. BOETTGER, 1878; *solidula* L. PFEIFFER, 1856; *mitylena* ALBERS, 1857]
- *Albinaria (Cretica) eburnea eburnea* (L. PFEIFFER, 1854) – GR-KRI
- *Albinaria (Cretica) eburnea glabella* (L. PFEIFFER, 1864) – GR-KRI  
[*deglupta* O. BOETTGER, 1878; *semialba* O. BOETTGER, 1878; *pura* O. BOETTGER, 1878; *spratti* O. BOETTGER, 1883]
- *Albinaria (Cretica) eburnea inflaticollis* H. NORDSIECK, 2004 – GR-KRI
- *Albinaria (Cretica) eburnea samariae* H. NORDSIECK, 2004 – GR-KRI
- *Albinaria (Cretica) cretensis* (ROSSMÄSSLER, 1836) – GR-KRI  
[*microtypica* A.J. WAGNER, 1924]
- *Albinaria (Cretica) sphakiota* (MALTZAN, 1887) – GR-KRI  
[*porphyrostoma* A.J. WAGNER, 1924]
- *Albinaria (Cretica) sublamellosa sublamellosa* (O. BOETTGER, 1883) – GR-KRI
- *Albinaria (Cretica) sublamellosa heteroptyx* (O. BOETTGER, 1883) – GR-KRI
- *Albinaria (Cretica) sublamellosa obliterateda* (O. BOETTGER, 1883) – GR-KRI
- *Albinaria (Cretica) sublamellosa schultesi* WIESE, 1988 – GR-KRI
- *Albinaria (Cretica) tenuicostata tenuicostata* (L. PFEIFFER, 1864) – GR-KRI  
[*grabusana* O. BOETTGER, 1883; *humillima* O. BOETTGER, 1883; *mitis* WESTERLUND, 1892]
- *Albinaria (Cretica) tenuicostata omalica* (WESTERLUND, 1892) – GR-KRI
- *Albinaria (Cretica) troglodytes troglodytes* (A. SCHMIDT, 1868) – GR-KRI
- *Albinaria (Cretica) troglodytes niproensis* H. NORDSIECK, 2004 – GR-KRI
- *Albinaria (Cretica) troglodytes strictecostata* (O. BOETTGER, 1878) – GR-KRI
- *Albinaria (Cretica) troglodytes subvirginea* (O. BOETTGER, 1883) – GR-KRI  
[*faracimen* WESTERLUND, 1884]
- *Albinaria (Cretica) troglodytes vexans* (O. BOETTGER, 1883) – GR-KRI  
[*interpres* WESTERLUND, 1892]
- *Albinaria (Cretica) virginea virginea* (L. PFEIFFER, 1846) – GR-KRI  
[*leucoderma* WESTERLUND, 1892; *vianensis* A.J. WAGNER, 1924]

- *Albinaria (Cretica) virginea gavdopoulensis* H. NORDSIECK, 2004 – GR-KRI
- *Albinaria (Cretica) virginea gavdosensis* H. NORDSIECK, 2004 – GR-KRI
- *Albinaria (Cretica) virginea litoralis* H. NORDSIECK, 2004 – GR-KRI
- *Albinaria (Cretica) virginea rodakinensis* WIESE, 1991 – GR-KRI
- *Albinaria (Cretica) virginea strigata* (O. BOETTGER, 1878) – GR-KRI, GR-DOD  
[*orientalis* O. BOETTGER, 1883; *acuticosa* WESTERLUND, 1892; *centralis* WESTERLUND, 1892]

**Subgenus *Mirabellina* O. BOETTGER, 1878 [*Corrugata* O. BOETTGER, 1878; *Interstriata* O. BOETTGER, 1878; *Teresio* BOETTGER, 1878]**

- *Albinaria (Mirabellina) ariadne* SCHILTHUIZEN & E. GITTENBERGER, 1991 – GR-KRI
- *Albinaria (Mirabellina) corrugata corrugata* (BRUGUIERE, 1792) – GR-KRI  
[*draparnaldi* H. BECK, 1837; *almyrosana* O. BOETTGER, 1878; *homaloraphe* O. BOETTGER, 1878]
- *Albinaria (Mirabellina) corrugata alada* WELTER-SCHULTES & WIESE, 1991 – GR-KRI
- *Albinaria (Mirabellina) corrugata doerfleri* A.J. WAGNER, 1924 – GR-KRI
- *Albinaria (Mirabellina) corrugata inflata* (OLIVIER, 1801) – GR-KRI  
[*epimenides* O. BOETTGER, 1878; *tumens* H. BECK, 1837]
- *Albinaria (Mirabellina) corrugata lasiotica* A.J. WAGNER, 1924 – GR-KRI
- *Albinaria (Mirabellina) corrugata purpurea* REITSMA, 1988 – GR-KRI
- *Albinaria (Mirabellina) corrugata turgida* (A.J. WAGNER, 1924) – GR-KRI
- *Albinaria (Mirabellina) fuchskaeufeli* H. NORDSIECK, 1977 – GR-CYC  
[*wernerii* FUCHS & KÄUFEL, 1936]
- *Albinaria (Mirabellina) idaea idaea* (L. PFEIFFER, 1850) – GR-KRI  
[*zeus* H. NORDSIECK, 1977]
- *Albinaria (Mirabellina) idaea amabilis* ENGELHARD & SLIK, 1994 – GR-KRI
- *Albinaria (Mirabellina) idaea lindneri* H. NORDSIECK, 1998 – GR-KRI
- *Albinaria (Mirabellina) idaea pichcapunlla* WELTER-SCHULTES & WIESE, 1991 – GR-KRI
- *Albinaria (Mirabellina) idaea rolli* H. NORDSIECK, 1977 – GR-KRI
- *Albinaria (Mirabellina) idaea venosa* (O. BOETTGER, 1883) – GR-KRI
- *Albinaria (Mirabellina) janicollis* WELTER-SCHULTES & WIESE, 1991 – GR-KRI
- *Albinaria (Mirabellina) janisadana janisadana* LOOSJES, 1955 – GR-KRI  
[*dragonarana* LOOSJES, 1955]
- *Albinaria (Mirabellina) janisadana paximadiana* LOOSJES, 1955 – GR-KRI
- *Albinaria (Mirabellina) lerosiensis* (L. PFEIFFER, 1841) – GR-DOD  
[*latecostata* O. BOETTGER, 1878]
- *Albinaria (Mirabellina) li* WELTER-SCHULTES, 1999 – GR-KRI
- *Albinaria (Mirabellina) maltzani* (O. BOETTGER, 1883) – GR-KRI
- *Albinaria (Mirabellina) moreletiana* (O. BOETTGER, 1878) – GR-KRI
- *Albinaria (Mirabellina) olivieri olivieri* (ROTH, 1839) – GR-DOD  
[*aequecostata* POLLONERA, 1916; *katabiensis* POLLONERA, 1916]
- *Albinaria (Mirabellina) olivieri armathia* (O. BOETTGER, 1889) – GR-DOD
- *Albinaria (Mirabellina) olivieri camura* (O. BOETTGER, 1889) – GR-DOD
- *Albinaria (Mirabellina) olivieri carpathia* (O. BOETTGER, 1883) – GR-DOD
- *Albinaria (Mirabellina) olivieri famosa* (O. BOETTGER, 1889) – GR-DOD
- *Albinaria (Mirabellina) olivieri oertzeni* (O. BOETTGER, 1889) – GR-DOD
- *Albinaria (Mirabellina) praeclara praeclara* (L. PFEIFFER, 1853) – GR-KRI  
[*major* O. BOETTGER, 1883]
- *Albinaria (Mirabellina) praeclara clarissima* H. NORDSIECK, 1984 – GR-KRI
- *Albinaria (Mirabellina) praeclara drakakisi* (MALTZAN, 1884) – GR-KRI  
[*devia* WESTERLUND, 1892]
- *Albinaria (Mirabellina) praeclara parallelifera* (O. BOETTGER, 1878) – GR-KRI
- *Albinaria (Mirabellina) praeclara rudis* (L. PFEIFFER, 1864) – GR-KRI  
[*clara* O. BOETTGER, 1878; *multicosta* O. BOETTGER, 1883; *paucicosta* O. BOETTGER, 1883]
- *Albinaria retusa retusa* (OLIVIER, 1801) – GR-KRI

- *Albinaria retusa marmorata* WELTER-SCHULTES, 1990 – GR-KRI
- *Albinaria (Mirabellina) spratti* (L. PFEIFFER, 1846) – GR-KRI
- *Albinaria (Mirabellina) terebra* (L. PFEIFFER, 1853) – GR-KRI
- *Albinaria (Mirabellina) teres teres* (OLIVIER, 1801) – GR-KRI
- *Albinaria (Mirabellina) teres distans* (L. PFEIFFER, 1856) – GR-KRI
- *Albinaria (Mirabellina) teres extensa* (L. PFEIFFER, 1864) – GR-KRI  
[*vesti* O. BOETTGER, 1883; *suturalis* O. BOETTGER, 1883; *hierapetrana* K.L. PFEIFFER, 1956]
- *Albinaria (Mirabellina) teres manselli* (O. BOETTGER, 1883) – GR-KRI
- *Albinaria (Mirabellina) teres nordsiecki* ZILCH, 1977 – GR-KRI  
[*insularis* O. BOETTGER, 1883; *orientalis* WESTERLUND, 1884; *subcostata* WESTERLUND, 1901]
- *Albinaria (Mirabellina) teres phalanga* (O. BOETTGER, 1883) – GR-KRI
- *Albinaria (Mirabellina) teres toplouensis* WELTER-SCHULTES & WIESE, 1991 – GR-KRI
- *Albinaria (Mirabellina) teres vermiculata* (O. BOETTGER, 1883) – GR-KRI  
[*megalostoma* O. BOETTGER, 1889; *insularis* O. BOETTGER, 1883]
- *Albinaria (Mirabellina) teres xerocampensis* WIESE, 1990 – GR-KRI

#### Subgenus [no name]

- *Albinaria klemmi* O. PAGET, 1971 – GR-DOD

#### Subgenus *Albinaria* VEST, 1864 [*Archipelagica* O. BOETTGER, 1878]

- *Albinaria (Albinaria) brevicollis brevicollis* (L. PFEIFFER, 1850) – GR-DOD  
[*eremita* CHARPENTIER, 1852; *rhodia* POLLONERA, 1916]
- *Albinaria (Albinaria) brevicollis anaphiensis* (O. BOETTGER, 1878) – GR-CYC
- *Albinaria (Albinaria) brevicollis astropalia* (O. BOETTGER, 1883) – GR-DOD
- *Albinaria (Albinaria) brevicollis casia* (O. BOETTGER, 1883) – GR-DOD
- *Albinaria (Albinaria) brevicollis castellensis* K.L. PFEIFFER, 1955 – GR-DOD
- *Albinaria (Albinaria) brevicollis chalcidensis* (O. BOETTGER, 1889) – GR-DOD
- *Albinaria (Albinaria) brevicollis contraria* FUCHS & KÄUFEL, 1936 – GR-DOD
- *Albinaria (Albinaria) brevicollis heracleensis* (O. BOETTGER, 1883) – GR-DOD  
[*karavica* FUCHS & KÄUFEL, 1936]
- *Albinaria (Albinaria) brevicollis kosensis* K.L. PFEIFFER, 1955 – GR-DOD  
[*sublaevigata?* O. BOETTGER, 1878]
- *Albinaria (Albinaria) brevicollis koskinensis* (POLLONERA, 1916) – GR-DOD
- *Albinaria (Albinaria) brevicollis sculpticollis* (O. BOETTGER, 1883) – GR-DOD
- *Albinaria (Albinaria) brevicollis sica* FUCHS & KÄUFEL, 1936 – GR-DOD
- *Albinaria (Albinaria) brevicollis simiensis* K.L. PFEIFFER, 1955 – GR-DOD
- *Albinaria (Albinaria) brevicollis superba* (O. BOETTGER, 1889) – GR-DOD  
[*atavirensis* POLLONERA, 1916]
- *Albinaria (Albinaria) brevicollis telensis* K.L. PFEIFFER, 1955 – GR-DOD
- *Albinaria (Albinaria) brevicollis theodori* K.L. PFEIFFER, 1955 – GR-DOD
- *Albinaria (Albinaria) brevicollis unia* (O. BOETTGER, 1883) – GR-DOD
- *Albinaria (Albinaria) caerulea caerulea* (DESHAYES, 1835) – GR-GRC, GR-CYC, GR-AEG  
[*antiparia* WESTERLUND, 1892; *bifurcata* DESHAYES, 1851; *birugosa* O. BOETTGER, 1878;  
*coerulea* ROSSMÄSSLER, 1835; *chia* O. BOETTGER, 1889; *dacoronae* LETOURNEUX, 1884;  
*euboeica* O. BOETTGER, 1878; *myconia* WESTERLUND, 1892; *nomichosa* LETOURNEUX, 1884;  
*samia* O. BOETTGER, 1889; *santorina* LETOURNEUX, 1884; *syrensis* WESTERLUND, 1901;  
*therana* LETOURNEUX, 1884; *tinorensis* O. BOETTGER, 1878]
- *Albinaria (Albinaria) caerulea altcostata* (L. PFEIFFER, 1866) – GR-CYC
- *Albinaria (Albinaria) caerulea amorgia* (O. BOETTGER, 1878) – GR-CYC
- *Albinaria (Albinaria) caerulea kreglinger* (L. PFEIFFER, 1866) – GR-CYC  
[*theobaldi* WESTERLUND, 1898; *?strenua* WESTERLUND, 1901]
- *Albinaria (Albinaria) caerulea milleri* (L. PFEIFFER, 1850) – GR-CYC  
[*delosina* WESTERLUND, 1892]

- *Albinaria (Albinaria) caerulea pholegandrica* H. NORDSIECK, 2002 – GR-CYC
- *Albinaria (Albinaria) caerulea scaletta* H. NORDSIECK, 2002 – GR-CYC
- *Albinaria (Albinaria) privigna* (O. BOETTGER, 1883) – GR-DOD
- *Albinaria (Albinaria) rebeli* A.J. WAGNER, 1924 – GR-KRI
- *Albinaria (Albinaria) rechingeri* O. PAGET, 1971 – GR-DOD
- *Albinaria (Albinaria) sturanyi* A.J. WAGNER, 1924 – GR-KRI
- *Albinaria (Albinaria) turrata turrata* (L. PFEIFFER, 1850) – GR-CYC  
[*rotundata* A. SCHMIDT, 1868]
- *Albinaria (Albinaria) turrata eumeces* (O. BOETTGER, 1889) – GR-CYC
- *Albinaria (Albinaria) turrata syphnia* (O. BOETTGER, 1878) – GR-CYC
- *Albinaria (Albinaria) wettsteini* FUCHS & KÄUFEL, 1936 – GR-DOD

**Subgenus *Filumna* O. BOETTGER, 1878 [*Cathariella* LINDHOLM, 1925; *Munda* O. BOETTGER, 1878; *Mundaria* LINDHOLM, 1924; *Rhipsauchenia* O. BOETTGER, 1890]**

- *Albinaria (Filumna) cristatella cristatella* (KÜSTER, 1861) – GR-GRC
- *Albinaria (Filumna) cristatella cristulifera* (O. BOETTGER, 1892) – GR-GRC
- *Albinaria (Filumna) freytagi* (O. BOETTGER, 1889) – GR-AEG
- *Albinaria (Filumna) munda coa* (O. BOETTGER, 1889) – GR-DOD
- *Albinaria (Filumna) proteus* (O. BOETTGER, 1889) – GR-DOD
- *Albinaria (Filumna) puella puella* (L. PFEIFFER, 1849) – GR-AEG  
[*chia* O. BOETTGER, 1878; *samia* O. BOETTGER, 1878]
- *Albinaria (Filumna) puella eudilica* (O. BOETTGER, 1889) – GR-AEG
- *Albinaria (Filumna) unicolor* (O. BOETTGER, 1878) – GR-DOD

- *Albinaria vrondamasa* (E. GITTENBERGER, 1987) – GR-GRC

incertae sedis: *obliqua* CHARPENTIER, 1852 = *contaminata* s.l.; *subbigibbosa* WESTERLUND, 1898 = *scopulosalhians*; *striata* L. PFEIFFER, 1850 - nomen dubium; ??*neutra* WESTERLUND, 1898.

**Genus *Strigilodelima* A.J. WAGNER, 1924**

- *Strigilodelima conspersa* (L. PFEIFFER, 1848) – GR-GRC  
[*platystoma* KÜSTER, 1850; *invalida* O. BOETTGER, 1879]
- *Strigilodelima pentheri* (A.J. WAGNER, 1919) – GR-GRC

Tribus Montenegrinini H. NORDSIECK, 1972

**Genus *Montenegrina* O. BOETTGER, 1877**

- *Montenegrina dedovi lakmosensis* H. NORDSIECK, 2009 – GR-GRC
- *Montenegrina dennis dennis* E. GITTENBERGER, 2002 – GR-GRC
- *Montenegrina dennis protruda* E. GITTENBERGER, 2002 – GR-GRC
- *Montenegrina dofleini pindica* H. NORDSIECK, 1988 – GR-GRC
- *Montenegrina dofleini sinosi* PALL-GERGELY, 2010 – GR-GRC
- *Montenegrina fuchsi pallida* FAUER, 1993 – GR-GRC
- *Montenegrina hiltrudae hiltrudae* H. NORDSIECK, 1972 – GR-GRC
- *Montenegrina hiltrudae densicostulata* H. NORDSIECK, 1974 – GR-GRC
- *Montenegrina janinensis janinensis* (MOUSSON, 1859) – GR-GRC
- *Montenegrina janinensis crassilabris* FAUER, 1993 – GR-GRC
- *Montenegrina janinensis grammica* H. NORDSIECK, 1988 – GR-GRC
- *Montenegrina janinensis maasseni* E. GITTENBERGER, 2002 – GR-GRC
- *Montenegrina kastoriae kastoriae* H. NORDSIECK, 1972 – GR-GRC
- *Montenegrina kastoriae prespaensis* H. NORDSIECK, 1988 – GR-GRC

- *Montenegrina rugilabris* (MOUSSON, 1859) – GR-GRC
- *Montenegrina sattmanni sattmanni* H. NORDSIECK, 1988 – GR-GRC
- *Montenegrina skipetarica edmundi* SZEKERES, 2006 – GR-GRC
- *Montenegrina skipetarica irmengardis* KLEMM, 1962 – GR-GRC
- *Montenegrina skipetarica konitsae* NORDSIECK, 1972 – GR-GRC
- *Montenegrina skipetarica lambdaformis* P. REISCHÜTZ & SATTMANN, 1990 – GR-GRC
- *Montenegrina skipetarica robusta* H. NORDSIECK, 2009 – GR-GRC
- *Montenegrina skipetarica thysi* LOOSJES & LOOSJES-VAN BEMMEL, 1988 – GR-GRC
- *Montenegrina skipetarica voidomatis* H. NORDSIECK, 1974 – GR-GRC
- *Montenegrina zilchi* H. NORDSIECK, 1974 – GR-GRC

Tribus Cochlodinini LINDHOLM, 1925 (1923)

#### Genus *Macedonica* O. BOETTGER, 1877

- *Macedonica guicciardii guicciardii* (ROTH, 1856) – GR-GRC
- *Macedonica guicciardii oetensis* (WESTERLUND, 1901) – GR-GRC
- *Macedonica macedonica inopinata* R. BRANDT, 1962 – GR-GRC
- *Macedonica macedonica macedonica* (ROSSMÄSSLER, 1839) – GR-GRC  
[*choanostoma* A.J. WAGNER, 1914]
- *Macedonica marginata marginata* (ROSSMÄSSLER, 1835) – GR-GRC
- *Macedonica pindica pindica* E. GITTENBERGER, 2002 – GR-GRC
- *Macedonica pindica bellula* E. GITTENBERGER, 2002 – GR-GRC
- *Macedonica pirinensis* S.H.F. JAECKEL, 1954 – GR-GRC
- *Macedonica schatzmayri schatzmayri* (A.J. WAGNER, 1914) – GR-GRC
- *Macedonica schatzmayri pangaionica* R. BRANDT, 1961 – GR-GRC
- *Macedonica thasia nordsiecki* FAUER, 1985 – GR-GRC
- *Macedonica thasia thasia* H. NORDSIECK, 1977 – GR-GRC
- *Macedonica ypsilon* H. NORDSIECK, 1977 – GR-GRC

#### Genus *Cochlodina* A. FERUSSAC, 1821

##### Subgenus *Cochlodina* A. FERUSSAC, 1821

- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – GR-GRC

Tribus Delimini R. BRANDT, 1956

#### Genus *Charpentieria* STABILE, 1864

##### Subgenus *Stigmatica* O. BOETTGER, 1877

- *Charpentieria (Stigmatica) lamellata* (ROSSMÄSSLER, 1836) – GR-GRC
- *Charpentieria (Stigmatica) pantocratoris pantocratoris* (O. BOETTGER, 1889) – GR-GRC
- *Charpentieria (Stigmatica) pantocratoris margaritifera* (H. NORDSIECK, 1996) – GR-GRC
- *Charpentieria (Stigmatica) stigmatica sturmii* (L. PFEIFFER, 1848) – GR-GRC  
[*briscis* WESTERLUND, 1878; ?*maritima* KÜSTER; ?*miles* KÜSTER; *thiesseana* O. BOETTGER, 1879; ?*peloponnesiaca* WESTERLUND, 1893; ?*anguina* L. PFEIFFER, 1866]

#### Genus *Papillifera* W. HARTMANN, 1842

- *Papillifera papillaris papillaris* (O.F. MÜLLER, 1774) – GR-GRC  
[*monilifera* L. PFEIFFER, 1868]

Subfamilia Mentissoideinae LINDHOLM, 1924

Tribus Filosini H. NORDSIECK, 1979

**Genus *Idyla* H. & A. ADAMS, 1855**

**Subgenus *Idyla* H. & A. ADAMS, 1855**

- *Idyla (Idyla) bicristata* (ROSSMÄSSLER, 1839) – GR-GRC, GR-AEG, GR-CYC
- *Idyla (Idyla) bicristata acuticosta* FAUER, 1993 – GR-GRC
- *Idyla (Idyla) castalia castalia* (ROTH, 1856) – GR-GRC
- *Idyla (Idyla) castalia crenilabris* (O. BOETTGER, 1885) – GR-GRC
- *Idyla (Idyla) castalia herae* (SAJÓ, 1968) – GR-GRC
- *Idyla (Idyla) castalia unidentata* (KÜSTER, 1861) – GR-GRC
- *Idyla (Idyla) castalia yeruni* E. GITTENBERGER, 2002 – GR-GRC  
[*pirostoma* O. BOETTGER, 1880]
- *Idyla (Idyla) pelobsoleta* E. GITTENBERGER, 1993 – GR-GRC

**Subgenus *Strigilidyla* H. NORDSIECK, 1994**

- *Idyla (Strigilidyla) liebegottae* H. NORDSIECK, 1984 – GR-GRC

Subfamilia Baleinae A.J. WAGNER, 1913

**Genus *Laciniaria* W. HARTMANN, 1842**

- *Laciniaria plicata plicata* (DRAPARNAUD, 1805) – GR-GRC

**Genus *Alinda* H. & A. ADAMS, 1855**

**Subgenus *Alinda* H. & A. ADAMS, 1855**

- *Alinda (Alinda) atanasovi atanasovi* (URBANSKI, 1964) – GR-GRC
- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – GR-GRC
- *Alinda (Alinda) biplicata distincta* (STURANY, 1894) – GR-GRC

**Genus *Bulgarica* O. BOETTGER, 1877**

**Subgenus *Bulgarica* O. BOETTGER, 1877**

- *Bulgarica (Bulgarica) iniucunda* (R. BRANDT, 1962) – GR-GRC

**Subgenus *Denticularia* LINDHOLM, 1924**

- *Bulgarica (Denticularia) erberi* (FRAUENFELD, 1867) – GR-CYC, GR-AEG, GR-DOD  
[*erberi* FRAUENFELD, 1867; *spratti* O. BOETTGER, 1889; *nicaria* O. BOETTGER, 1889; *sprattiana* K.L. PFEIFFER, 1955]
- *Bulgarica (Denticularia) mystica* (WESTERLUND, 1893) – GR-GRC
- *Bulgarica (Denticularia) denticulata* (OLIVIER, 1801) – GR-GRC, GR-AEG  
[*thessalonica* ROSSMÄSSLER, 1839; *multidentata* ROSSMÄSSLER, 1839; *semidenticulata* L. PFEIFFER, 1850; *tersa* CHARPENTIER, 1852; *spreta* KÜSTER, 1861; *bosporica* MOUSSON, 1863; *major* O. BOETTGER, 1877; *euboica* O. BOETTGER, 1880; *crassilabris* O. BOETTGER, 1880; *tenuilabris* WESTERLUND, 1884; *clavata* WESTERLUND, 1884; *thasia* O. BOETTGER, 1907; *boettgeri* H. NORDSIECK, 1993]

**Subgenus *Strigilecula* KENNARD & B.B. WOODWARD, 1923**

- *Bulgarica (Strigilecula) pindica* H. NORDSIECK, 1974 – GR-GRC
- *Bulgarica (Strigilecula) vetusta vetusta* (ROSSMÄSSLER, 1836) – GR-GRC

Superfamilia Testacelloidea J.E. GRAY, 1840

Familia Oleacinidae H. & A. ADAMS, 1855

Subfamilia Euglandiniinae H.B. BAKER, 1941

**Genus *Poiretia* P. FISCHER, 1883**

- *Poiretia compressa* (MOUSSON, 1859) – GR-GRC
- *Poiretia delesserti* (BOURGUIGNAT, 1852) – GR-GRC
- *Poiretia dilatata marginata* (WESTERLUND, 1886) – GR-KRI
- *Poiretia dilatata peloponnesica* SUBAI, 1980 – GR-GRC

Superfamilia Punctoidea MORSE, 1864  
Familia Punctidae MORSE, 1864

**Genus *Punctum* MORSE, 1864**

**Subgenus *Punctum* MORSE, 1864**

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – GR-GRC, GR-AEG, GR-KRI

**Genus *Paralaoma* IREDALE, 1913**

- *Paralaoma servilis* (SHUTTLEWORTH, 1852) – GR-GRC, GR-AEG, GR-KRI  
[*caputspinulae* REEVE, 1852]

Familia Helicodiscidae H.B. BAKER, 1927

**Genus *Lucilla* R.T. LOWE, 1852**

- *Lucilla singleyana* (PILSBRY, 1889) – GR-GRC

Superfamilia Gastrodontoidea TRYON, 1866  
Familia Pristilomatidae T. COCKERELL, 1891

**Genus *Vitrea* FITZINGER, 1833**

- *Vitrea angystropha* (O. BOETTGER, 1880) – GR-DOD
- *Vitrea argolica* RIEDEL, 1962 – GR-GRC
- *Vitrea botterii* (L. PFEIFFER, 1853) – GR-GRC
- *Vitrea bulgarica* DAMJANOV & L. PINTÉR, 1969 – GR-GRC
- *Vitrea clessini* (P. HESSE, 1882) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI
- *Vitrea contracta* (WESTERLUND, 1871) – GR-GRC, GR-AEG, GR-CYC, GR-KRI, GR-DOD  
[*dubrueilli* CLESSIN, 1877; *vitreolus* BOURGUIGNAT, 1880; *?blanci* P. HESSE, 1882; *permodesta* BOURGUIGNAT, 1883; *mica* WESTERLUND, 1886; *zapateri* WESTERLUND, 1898; *subcontractus* A.J. WAGNER, 1907; *abchastica* RETOWSKI, 1914]
- *Vitrea demiobasensis* L. PINTÉR, 1972 – GR-GRC
- *Vitrea ephesina* L. PINTÉR, 1972 – GR-AEG
- *Vitrea illyrica* A.J. WAGNER, 1907 – GR-GRC
- *Vitrea keaana* RIEDEL & MYLONAS, 1981 – GR-CYC
- *Vitrea klemmi* L. PINTÉR, 1972 – GR-AEG
- *Vitrea matsakisi* RIEDEL & MYLONAS, 1980 – GR-GRC
- *Vitrea neglecta* DAMJANOV & L. PINTÉR, 1969 – GR-GRC
- *Vitrea olympica* RIEDEL & VELKOVHR, 1976 – GR-GRC
- *Vitrea ossaea* L. PINTÉR, 1983 – GR-GRC
- *Vitrea pageti* L. PINTER, 1978 – GR-DOD
- *Vitrea pieperiana* L. PINTÉR, 1977 – GR-DOD
- *Vitrea pinteri* RIEDEL & SUBAI, 1991 – GR-GRC
- *Vitrea pygmaea* (O. BOETTGER, 1880) – GR-GRC
- *Vitrea riedeli* DAMJANOV & L. PINTÉR, 1969 – GR-GRC, GR-AEG, GR-DOD

- *Vitrea riedeliana* O. PAGET, 1976 – GR-DOD
- *Vitrea schneideri* RIEDEL & P. REISCHÜTZ, 1988 – GR-GRC
- *Vitrea schuetti* L. PINTÉR, 1972 – GR-GRC, GR-AEG
- *Vitrea selecta* L. PINTÉR, 1972 – GR-GRC
- *Vitrea siveci* RIEDEL & VELKOVHR, 1976 – GR-GRC
- *Vitrea sossellai sossellai* L. PINTER, 1978 – GR-DOD
- *Vitrea sossellai lerosina* P. REISCHÜTZ, 1985 – GR-DOD
- *Vitrea sporadica* L. PINTÉR, 1978 – GR-GRC
- *Vitrea storchi* L. PINTÉR, 1978 – GR-DOD
- *Vitrea subrimata* (REINHARDT, 1871) – GR-GRC  
[*apalustus* BOURGUIGNAT, 1864; *litoralis* CLESSIN, 1877; *reitteri* O. BOETTGER, 1880; *subumbilicata* LOCARD, 1880; *hyblensis* KOBELT, 1881; *aequegyra* PAULUCCI, 1882; *parthenica* Bourguignat, 1883; *craverii* POLLONERA, 1885; *bazzettae* POLLONERA, 1885; *oxystoma* WESTERLUND, 1888; *maritae* M. KIMAKOWICZ, 1890; *clathrata* M. KIMAKOWICZ, 1890; *inflatus* A.J. WAGNER, 1907; *sphaeroconus* A.J. WAGNER, 1907]
- *Vitrea thasia* RIEDEL & P. REISCHÜTZ, 1983 – GR-GRC
- *Vitrea zakynthia* (P. HESSE, 1882) – GR-GRC, GR-AEG, GR-DOD, GR-CYC, GR-KRI

### Genus *Lindbergia* RIEDEL, 1959

- *Lindbergia beroni* RIEDEL, 1984 – GR-CYC
- *Lindbergia? gittenbergeri* L. PINTÉR & RIEDEL, 1983 – GR-GRC
- *Lindbergia orbicularis* (RIEDEL, 1962) – GR-KRI  
[*senex* RIEDEL, 1977]
- *Lindbergia? pageti* RIEDEL, 1968 – GR-KRI
- *Lindbergia parnonensis* E. GITTENBERGER, 2008 – GR-GRC
- *Lindbergia pinteri* RIEDEL, 1981 – GR-AEG
- *Lindbergia pseudoillyrica* RIEDEL, 1960 – GR-KRI
- *Lindbergia spiliaenymphis* RIEDEL, 1959 – GR-GRC
- *Lindbergia stylokamarae* RIEDEL, 1981 – GR-DOD

### Genus *Gyalina* ANDREAE, 1902

#### Subgenus *Gyalina* ANDREAE, 1902

- *Gyalina (Gyalina) epeirotica epeirotica* RIEDEL, 1983 – GR-GRC
- *Gyalina (Gyalina) epeirotica mylonasi* RIEDEL & SUBAI, 1993 – GR-GRC
- *Gyalina (Gyalina?) ermonae* E. GITTENBERGER, 1977 – GR-GRC
- *Gyalina (Gyalina) formosa* RIEDEL & SUBAI, 1993 – GR-GRC
- *Gyalina (Gyalina) hausdorfi* RIEDEL, 1990 – GR-GRC
- *Gyalina (Gyalina) pageti* E. GITTENBERGER, 1988 – GR-GRC
- *Gyalina (Gyalina) sattmanni* RIEDEL, 1990 – GR-GRC
- *Gyalina (Gyalina?) tsatsae* E. GITTENBERGER, 1977 – GR-GRC
- *Gyalina (Gyalina) velasensis* RIEDEL & SUBAI, 1991 – GR-GRC

#### Subgenus *Spelaeopatula* A.J. WAGNER, 1922

- *Gyalina (Spelaeopatula) candida paupercula* RIEDEL & SUBAI, 1993 – GR-GRC

Familia Euconulidae H.B. BAKER, 1928  
Subfamilia Euconulinae H.B. BAKER, 1928

### Genus *Euconulus* REINHARDT, 1883

#### Subgenus *Euconulus* REINHARDT, 1883

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – GR-GRC



Familia Gastrodontidae TRYON, 1866

**Genus *Zonitoides* LEHMANN, 1862**

**Subgenus *Zonitoides* LEHMANN, 1862**

- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – GR-GRC

Familia Oxychilidae P. HESSE, 1927 (1879)

Subfamilia Dauebardiinae KOBELT, 1906

**Genus *Dauebardia* W. HARTMANN, 1821**

**Subgenus *Dauebardia* W. HARTMANN, 1821**

- *Dauebardia (Dauebardia) brevipes* (DRAPARNAUD, 1805) – GR-GRC, GR-KRI
- *Dauebardia (Dauebardia) rufa* (DRAPARNAUD, 1805) – GR-GRC, GR-CYC, GR-KRI  
[*cycladum* E. VON MARTENS, 1889; *graeca* A.J. WAGNER, 1895]

**Genus *Carpathica* A.J. WAGNER, 1895**

**Subgenus *Lotharia* SCHILEYKO, 1986**

- *Carpathica (Lotharia) cretica* (FORCART, 1950) – GR-DOD, GR-KRI
- *Carpathica (Lotharia) insularis* RIEDEL & MYLONAS, 1988 – GR-AEG, GR-DOD
- *Carpathica (Lotharia) wirthi* FORCART, 1971 – GR-GRC

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

**Genus *Oxychilus* FITZINGER, 1833**

**Subgenus *Oxychilus* FITZINGER, 1833**

- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – GR-GRC

**Subgenus *Ortizius* FORCART, 1957**

- *Oxychilus (Ortizius) alliaris* (J.S. MILLER, 1822) – GR-GRC
- *Oxychilus (Ortizius) tomlini* (SMITH, 1905) – GR-GRC

**Subgenus *Longiphallus* RIEDEL, 1958**

- *Oxychilus (Longiphallus) superfluus* (L. PFEIFFER, 1849) – GR-KRI  
[*cretensis* BLANC, 1879; *cydoniensis* BLANC, 1879; *necessaria* WESTERLUND, 1886; *mülleri* MALTZAN, 1887]

**Subgenus *Helicophana* WESTERLUND, 1886**

- *Oxychilus (Helicophana) aegopinoides* (MALTZAN, 1883) – GR-KRI

**Genus *Morlina* A.J. WAGNER, 1914**

- *Morlina glabra nitidissima* (MOUSSON, 1859) – GR-GRC

**Genus *Mediterranea* CLESSIN, 1880**

- *Mediterranea amaltheae* (RIEDEL & SUBAI, 1982) – GR-KRI
- *Mediterranea depressa* (STERKI, 1880) – GR-GRC

- *Mediterranea hydatina* (ROSSMÄSSLER, 1838) sensu lato – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*eudedalaeus* BOURGUIGNAT, 1856; *latebricola* BOURGUIGNAT, 1856; *pseudohydatinus* BOURGUIGNAT, 1856; *calderonii* WESTERLUND, 1890]
- *Mediterranea hydatina ikaros* (RIEDEL, 1983) – GR-AEG
- *Mediterranea inopinata* (ULICNY, 1887) – GR-GRC
- *Mediterranea ionica* (RIEDEL & SUBAI, 1978) – GR-GRC
- *Mediterranea juliae* (RIEDEL, 1990) – GR-GRC
- *Mediterranea? mariensis* E. GITTENBERGER, 2008 – GR-GRC
- *Mediterranea? mylonasi* (RIEDEL, 1983) – GR-GRC, GR-CYC, GR-AEG
- *Mediterranea? pieperi* (RIEDEL, 1973) – GR-KRI
- *Mediterranea pygmaeus* (RIEDEL, 1983) – GR-AEG

### Genus *Schistophallus* A.J. WAGNER, 1914

#### Subgenus *Schistophallus* A.J. WAGNER, 1914

- *Schistophallus (Schistophallus) minoicus minoicus* (RIEDEL, 1968) – GR-KRI
- *Schistophallus (Schistophallus) minoicus pumilo* (MAASSEN & RIEDEL, 1991) – GR-KRI
- *Schistophallus (Schistophallus) samius* (E. VON MARTENS, 1889) – GR-GRC, GR-CYC, GR-AEG, GR-DOD  
[*aegaea* E. VON MARTENS, 1889]
- *Schistophallus (Schistophallus) spratti* (WESTERLUND, 1892) – GR-KRI

#### Subgenus *Hiramia* PALLARY, 1939

- *Schistophallus (Hiramia) camelinus* (BOURGUIGNAT, 1852) – GR-GRC, GR-KRI  
[*frondosulus* MOUSSON, 1863]
- *Schistophallus (Hiramia) cyprius* (L. PFEIFFER, 1847) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*heracleensis* WESTERLUND, 1893; *corcyrensis* WESTERLUND, 1894; *dalmatina* A.J. WAGNER, 1912; *macedonicus* RIEDEL, 1958]
- *Schistophallus (Hiramia?) seidli* (RIEDEL, 1999) – GR-AEG  
[*major* E. VON MARTENS, 1889]

### Genus *Eopolita* POLLONERA, 1916

- *Eopolita protensa protensa* (A. FÉRUSSAC, 1832) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*nitelina* BOURGUIGNAT, 1852; *aequatus* MOUSSON, 1854; *major* WESTERLUND & BLANC, 1879; *lamellifera* WESTERLUND, 1879; *minor* WESTERLUND & BLANC, 1879; *ptychostoma* WESTERLUND & BLANC, 1879]

Subfamilia Godwiniinae C.M. COOKE, 1921

### Genus *Aegopinella* LINDHOLM, 1927

- *Aegopinella minor* (STABILE, 1864) – GR-GRC

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)

Familia Milacidae ELLIS, 1926

### Genus *Milax* J.E. GRAY, 1855

- *Milax aegaeicus* WIKTOR & MYLONAS, 1986 – GR-CYC, GR-DOD
- *Milax altenai* FORCART, 1972 – GR-DOD

### Genus *Tandonia* LESSONA & POLLONERA, 1882

- *Tandonia cretica* (SIMROTH, 1884) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*hellenica* SIMROTH, 1886; *taygeticus* H. WAGNER, 1931; *athenensis* H. WAGNER, 1931; *scyrius* H. WAGNER, 1931; *strandii* H. WAGNER, 1934]
- *Tandonia cristata* (KALENICZENKO, 1851) – GR-EAG  
[*nanus* GROSSU & LUPU, 1961]
- *Tandonia kusceri* (H. WAGNER, 1931) – GR-GRC  
[*longipenis* GROSSU & LUPU, 1961; *balcanicus* GROSSU & LUPU, 1961; *bojanensis* HUDEC, 1964]
- *Tandonia melanica* WIKTOR, 1986 – GR-GRC
- *Tandonia pageti* (FORCART, 1972) – GR-DOD
- *Tandonia sowerbyi* (A. FERUSSAC, 1823) – GR-GRC, GR-CYC, GR-DOD, GR-KRI  
[*carinatus* RISSO, 1826; *hessei* O. BOETTGER, 1882; *kobelti* P. HESSE, 1882]
- *Tandonia totevi* (WIKTOR, 1975) – GR-GRC, GR-CYC, GR-DOD, GR-KRI

Superfamilia Zonitoidea MÖRCH, 1864  
Familia Zonitidae MÖRCH, 1864

### Genus *Zonites* MONTFORT, 1810

- *Zonites algirus* (LINNAEUS, 1758) – GR-GRC, GR-AEG  
[*cytherae* E. VON MARTENS, 1891; *anthesi* KOBELT, 1903; *lesbicus* FUCHS & KÄUFEL, 1934]
- *Zonites anaphiensis* RIEDEL & MYLONAS, 1981 – GR-CYC
- *Zonites astakidae* RIEDEL, 1985 – GR-DOD
- *Zonites caricus* (ROTH, 1839) – GR-DOD
- *Zonites casius* E. VON MARTENS, 1889 – GR-DOD
- *Zonites chloroticus polycrates* E. VON MARTENS, 1889 – GR-AEG
- *Zonites embolium embolium* FUCHS & KÄUFEL, 1936 – GR-DOD
- *Zonites embolium elevatus* RIEDEL & MYLONAS, 1997 – GR-DOD
- *Zonites euboicus* KOBELT, 1878 – GR-GRC
- *Zonites festai festai* POLLONERA, 1916 – GR-DOD
- *Zonites graecus* KOBELT, 1876 – GR-GRC
- *Zonites invitus* RIEDEL & MYLONAS, 1995 – GR-DOD
- *Zonites kobelti* O. BOETTGER, 1898 – GR-GRC  
[*graeca* KOBELT, 1876; *hellenicus* PFEFFER, 1930]
- *Zonites labiosus* WESTERLUND, 1893 – GR-GRC  
[*kumanensis* PFEFFER, 1930; *olympicus* PFEFFER, 1930]
- *Zonites messenicus* ZILCH, 1965 – GR-GRC
- *Zonites nautarum* RIEDEL & MYLONAS, 1995 – GR-DOD
- *Zonites nikariae* PFEFFER, 1930 – GR-CYC, GR-AEG
- *Zonites nisyrius* RIEDEL & MYLONAS, 1997 – GR-DOD
- *Zonites oertzeni* E. VON MARTENS, 1889 – GR-GRC
- *Zonites parnonensis parnonensis* RIEDEL, 1985 – GR-GRC
- *Zonites parnonensis fallax* RIEDEL, 1985 – GR -GRC
- *Zonites pergranulatus pergranulatus* KOBELT, 1878 – GR-CYC  
[*naxius* E. VON MARTENS, 1903]
- *Zonites pergranulatus cycladicus* PFEFFER, 1930 – GR-DOD
- *Zonites rhodius rhodius* E. VON MARTENS, 1889 – GR-DOD
- *Zonites rhodius elatior* E. VON MARTENS, 1889 – GR-DOD  
[*aegeus* PFEFFER, 1930; *ionicus* PFEFFER, 1930]
- *Zonites rhodius martensi* PFEFFER, 1930 – GR-DOD
- *Zonites rhodius symius* PFEFFER, 1930 – GR-DOD
- *Zonites santoriniensis* RIEDEL & NORRIS, 1987 – GR-CYC

- *Zonites sariae* RIEDEL, 1985 – GR-DOD
- *Zonites siphnicus* FUCHS & KÄUFEL, 1936 – GR-CYC
- *Zonites smyrnensis* (ROTH, 1839) – GR-AEG

**Genus *Balcanodiscus* RIEDEL & URBAŃSKI, 1964**

**Subgenus *Balcanodiscus* RIEDEL & URBAŃSKI, 1964**

- *Balcanodiscus (Balcanodiscus) beroni* RIEDEL, 1995 – GR-GRC
- *Balcanodiscus (Balcanodiscus) cerberus* RIEDEL, 1985 – GR-GRC
- *Balcanodiscus (Balcanodiscus) frivaldskyanus* (ROSSMÄSSLER, 1842) – GR-GRC
- *Balcanodiscus (Balcanodiscus) magnus* P. REISCHÜTZ, 1988 – GR-GRC
- *Balcanodiscus (Balcanodiscus?) stummerorum* A. REISCHÜTZ, P. REISCHÜTZ & W. FISCHER, 2008 – GR-GRC

**Subgenus *Thasiogenes* RIEDEL, 1988**

- *Balcanodiscus (Thasiogenes) carinatus* P. REISCHÜTZ, 1983 – GR-GRC
- *Balcanodiscus (Thasiogenes) difficilis* RIEDEL, 1988 – GR-GRC

**Genus *Allaegopsis* RIEDEL, 1979**

- *Allaegopsis? corcyrensis* (O. BOETTGER, 1883) – GR-GRC
- *Allaegopsis jonicus* (KÄUFEL, 1930) – GR-GRC
- *Allaegopsis kerketianus* RIEDEL, 1993 – GR-GRC
- *Allaegopsis meridionalis meridionalis* RIEDEL, 1986 – GR-GRC
- *Allaegopsis meridionalis pseudotransiens* RIEDEL, 1993 – GR-GRC
- *Allaegopsis skanderbergianus* (POLINSKI, 1924) – GR-GRC
- *Allaegopsis subariedeli* E. GITTENBERGER, 1999 – GR-GRC
- *Allaegopsis transiens* (MOUSSON, 1859) – GR-GRC

**Genus *Doraegopsis* RIEDEL, 1982**

- *Doraegopsis boeoticus* (RIEDEL, 1980) – GR-GRC
- *Doraegopsis carinatus* E. GITTENBERGER, 1999 – GR-GRC
- *Doraegopsis euboeicus* BANK & MENKHORST, 1988 – GR-GRC
- *Doraegopsis parnonicus* RIEDEL, 1982 – GR-GRC
- *Doraegopsis subaii* RIEDEL, 1990 – GR-GRC

Superfamilia Limacoidea LAMARCK, 1801  
Familia Vitrinidae FITZINGER, 1833

**Genus *Semilimacella* Soós, 1917**

- *Semilimacella bonellii reitteri* (O. BOETTGER, 1880) – GR-GRC
- *Semilimacella cephalonica* (RÄHLE, 1980) – GR-GRC

**Genus *Oligolimax* P. FISCHER, 1878**

- *Oligolimax annularis* (S. STUDER, 1820) – GR-GRC, GR-AEG, GR-KRI

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

**Genus *Boettgerilla* SIMROTH, 1910**

- *Boettgerilla pallens* SIMROTH, 1912 – GR-GRC

Familia Limacidae LAMARCK, 1801  
Subfamilia Limacinae LAMARCK, 1801

**Genus *Limax* LINNAEUS, 1758**

- *Limax cephalonicus* SIMROTH, 1886 – GR-GRC  
[? *carbonaria* O. BOETTGER, 1885; ? *submaculata* O. BOETTGER, 1885; *corcyrensis* SIMROTH, 1905; *beieri* H. WAGNER, 1930; *scupicus* H. WAGNER, 1931; *kühneli* H. WAGNER, 1940]
- *Limax conemenosi* O. BOETTGER, 1882 – GR-GRC, GR-CYC  
[? *santorinus* A. LETOURNEUX, 1884; *multipunctata* O. BOETTGER, 1885; *pestaniensis* RÄHLE, 1977]
- *Limax graecus* SIMROTH, 1889 – GR-GRC  
[? *taygetes* GRATELOUP, 1855; *macedonicus* P. HESSE, 1928; *leucopus* P. HESSE, 1928]
- *Limax hemmeni* RÄHLE, 1983 – GR-AEG
- *Limax maximus* LINNAEUS, 1758 – GR-GRC

**Genus *Limacus* LEHMANN, 1863**

- *Limacus flavus* (LINNAEUS, 1758) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*variegatus* DRAPARNAUD, 1801; *rufescens* MOQUIN-TANDON, 1855; *breckworthianus* LEHMANN, 1864]
- *Limacus maculatus* (KALENICZENKO, 1851) – GR-GRC  
[*ecarinatus* O. BOETTGER, 1881; *grossui* LUPU, 1970; *pseudoflavus* EVANS, 1978]

**Genus *Lehmannia* HEYNEMANN, 1862**

- *Lehmannia brunneri* (H. WAGNER, 1931) – GR-GRC
- *Lehmannia szigethyae* WIKTOR, 1975 – GR-GRC  
[*galicicensis* RÄHLE, 1977; *ohridiana* RÄHLE, 1977; *bigorskii* RÄHLE, 1977]
- *Lehmannia valentiana* (A. FÉRUSAC, 1822) – GR-GRC

Familia Agriolimacidae H. WAGNER, 1935  
Subfamilia Agriolimacinae H. WAGNER, 1935

**Genus *Deroceras* RAFINESQUE, 1820**

**Subgenus *Deroceras* RAFINESQUE, 1820**

- *Deroceras (Deroceras) astypalaeensis* WIKTOR & MYLONAS, 1992 – GR-DOD
- *Deroceras (Deroceras) attemsi* (SIMROTH, 1904) – GR-GRC
- *Deroceras (Deroceras) bistimulatum* WIKTOR, 2000 – GR-GRC
- *Deroceras (Deroceras) boeoticum* WIKTOR, 1984 – GR-GRC
- *Deroceras (Deroceras) boettgeri* (SIMROTH, 1889) – GR-KRI
- *Deroceras (Deroceras) cycladicum* WIKTOR & MYLONAS, 1981 – GR-CYC
- *Deroceras (Deroceras) dewinteri* MAASSEN, 2000 – GR-KRI
- *Deroceras (Deroceras) gavdosensis* WIKTOR, VARDINOYANNIS & MYLONAS, 1994 – GR-KRI
- *Deroceras (Deroceras) gorgonium* WIKTOR, VARDINOYANNIS & MYLONAS, 1994 – GR-KRI
- *Deroceras (Deroceras) halieos* DE WINTER & BUTOT, 1986 – GR-GRC
- *Deroceras (Deroceras) ikaria* P. REISCHÜTZ, 1983 – GR-AEG
- *Deroceras (Deroceras) johanna* DE WINTER & BUTOT, 1985 – GR-GRC, GR-CYC
- *Deroceras (Deroceras) karnaniensis* WIKTOR, 1984 – GR-GRC
- *Deroceras (Deroceras) kasium* RÄHLE, 1993 – GR-DOD
- *Deroceras (Deroceras) keanensis* VAN REGTEREN ALTENA, 1973 – GR-GRC, GR-CYC  
[? *andrios* SIMROTH, 1889]
- *Deroceras (Deroceras) kythirensis* WIKTOR, VARDINOYANNIS & MYLONAS, 1994 – GR-GRC

- *Deroceras (Deroceras) korthionensis* DE WINTER & BUTOT, 1985 – GR-CYC
- *Deroceras laeve* (O.F. MÜLLER, 1774) – GR-CYC  
[*renschii* H. WAGNER, 1934]
- *Deroceras (Deroceras) lasithionensis lasithionensis* WIKTOR, VARDINOYANNIS & MYLONAS, 1994 – GR-DOD, GR-KRI
- *Deroceras (Deroceras) lasithionensis polylobatum* WIKTOR, VARDINOYANNIS & MYLONAS, 1994 – GR-DOD, GR-KRI
- *Deroceras (Deroceras) malkini* WIKTOR, 1984 – GR-GRC, GR-AEG
- *Deroceras (Deroceras) melinum* WIKTOR & MYLONAS, 1981 – GR-CYC
- *Deroceras (Deroceras) minoicum* WIKTOR, VARDINOYANNIS & MYLONAS, 1994 – GR-KRI
- *Deroceras (Deroceras) neuteboomi* FORCART, 1972 – GR-DOD
- *Deroceras (Deroceras) nyphoni* DE WINTER & BUTOT, 1986 – GR-GRC
- *Deroceras (Deroceras) oertzeni* (SIMROTH, 1889) – GR-GRC, GR-CYC, GR-KRI  
[*liebegotti* P. REISCHÜTZ, 1988]
- *Deroceras (Deroceras) pageti* GROSSU, 1972 – GR-GRC  
[*laconicum* WIKTOR, 1983; *saronicum* RÄHLE, 1986]
- *Deroceras (Deroceras) panormitanum* (LESSONA & POLLONERA, 1882) – GR-GR, GR-CYC, GR-KRI
- *Deroceras (Deroceras) parium* WIKTOR & MYLONAS, 1981 – GR-CYC
- *Deroceras (Deroceras) parnasium* WIKTOR, 1984 – GR-GRC
- *Deroceras (Deroceras) pseudopanormitanum* WIKTOR, 1984 – GR-GRC
- *Deroceras (Deroceras) rethimnonensis* DE WINTER & BUTOT, 1986 – GR-KRI
- *Deroceras (Deroceras) rhodensis* FORCART, 1972 – GR-DOD
- *Deroceras (Deroceras) samium* RÄHLE, 1983 – GR-AEG, GR-DOD
- *Deroceras (Deroceras) seriphium* WIKTOR & MYLONAS, 1981 – GR-CYC
- *Deroceras (Deroceras) sturanyi* (SIMROTH, 1894) – GR-GRC, GR-AEG  
[*murinus* SIMROTH, 1894; *romanicus* GROSSU & LUPU, 1959]
- *Deroceras (Deroceras) thersites* (SIMROTH, 1886) – GR-GRC, GR-AEG
- *Deroceras (Deroceras) turcicum* (SIMROTH, 1894) – GR-GRC  
[*forcarti* GROSSU & LUPU, 1961; *wiktori* GROSSU, 1969; *waldeni* GROSSU, 1969; *bosnensis* GROSSU, 1972; *hercegovinae* GROSSU, 1972]

Subfamilia Mesolimacinae HAUSDORF, 1998

#### Genus *Mesolimax* POLLONERA, 1888

- *Mesolimax brauni* POLLONERA, 1888 – GR-AEG, GR-DOD

Superfamilia Arionoidea J.E. GRAY, 1840

Familia Arionidae J.E. GRAY, 1840

#### Genus *Arion* A. FERUSSAC, 1819

##### Subgenus *Mesarion* P. HESSE, 1926

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – GR-GRC

Superfamilia Helicoidea RAFINESQUE, 1815

Familia Sphincterochilidae ZILCH, 1960 (1910)

Subfamilia Sphincterochilinae ZILCH, 1960 (1910)

#### Genus *Sphincterochila* ANCEY, 1887

##### Subgenus *Cerigottella* E. GITTENBERGER, 1993

- *Sphincterochila (Cerigottella) insularis* (O. BOETTGER, 1894) – GR-GRC

Familia Bradybaenidae PILSBRY, 1934 (1898)  
Subfamilia Bradybaeninae PILSBRY, 1934 (1898)  
Tribus Bradybaenini PILSBRY, 1934 (1898)

**Genus *Fruticicola* HELD, 1838**

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – GR-GRC

Familia Helicodontidae KOBELT, 1904  
Subfamilia Helicodontinae KOBELT, 1904

**Genus *Helicodonta* A. FÉRUSSAC, 1821**

- *Helicodonta obvoluta albanica* A.J. WAGNER, 1914 – GR-GRC
- *Helicodonta wilhelminae* MAASSEN, 1991 – GR-KRI

Subfamilia Lindholmiolinae SCHILEYKO, 1978

**Genus *Lindholmiola* P. HESSE, 1931**

- *Lindholmiola barbata* (A. FERUSSAC, 1821) – GR-KRI
- *Lindholmiola corcyrensis* (ROSSMAESSLER, 1838) – GR-GRC
- *Lindholmiola girva* (FRIVALDSZKY, 1835) – GR-GRC
- *Lindholmiola lens* (A. FÉRUSSAC, 1832) – GR-GRC, GR-CYC, GR-DOD, GR-AEG **polytypic!!!**
- *Lindholmiola pirinensis* S.H.F. JAECKEL, 1954 – GR-GRC
- *Lindholmiola regisborisi* (A.J. WAGNER, 1928) – GR-GRC
- *Lindholmiola reischuetzi* FALKNER, 1995 – GR-GRC  
[*insularis* O. BOETTGER, 1907]
- *Lindholmiola spectabilis* URBANSKI, 1960 – GR-GRC

Familia Trissexodontidae H. NORDSIECK, 1987

**Genus *Caracollina* H. BECK, 1837**

**Subgenus *Caracollina* H. BECK, 1837**

- *Caracollina (Caracollina) lenticula* (MICHAUD, 1831) – GR-GRC, GR-CYC, GR-AEG, GR-DOD-GR-KRI

Familia Cochlicellidae SCHILEYKO, 1972

**Genus *Cochlicella* A. FÉRUSSAC, 1821**

**Subgenus *Cochlicella* A. FÉRUSSAC, 1821**

- *Cochlicella (Cochlicella) acuta* (O.F. MÜLLER, 1774) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*meridionalis* RISSO, 1826; *turricula* RISSO, 1826; *turrita* MENKE, 1828; *fasciatus* PENNANT, 1777]
- *Cochlicella (Cochlicella) conoidea* (DRAPARNAUD, 1801) – GR-KRI  
[*fertoni* CAZIOT, 1903]

**Subgenus *Prietocella* SCHILEYKO & MENKHORST, 1997**

- *Cochlicella (Prietocella) barbara* (Linnaeus, 1758) – GR-GRC, GR-DOD  
[*ventricosus* DRAPARNAUD, 1801; *ventrosus* A. FERUSSAC, 1821; *bulimoides* MOQUIN-TANDON, 1855]

Familia Hygromiidae TRYON, 1866  
Subfamilia Monachinae WENZ, 1930 (1904)  
Tribus Euomphaliini SCHILEYKO, 1978

**Genus *Euomphalia* WESTERLUND, 1889**

- *Euomphalia strigella strigella* (DRAPARNAUD, 1801) – GR-GRC

Tribus Monachini WENZ, 1930 (1904)

**Genus *Monacha* FITZINGER, 1833**

**Subgenus *Monacha* FITZINGER, 1833**

- *Monacha (Monacha) aniliensis* P.L. REISCHÜTZ & SATTMANN, 1990 – GR-GRC
- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – GR-AEG
- *Monacha (Monacha) claustralis* (MENKE, 1838) – GR-GRC, GR-DOD, GR-AEG  
[*subobstructa* BOURGUIGNAT, 1855]
- *Monacha (Monacha) dirphica* (E. VON MARTENS, 1876) – GR-GRC
- *Monacha (Monacha) emigrata emigrata* (WESTERLUND, 1894) – GR-GRC  
[*kataphigii* KLEMM, 1962]
- *Monacha (Monacha) emigrata sattmanni* HAUSDORF, 1996 – GR-GRC
- *Monacha (Monacha) euboeica* (KOBELT, 1877) – GR-GRC
- *Monacha (Monacha) frequens* (MOUSSON, 1859) – GR-GRC
- *Monacha (Monacha) haussknechti* (O. BOETTGER, 1886) – GR-GRC  
[*beieri* KLEMM, 1962]
- *Monacha (Monacha) liebegottae* HAUSDORF, 2003 – GR-AEG
- *Monacha (Monacha) messenica* (WESTERLUND & BLANC, 1879) – GR-GRC
- *Monacha (Monacha) ocellata* (ROTH, 1839) – GR-AEG  
[*inversa* WESTERLUND, 1889]
- *Monacha (Monacha) parumcincta* (MENKE, 1838) – GR-GRC, GR-KRI, GR-CYC
- *Monacha (Monacha) syriaca* (EHRENBERG, 1831) – GR-DOD, GR-KRI, GR-CYC  
[*haifaensis* PALLARY, 1939]

**Subgenus *Paratheba* P. HESSE, 1914**

- *Monacha (Paratheba) cretica* HAUSDORF, 2000 – GR-KRI
- *Monacha (Paratheba) maasseni* HAUSDORF, 2003 – GR-DOD
- *Monacha (Paratheba) pseudorothii* HAUSDORF, 2003 – GR-AEG, GR-CYC
- *Monacha (Paratheba) rothii* (L. PFEIFFER, 1841) – GR-CYC

Subfamilia Geomitrinae C. BOETTGER, 1909  
Tribus Trochoideini H. NORDSIECK, 1987

**Genus *Trochoidea* T. BROWN, 1827**

**Subgenus *Trochoidea* T. BROWN, 1827**

- *Trochoidea (Trochoidea) elegans* (GMELIN, 1791) – GR-GRC
- *Trochoidea (Trochoidea) pyramidata* (DRAPARNAUD, 1805) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*requieni* MOUSSON, 1859; *radiata* RETOWSKI, 1889; *platiensis* STURANY, 1902; *nova* PAULUCCI, 1879; *subplatiensis* GERMAIN, 1936; *vernica* WESTERLUND, 1902]
- *Trochoidea (Trochoidea) trochoides* (Poiret, 1789) – GR-DOD  
[*conica* DRAPARNAUD, 1805]

**Genus *Xerocrassa* MONTEROSATO, 1892**



### **Subgenus *Xerocrassa* MONTEROSATO, 1892**

- *Xerocrassa (Xerocrassa) amphiconus* (MALTZAN, 1883) – GR-KRI
- *Xerocrassa (Xerocrassa) claudia* HAUSDORF & WELTER-SCHULTES, 1998 – GR-KRI
- *Xerocrassa (Xerocrassa) claudiconus* HAUSDORF & WELTER-SCHULTES, 1998 – GR-KRI
- *Xerocrassa (Xerocrassa) cretica* (L. PFEIFFER, 1841) – GR-GRC, GR-CYC, GR-AEG, GR-KRI, GR-DOD  
[*akrotirensis* KOBELT, 1890; *alba* WESTERLUND & BLANC, 1879; *andusta* FUCHS & KÄUFEL, 1936; *cauta* WESTERLUND, 1879; *chalcidica* E. VON MARTENS, 1876; *curetum* WESTERLUND, 1884; *didyma* WESTERLUND, 1879; *fouquei* LETOURNEUX, 1884; *gradilis* E. VON MARTENS, 1889; *nisiana* WESTERLUND; *nomichosi* LETOURNEUX, 1884; *santorina* LETOURNEUX, 1884; *therasina* LETOURNEUX, 1884; *thiesseae* KOBELT, 1880]
- *Xerocrassa (Xerocrassa) diensis* (MALTZAN, 1883) – GR-KRI [Dia, Petallidi]
- *Xerocrassa (Xerocrassa) franciscoi* HAUSDORF & SAUER, 2009 – GR-KRI
- *Xerocrassa (Xerocrassa) grabusana* HAUSDORF & SAUER, 2009 – GR-KRI
- *Xerocrassa (Xerocrassa) heraklea* HAUSDORF & SAUER, 2009 – GR-KRI
- *Xerocrassa (Xerocrassa) kydonia* HAUSDORF & SAUER, 2009 – GR-KRI
- *Xerocrassa (Xerocrassa) lasithiensis* HAUSDORF & SAUER, 2009 – GR-KRI
- *Xerocrassa (Xerocrassa) mesostena* (WESTERLUND, 1879) – GR-KRI  
[*psiloritana* MALTZAN, 19883; *sphakiota* MALTZAN, 1883]
- *Xerocrassa (Xerocrassa) poecilodoma* (O. BOETTGER, 1894) – GR-GRC
- *Xerocrassa (Xerocrassa) rhitymna* HAUSDORF & SAUER, 2009 – GR-KRI
- *Xerocrassa (Xerocrassa) siderensis* (MALTZAN, 1883) – GR-KRI  
[*euphacodes* MALTZAN, 1883]
- *Xerocrassa (Xerocrassa) subvariegata* (MALTZAN, 1883) – GR-KRI

### **Subgenus *Xeroclausa* MONTEROSATO, 1892**

- *Xerocrassa (Xeroclausa) meda* (PORRO, 1840) – GR-AEG, GR-DOD, GR-KRI

Subfamilia Hygromiinae TRYON, 1866  
Tribus Trochulini LINDHOLM, 1927

### **Genus *Helicopsis* FITZINGER, 1833**

- *Helicopsis gittenbergeri* HAUSDORF, 1990 – GR-GRC

### **Genus *Pseudoxerophila* WESTERLUND, 1879**

- *Pseudoxerophila bathytera* (WESTERLUND & BLANC, 1879) – GR-DOD, GR-KRI  
[*hierapetrana* MALTZAN, 1887; *sitiensis* MALTZAN, 1887; *suspecta* WESTERLUND, 1879]
- *Pseudoxerophila oertzeni* (MALTZAN, 1887) – GR-KRI

### **Genus *Xeropicta* MONTEROSATO, 1892**

- *Xeropicta krynickii* (KRYNICKI, 1833) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*vestalis* L. PFEIFFER, 1841; *cyparissias* L. PFEIFFER, 1847; *littoralis* MOUSSON, 1854; *joppensis* A. SCHMIDT, 1855; *?calographe* WESTERLUND, 1889; *?calymnia* E. VON MARTENS, 1889; *larnacensis* KOBELT, 1896]

Tribus Helicellini IHERING, 1909

### **Genus *Xerotricha* MONTEROSATO, 1892**

- *Xerotricha apicina* (LAMARCK, 1822) – GR-GRC, GR-AEG, GR-DOD, GR-KRI

- [*hypaeana* BOURGUIGNAT, 1882; *horridula* WESTERLUND, 1892]
- *Xerotricha conspurcata* (DRAPARNAUD, 1801) – GR-GRC, GR-CYC, GR-AEG, GR-KRI, GR-DOD  
[*sardiniensis* PORRO, 1838; *draparnaudia* MOQUIN-TANDON, 1855; *quisquilliae* PAULUCCI, 1882;  
*moricola* PALADILHE, 1875; *euaxus* WESTERLUND, 1892]

### Genus *Candidula* KOBELT, 1871

- *Candidula lernaea* HAUSDORF, 1991 – GR-GRC
- *Candidula rhabdotoides* (A.J. WAGNER, 1928) – GR-GRC
- *Candidula? syrensis* (L. PFEIFFER, 1846) species-complex! – GR-CYC  
[*biangosula* E. VON MARTENS, 1889; *eminens* WESTERLUND, 1889; *eugoniostoma*  
BOURGUIGNAT, 1876; *exserta* E. VON MARTENS, 1889; *gradilis* E. VON MARTENS, 1889;  
*melosina* BOURGUIGNAT, 1876; *siphnica* KOBELT, 1883; *syrosina* BOURGUIGNAT, 1876; *ingens*  
FUCHS & KÄUFEL, 1936]
- *Candidula? verticillata* (L. PFEIFFER, 1870) – GR-DOD

Tribus Hygromiini TRYON, 1866

### Genus *Cernuella* SCHLÜTER, 1838

#### Subgenus *Cernuella* SCHLÜTER, 1838

- *Cernuella (Cernuella) cisalpina* (ROSSMÄSSLER, 1837) – GR-GRC, GR-DOD, GR-CYC
- *Cernuella (Cernuella) virgata* (DA COSTA, 1778) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI  
[*lineata* OLIVI, 1792; *maritima* DRAPARNAUD, 1805; *variabilis* DRAPARNAUD, 1801; *meridionalis*  
ROSSMÄSSLER, 1836; *jonica* MOUSSON, 1854; *hellenica* BOURGUIGNAT, 1876; *attica* O.  
BOETTGER, 1883; *contempta* KOBELT, 1888; *nova* BOURGUIGNAT, 1880; *profuga* A. SCHMIDT,  
1854; *striata* ROSSMÄSSLER, 1836; *arcuata* KOBELT, 1878; *variegata* MOUSSON, 1859;  
*pastorella* WESTERLUND, 1883; *pthiota* WESTERLUND, 1883; *infans* WESTERLUND, 1902; *notata*  
WESTERLUND, 1902; *?omala* WESTERLUND, 1902; *karagolica* WESTERLUND, 1902; *janinensis*  
WESTERLUND, 1902]

Tribus Metafruticicolini SCHILEYKO, 1972

### Genus *Metafruticicola* IHERING, 1892

- *Metafruticicola andrius* (E. VON MARTENS, 1889) – GR-CYC
- *Metafruticicola coartatus coartatus* FUCHS & KÄUFEL, 1936 – GR-CYC, GR-DOD
- *Metafruticicola coartatus geminus* FUCHS & KÄUFEL, 1936 – GR-DOD
- *Metafruticicola dictaeus* (E. VON MARTENS, 1889) – GR-KRI
- *Metafruticicola lectus* (A. FERUSSAC, 1832) – GR-KRI  
[*decora* MOUSSON, 1854; *sublecta* MALTZAN, 1884]
- *Metafruticicola naxianus* (FERUSSAC, 1832) – GR-KRI  
[*naxientia* A. FÉRUSSAC, 1821; *westerlundii* BLANC 1879; *sanctorum* WESTERLUND & BLANC,  
1879]
- *Metafruticicola nicosianus claudius* BANK & WELTER-SCHULTES, 1998 – GR-KRI
- *Metafruticicola nicosianus conciliatrix* FUCHS & KÄUFEL, 1936 – GR-DOD
- *Metafruticicola nicosianus freytagi* (MALTZAN, 1883) – GR-KRI
- *Metafruticicola nicosianus soror* FUCHS & KÄUFEL, 1936 – GR-DOD
- *Metafruticicola noverca* (L. PFEIFFER, 1853) – GR-GRC, GR-CYC, GR-AEG, GR-KR  
[*graphicotera* BOURGUIGNAT, 1853; *giurica* O. BOETTGER, 1892]
- *Metafruticicola occidentalis* SUBAI, 1999 – GR-GRC
- *Metafruticicola pellitus pellitus* (A. FERUSSAC, 1832) – GR-GRC, GR-CYC, GR-AEG, GR-DOD,  
GR-KRI  
[*kreglingeri* KOBELT, 1876; *depressa* POLLONERA, 1916; *rhodia* POLLONERA, 1916]

- *Metafruticicola pellitus testaceus* (E. VON MARTENS, 1889) – GR-DOD
- *Metafruticicola redtenbacheri* (L. PFEIFFER, 1856) – GR-GRC, GR-CYC, GR-AEG, GR-DOD  
[*grelloisii* BOURGUIGNAT, 1857; *minor* WESTERLUND, 1889; *proclivis* E. VON MARTENS, 1889;  
*cerigottana* O. BOETTGER, 1894]
- *Metafruticicola zonella* (L. PFEIFFER, 1864) – GR-KRI

Tribus Leptaxini C. BOETTGER, 1909

**Genus *Monachoides* GUDE & B.B. WOODWARD, 1921**

- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – GR-GRC

Tribus incerta

**Genus *Xerolenta* MONTEROSATO, 1892**

- *Xerolenta obvia obvia* (MENKE, 1828) – GR-GRC, GR-CYC, GR-AEG, GR-DOD  
[*candicans* L. PFEIFFER, 1841; *dobrudschae* KOBELT, 1877; *interpres* WESTERLUND, 1879]
- *Xerolenta obvia pappi* (SCHÜTT, 1962) – GR-GRC
- *Xerolenta razlogi* (L. PINTER, 1969) – GR-GRC
- *Xerolenta spiruloides* (A.J. WAGNER, 1916) – GR-GRC
- *Xerolenta thasia* (P. REISCHÜTZ, 1983) – GR-GRC

**Genus *Xeromunda* MONTEROSATO, 1892**

- *Xeromunda alticola* HAUSDORF, 1995 – GR-GRC
- *Xeromunda candiota* (L. PFEIFFER, 1849) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI
- *Xeromunda peloponnesia* HAUSDORF, 1990 – GR-GRC
- *Xeromunda thessalica* HAUSDORF, 1990 – GR-GRC
- *Xeromunda vulgarissima vulgarissima* (MOUSSON, 1859) – GR-GRC  
[*graeca* E. VON MARTENS, 1873; *allophyla* WESTERLUND, 1894]
- *Xeromunda vulgarissima graja* (WESTERLUND, 1883) – GR-GRC

**Genus *Microxeromagna* ORTIZ DE ZARATE LOPEZ, 1950**

- *Microxeromagna lowei* (POTIEZ & MICHAUD, 1835) – GR-GRC, GR-AEG, GR-DOD, GR-KRI  
[*armillata* R.T. LOWE, 1852; *arrouxi* BOURGUIGNAT, 1863; *vestita* RAMBUR, 1868; *stolismena*  
SERVAIN, 1880; *mayeri* GUDE, 1914]

Familia Helicidae RAFINESQUE, 1815

Subfamilia Ariantinae MÖRCH, 1864

**Genus *Superba* SUBAI & FEHER, 2006**

- *Superba reischuetzi* SUBAI, 1990 – GR-GRC
- *Superba vikosensis* SUBAI, 1990 – GR-GRC

**Genus *Cattania* BRUSINA, 1904**

- *Cattania trizona kattingeri* (KNIPPER, 1939) – GR-GRC
- *Cattania trizona olympica* (ROTH, 1855) – GR-GRC  
[*scaria* WESTERLUND, 1879]
- *Cattania trizona rumelica* (ROSSMÄSSLER, 1838) – GR-GRC  
[*rhodopensis* KOBELT; *thracica* KOBELT]

**Genus *Chilostoma* FITZINGER, 1833**  
**Subgenus *Thiessea* KOBELT, 1904**

- *Chilostoma (Thiessea) amorgia amorgia* (WESTERLUND, 1889) – GR-CYC
- *Chilostoma (Thiessea) amorgia furia* (SUBAI, 1996) – GR-CYC
- *Chilostoma (Thiessea) arcadica* (FRAUENFELD, 1867) – GR-CYC
- *Chilostoma (Thiessea) bacchica* (E. VON MARTENS, 1889) – GR-CYC
- *Chilostoma (Thiessea) cyclolabris* (DESHAYES, 1839) – GR-GRC
- *Chilostoma (Thiessea) euboeae* (FRAUENFELD, 1867) – GR -GRC  
[*euboea* KOBELT, 1878]
- *Chilostoma (Thiessea) fuchsiana* (KNIPPER, 1939) – GR-DOD
- *Chilostoma (Thiessea) heldreichi* (L. PFEIFFER, 1846) – GR-GRC
- *Chilostoma (Thiessea) hymetti* (MOUSSON, 1854) – GR-GRC
- *Chilostoma (Thiessea) melpomene* (SUBAI, 1996) – GR-CYC
- *Chilostoma (Thiessea) nympa* (SUBAI, 1996) – GR-AEG, GR-DOD
- *Chilostoma (Thiessea) pieperi* (SUBAI, 1996) – GR-DOD
- *Chilostoma (Thiessea) polyhymnia* (SUBAI, 1996) – GR-CYC
- *Chilostoma (Thiessea) posthuma* (KNIPPER, 1939) – GR-CYC
- *Chilostoma (Thiessea) sphaeriosoma* (BOURGUIGNAT, 1857) – GR-GRC, GR-CYC  
[*lysisoma* KOBELT, 1876; *pilosa* O. BOETTGER, 1892; *improna* WESTERLUND, 1892; *käufeliana* KNIPPER, 1939]
- *Chilostoma (Thiessea) valkanovi* (URBAŃSKI, 1960) – GR-GRC

**Subgenus *Josephinella* F. HAAS, 1936**

- *Chilostoma (Josephinella) argentellei* (KOBELT, 1872) – GR-GRC  
[*oetaea* E. VON MARTENS, 1889; *gasparinae* KOBELT, 1876; *subdeflexa* O. BOETTGER, 1885; *erymanthia* KOBELT, 1893; *käufeli* KNIPPER, 1939; *?conviva* WESTERLUND, 1902]
- *Chilostoma (Josephinella) brenskei* (O. BOETTGER, 1883) – GR-GRC
- *Chilostoma (Josephinella) byshekensis* (KNIPPER, 1941) – GR-GRC
- *Chilostoma (Josephinella) choristochila* (O. BOETTGER, 1886) – GR-GRC
- *Chilostoma (Josephinella) comythophora* (BOURGUIGNAT, 1857) – GR-GRC
- *Chilostoma (Josephinella) conemenosi conemenosi* (O. BOETTGER, 1885) – GR-GRC
- *Chilostoma (Josephinella) conemenosi acarnanica* (KOBELT, 1892) – GR-GRC  
[*?elaphra* WESTERLUND, 1902]
- *Chilostoma (Josephinella) eliaci* (KOBELT, 1893) – GR-GRC
- *Chilostoma (Josephinella) faueri* SUBAI, 1990 – GR-GRC
- *Chilostoma (Josephinella) hemonica* (THIESSE, 1884) – GR-GRC
- *Chilostoma (Josephinella) krueperi* (O. BOETTGER, 1891) – GR-GRC
- *Chilostoma (Josephinella) phocaea phocaea* (ROTH, 1855) – GR-GRC  
[*pterolakae* KOBELT, 1893; *langi* ROSSMÄSSLER, 1857; *inornata* KOBELT]
- *Chilostoma (Josephinella) subaii* FAUER, 1991 – GR -GRC
- *Chilostoma (Josephinella) subzonata subzonata* (MOUSSON, 1859) – GR-GRC  
[*?peritricha* O. BOETTGER, 1885]
- *Chilostoma (Josephinella) subzonata distans* (E. VON MARTENS, 1876) – GR-GRC  
[*depressa* KOBELT, 1892]
- *Chilostoma (Josephinella) subzonata pindica* (O. BOETTGER, 1886) – GR-GRC

**Genus *Faustina* KOBELT, 1904**

- *Faustina illyrica illyrica* (STABILE, 1864) – GR-GRC

Subfamilia Helicinae RAFINESQUE, 1815  
Tribus Thebini WENZ, 1923

**Genus *Theba* RISSO, 1826**

- *Theba pisana pisana* (O.F. MÜLLER, 1774) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI

Tribus Helicini RAFINESQUE, 1815

**Genus *Codringtonia* KOBELT, 1898**

**Subgenus *Codringtonia* KOBELT, 1898**

- *Codringtonia (Codringtonia) codringtonii* (GRAY, 1834) – GR-GRC  
[*ferussaci* DE CRISTOFORI & JAN, 1832; *navariensis* L. PFEIFFER, 1848]
- *Codringtonia (Codringtonia) elisabethae* SUBAI, 2005 – GR-GRC  
[*alba* P. HESSE, 1909]
- *Codringtonia (Codringtonia) eucineata* (BOURGUIGNAT, 1857) – GR-GRC  
[*acarnanica* KOBELT, 1902; *euchromia* BOURGUIGNAT, 1857; *eupaecilia* BOURGUIGNAT, 1857;  
*nimia* KOBELT, 1902; *peloponnesiaca* P. HESSE, 1908]
- *Codringtonia (Codringtonia) gittenbergeri* SUBAI, 2005 – GR-GRC
- *Codringtonia (Codringtonia) helenae* SUBAI, 2005 – GR-GRC
- *Codringtonia (Codringtonia) intusplicata* (L. PFEIFFER, 1851) – GR-GRC  
[*arcadica* KOBELT, 1902; *coracis* KOBELT, 1893; *cyllenica* KOBELT, 1902; *pantocratoris*  
BROEMME, 1893; *subangulata* KOBELT, 1893]
- *Codringtonia (Codringtonia) parnassia* (ROTH, 1855) – GR-GRC  
[*aetolica* O. BOETTGER, 1888; *alba* KOBELT, 1893; *inflata* KOBELT, 1902; *minor* SCHUBERTH,  
1892; *oetae* KOBELT, 1879; *pseudoparnassia* KOBELT, 1879]

**Subgenus *Neocrassa* SUBAI, 2005**

- *Codringtonia (Neocrassa) neocrassa* ZILCH, 1952 – GR-GRC  
[*crassa* L. PFEIFFER, 1850; *umbilicata* WIEGMANN]

**Genus *Assyriella* P. HESSE, 1909**

- *Assyriella rechingeri* (FUCHS & KÄUFEL, 1936) – GR-DOD

**Genus *Levantina* KOBELT, 1871**

**Subgenus *Levantina* KOBELT, 1871**

- *Levantina (Levantina) spiriplana spiriplana* (Olivier, 1801) – GR-DOD  
[*gallandi* BOURGUIGNAT, 1876; *fulminata* WESTERLUND, 1889; *valentini* KOBELT, 1902; *cypriotes*  
TOMLIN, 1940; *continentalis* K.L. PFEIFFER, 1949]
- *Levantina (Levantina) spiriplana malziana* (L. PFEIFFER, 1861) – GR-DOD  
[*clausa* POLLONERA, 1916; *budrunensis* K.L. PFEIFFER, 1949]

**Genus *Cepaea* HELD, 1838**

**Subgenus *Austrotachea* G. PFEIFFER, 1930**

- *Cepaea (Austrotachea) vindobonensis* (C. PFEIFFER, 1828) – GR-GRC

**Genus *Eobania* P. HESSE, 1913**

- *Eobania vermiculata* (O.F. MÜLLER, 1774) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI

**Genus *Cantareus* RISSO, 1826**

- *Cantareus apertus* (BORN, 1778) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI

**Genus *Cornu* BORN, 1778**

- *Cornu aspersum* (O.F. MÜLLER, 1774) – GR-GRC, GR-CYC, GR-AEG, GR-DOD, GR-KRI

**Genus *Helix* LINNAEUS, 1758**

**Subgenus *Helix* LINNAEUS, 1758**

- *Helix (Helix) anatolica* KOBELT, 1891 – GR-DOD, GR-KRI, GR-GRC, GR-AEG
- *Helix (Helix) asemnis* BOURGUIGNAT, 1860 – GR-DOD, GR-AEG
- *Helix (Helix) borealis* MOUSSON, 1859 – GR-GRC
- *Helix (Helix) figulina* ROSSMÄSSLER, 1839 – GR-CYC, GR-DOD, GR-KRI, GR-GRC, GR-AEG
- *Helix (Helix) godetiana* KOBELT, 1878 – GR-CYC, GR-DOD
- *Helix (Helix) lucorum* LINNAEUS, 1758 – GR-GRC
- *Helix (Helix) maltzani* KOBELT, 1883 – GR-GRC
- *Helix (Helix) nucula* L. PFEIFFER, 1859 – GR-KRI
- *Helix (Helix) oestreichi* KOBELT, 1902 – GR-GRC
- *Helix (Helix) philibinensis* ROSSMÄSSLER, 1839 – GR-GRC
- *Helix (Helix) pomacella* MOUSSON, 1854 – GR-GRC
- *Helix (Helix) secernenda* ROSSMÄSSLER, 1837 – GR-GRC
- *Helix (Helix) valentini* KOBELT, 1891 – GR-DOD