

FAUNA EUROPAEA PROJECT

Checklist of the land and freshwater Gastropoda of Hungary

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogezaand, the Netherlands, phone +31-598-852132)

Last update: July 24th, 2011

Send remarks/additions/corrections to Ruud.Bank@quicknet.nl

Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See www.faunaeur.org for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the www.faunaeur.org is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24th, 2011. Furthermore, the systematic framework of the Gastropoda of www.faunaeur.org is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abonded. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

Phylum Mollusca CUVIER, 1795
Classis Gastropoda CUVIER, 1795
Subclassis Neritimorpha KOKEN, 1896
Ordo Cycloneritimorpha FRÝDA, 1998
Superfamilia Neritoidea RAFINESQUE, 1815
Familia Neritidae RAFINESQUE, 1815
Subfamilia Neritinae POEY, 1852
Tribus Theodoxini BANDEL, 2001

Genus *Theodoxus* MONTFORT, 1810

Subgenus *Theodoxus* MONTFORT, 1810

- *Theodoxus (Theodoxus) danubialis danubialis* (C. PFEIFFER, 1828) – HU
- *Theodoxus (Theodoxus) danubialis stragulatus* (C. PFEIFFER, 1828) – HU
- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – HU
- *Theodoxus (Theodoxus) prevostianus* (C. PFEIFFER, 1828) – HU
- *Theodoxus (Theodoxus) transversalis* (C. PFEIFFER, 1828) – HU

Subclassis Caenogastropoda COX, 1960
 Ordo Architaenioglossa HALLER, 1890
 Superfamilia Cyclophoroidea J.E. GRAY, 1847
Familia Aciculidae J.E. GRAY, 1850

Genus *Platyla* MOQUIN-TANDON, 1856

- *Platyla banatica* (ROSSMÄSSLER, 1842) – HU
- *Platyla perpusilla* (REINHARDT, 1880) – HU
- *Platyla polita polita* (W. HARTMANN, 1840) – HU

Superfamilia Viviparoidea J.E. GRAY, 1847
Familia Viviparidae J.E. GRAY, 1847
 Subfamilia Viviparinae J.E. GRAY, 1847

Genus *Viviparus* MONTFORT, 1810

- *Viviparus acerosus acerosus* (BOURGUIGNAT, 1862) – HU
- *Viviparus contectus* (MILLET, 1813) – HU

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997
 Ordo *** (unnamed)
 Superfamilia Cerithioidea FLEMING, 1822
Familia Thiaridae GILL, 1871 (1823)

Genus *Melanoides* OLIVIER, 1804

- *Melanoides tuberculatus* (O.F. MÜLLER, 1774) – HU

Familia Melanopsidae H. & A. ADAMS, 1854

Genus *Melanopsis* A. FÉRUSSAC, 1807

- *Melanopsis parreyssii* (PHILIPPI, 1847) – HU

Genus *Esperiana* BOURGUIGNAT, 1877

Subgenus *Esperiana* BOURGUIGNAT, 1877

- *Esperiana (Esperiana) esperi* (A. FÉRUSSAC, 1823) – HU

Subgenus *Microcolpia* BOURGUIGNAT, 1884

- *Esperiana (Microcolpia) daudebartii acicularis* (A. FÉRUSSAC, 1823) – HU
- *Esperiana (Microcolpia) daudebartii thermalis* (BROT, 1868) – HU

Genus *Holandriana* BOURGUIGNAT, 1877

- *Holandriana holandrii* (C. PFEIFFER, 1828) – HU

Ordo Littorinimorpha PCHELINTSEV, 1963

Superfamilia Littorinoidea CHILDREN, 1834
Familia Pomatiidae NEWTON, 1891 (1828)

Genus *Pomatias* S. STUDER, 1789

- *Pomatias elegans* (O.F. MÜLLER, 1774) – HU
- *Pomatias rivularis* (EICHWALD, 1829) – HU

Superfamilia Rissosoidea J.E. GRAY, 1847
Familia Bithyniidae J.E. GRAY, 1857

Genus *Bithynia* LEACH, 1818

- *Bithynia leachii* (SHEPPARD, 1823) – HU
- *Bithynia tentaculata* (LINNAEUS, 1758) – HU
- *Bithynia troschelii* (PAASCH, 1842) – HU

Familia Hydrobiidae STIMPSON, 1865
Subfamilia Tateinae THIELE, 1925

Genus *Potamopyrgus* STIMPSON, 1865

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – HU

Subfamilia Belgrandiinae DE STEFANI, 1877
Tribus Belgrandiellini RADOMAN, 1983

Genus *Bythiospeum* BOURGUIGNAT, 1882

- *Bythiospeum hungaricum* (SOÓS, 1927) – HU
[Synonym: *gebhardti* H. WAGNER, 1931]
- *Bythiospeum oshanovae* (L. PINTÉR, 1968) – HU

Tribus Pseudohoratiini RADOMAN, 1973

Genus *Hauffenia* POLLONERA, 1898

- *Hauffenia kissdalmae* ERÖSS & PETRÓ, 2008 – HU

Familia Lithoglyphidae TRYON, 1866
Subfamilia Lithoglyphinae TRYON, 1857

Genus *Lithoglyphus* C. PFEIFFER, 1828

- *Lithoglyphus naticoides* (C. PFEIFFER, 1828) – HU

Familia Amnicolidae TRYON, 1863
Subfamilia Amnicolinae TRYON, 1863

Genus *Bythinella* MOQUIN-TANDON, 1856

- *Bythinella hungarica* HAZAY, 1880 – HU
- *Bythinella pannonica* (FRAUENFELD, 1865) – HU

Subclassis Heterobranchia BURMEISTER, 1837
Ordo Allogastropoda HASZPRUNAR, 1985
Superfamilia Valvatoidea J.E. GRAY, 1840
Familia Valvatidae J.E. GRAY, 1840

Genus *Valvata* O.F. MÜLLER, 1773
Subgenus *Valvata* O.F. MÜLLER, 1773

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – HU

Subgenus *Tropidina* H. & A. ADAMS, 1854

- *Valvata (Tropidina) macrostoma* MÖRCH, 1864 – HU

Subgenus *Cincinna* HÜBNER, 1810

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – HU

Genus *Borysthenia* LINDHOLM, 1913

- *Borysthenia naticina* (MENKE, 1845) – HU

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814
Ordo Hygrophila A. FÉRUSAC, 1822
Superfamilia Acroloxoidea THIELE, 1931
Familia Acroloxidae THIELE, 1931

Genus *Acroloxus* H. BECK, 1838

- *Acroloxus lacustris* (LINNAEUS, 1758) – HU

Superfamilia Lymnaeoidea RAFINESQUE, 1815
Familia Lymnaeidae RAFINESQUE, 1815
Subfamilia Lymnaeinae RAFINESQUE, 1815

Genus *Galba* SCHRANK, 1803

Subgenus *Galba* SCHRANK, 1803

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – HU

Genus *Stagnicola* JEFFREYS, 1830

- *Stagnicola corvus* (GMELIN, 1791) – HU
- *Stagnicola fuscus* (C. PFEIFFER, 1821) – HU
- *Stagnicola turricula* (HELD, 1836) – HU

Genus *Radix* MONTFORT, 1810

- *Radix ampla* (W. HARTMANN, 1821) – HU
- *Radix auricularia* (LINNAEUS, 1758) – HU
- *Radix balthica* (LINNAEUS, 1758) – HU
- *Radix labiata* (ROSSMÄSSLER, 1835) – HU

Genus *Lymnaea* LAMARCK, 1799

- *Lymnaea stagnalis* (LINNAEUS, 1758) – HU

Genus *Pseudosuccinea* F.C. BAKER, 1908

- *Pseudosuccinea columella* (SAY, 1817) – HU

Superfamilia Planorboidea RAFINESQUE, 1815
Familia Physidae FITZINGER, 1833
Subfamilia Physinae FITZINGER, 1833
Tribus Physini FITZINGER, 1833

Genus *Physa* DRAPARNAUD, 1801

- *Physa fontinalis* (LINNAEUS, 1758) – HU

Tribus Haitiini D.W. TAYLOR, 2003

Genus *Haitia* CLECH & AGUAYO, 1932

- *Haitia acuta* (DRAPARNAUD, 1805) – HU

Subfamilia Aplexinae STAROBOGATOV, 1967
Tribus Aplexini STAROBOGATOV, 1967

Genus *Aplexa* FLEMING, 1820

- *Aplexa hypnorum* (LINNAEUS, 1758) – HU

Familia Planorbidae RAFINESQUE, 1815
Subfamilia Bulininae P. FISCHER & CROSSE, 1880
Tribus Coretini J.E. GRAY, 1847

Genus *Planorbarius* DUMÉRIL, 1806

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – HU

Genus *Planorbella* HALDEMAN, 1843

- *Planorbella duryi* (WETHERBY, 1879) – HU
- *Planorbella nigricans* (SPIX, 1827) – HU

Tribus Miratestini P. & F. SARASIN, 1897

Genus *Ferrissia* WALKER, 1903

Subgenus *Pettancyllus* IREDALE, 1943

- *Ferrissia (Pettancyllus) wautieri* (MIROLLI, 1960) – HU

Genus *Hebetancyllus* PILSBRY, 1914

- *Hebetancyllus excentricus* (MORELET, 1851) – HU

Subfamilia Planorbinae RAFINESQUE, 1815
Tribus Planorbini RAFINESQUE, 1815

Genus *Planorbis* O.F. MÜLLER, 1773

Subgenus *Planorbis* O.F. MÜLLER, 1773

- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – HU
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – HU

Genus *Anisus* S. STUDER, 1820

Subgenus *Anisus* S. STUDER, 1820

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – HU
- *Anisus (Anisus) septemgyratus* (ROSSMÄSSLER, 1835) – HU
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – HU

Subgenus *Disculifer* C. BOETTGER, 1944

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – HU
- *Anisus (Disculifer) vorticulus* (TROSCHER, 1834) – HU

Genus *Bathyomphalus* CHARPENTIER, 1837

- *Bathyomphalus contortus* (LINNAEUS, 1758) – HU

Genus *Gyraulus* CHARPENTIER, 1837

Subgenus *Gyraulus* CHARPENTIER, 1837

- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – HU

Subgenus *Torquis* DALL, 1905

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – HU
- *Gyraulus (Torquis) parvus* (SAY, 1817) – HU

Subgenus *Lamorbis* STAROBOGATOV, 1967

- *Gyraulus (Lamorbis) riparius* (WESTERLUND, 1865) – HU
- *Gyraulus (Lamorbis) rossmaessleri* (AUERSWALD, 1852) – HU

Subgenus *Armiger* W. HARTMANN, 1843

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – HU

Tribus Segmentinini F.C. BAKER, 1945

Genus *Hippeutis* CHARPENTIER, 1837

- *Hippeutis complanatus* (LINNAEUS, 1758) – HU

Genus *Segmentina* FLEMING, 1818

- *Segmentina nitida* (O.F. MÜLLER, 1774) – HU

Tribus Ancylini RAFINESQUE, 1815

Genus *Ancylus* O.F. MÜLLER, 1773

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – HU

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990
 Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)
 Familia Ellobiidae L. PFEIFFER, 1854 (1822)
 Subfamilia Carychiinae JEFFREYS, 1830

Genus *Carychium* O.F. MÜLLER, 1773

Subgenus *Carychium* O.F. MÜLLER, 1773

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – HU

Subgenus *Saraphia* RISSO, 1826

- *Carychium (Saraphia) tridentatum* (RISSO, 1826) – HU

Ordo Stylommatophora A. SCHMIDT, 1855
Subordo Elasmognatha MÖRCH, 1863
Superfamilia Succineoidea H. BECK, 1837
Familia Succineidae H. BECK, 1837
Subfamilia Succineinae H. BECK, 1837

Genus *Succinea* DRAPARNAUD, 1801

- *Succinea putris* (LINNAEUS, 1758) – HU

Genus *Succinella* J. MABILLE, 1871

- *Succinella oblonga* (DRAPARNAUD, 1801) – HU

Genus *Oxyloma* WESTERLUND, 1885

Subgenus *Oxyloma* WESTERLUND, 1885

- *Oxyloma (Oxyloma) dunkeri* (L. PFEIFFER, 1865) – HU
- *Oxyloma (Oxyloma) elegans elegans* (RISSO, 1826) – HU

Subordo Orthurethra PILSBRY, 1900
Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)
Familia Cochlicopidae PILSBRY, 1900 (1879)
Subfamilia Cochlicopiniae PILSBRY, 1900 (1879)

Genus *Cochlicopa* A. FÉRUSSAC, 1821

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – HU
- *Cochlicopa lubricella* (PORRO, 1838) – HU
- *Cochlicopa nitens* (M. VON GALLENSTEIN, 1848) – HU

Superfamilia Pupilloidea TURTON, 1831
Familia Orculidae PILSBRY, 1918
Subfamilia Orculinae PILSBRY, 1918

Genus *Orcula* HELD, 1838

- *Orcula dolium dolium* (DRAPARNAUD, 1801) – HU
- *Orcula jetschini* M. VON KIMAKOWICZ, 1883 – HU

Genus *Sphyradium* CHARPENTIER, 1837

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – HU

Genus *Pagodulina* CLESSIN, 1876

- *Pagodulina pagodula atilis* KLEMM, 1939 – HU

Familia Argnidae HUDEC, 1965

Genus *Argna* COSSMANN, 1889

- *Argna bielzi bielzi* (ROSSMÄSSLER, 1859) – HU

Genus *Agardhiella* P. HESSE, 1923

- *Agardhiella lamellata* (CLESSIN, 1887) – HU

Familia Spelaeodiscidae STEENBERG, 1925

Genus *Spelaeodiscus* BRUSINA, 1886

Subgenus *Aspasita* WESTERLUND, 1889

- *Spelaeodiscus (Aspasita) triarius triarius* (ROSSMÄSSLER, 1839) – HU

Familia Valloniidae MORSE, 1864
Subfamilia Valloniinae MORSE, 1864

Genus *Vallonia* RISSO, 1826

- *Vallonia costata* (O.F. MÜLLER, 1774) – HU
- *Vallonia enniensis* (GREDLER, 1856) – HU
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – HU

Subfamilia Acanthinulinae STEENBERG, 1917

Genus *Acanthinula* H. BECK, 1847

- *Acanthinula aculeata* (O.F. MÜLLER 1774) – HU

Familia Pupillidae TURTON, 1831

Genus *Pupilla* FLEMING, 1828

Subgenus *Pupilla* FLEMING, 1828

- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – HU
- *Pupilla (Pupilla) sterrii* (VOITH, 1840) – HU
- *Pupilla (Pupilla) triplicata* (S. STUDER, 1820) – HU

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

Genus *Pyramidula* FITZINGER, 1833

- *Pyramidula pusilla* (VALLOT, 1801) – HU

Familia Chondrinidae STEENBERG, 1925
Subfamilia Granariinae KOKSHOORN & E. GITTENBERGER, 2010

Genus *Granaria* HELD, 1838

- *Granaria frumentum frumentum* (DRAPARNAUD, 1801) – HU

Subfamilia Chondrininae STEENBERG, 1925

Genus *Chondrina* REICHENBACH, 1828

- *Chondrina arcadica clienta* (WESTERLUND, 1883) – HU

Familia Vertiginidae FITZINGER, 1833
Subfamilia Vertigininae FITZINGER, 1833
Tribus Truncatellini STEENBERG, 1925

Genus *Columella* WESTERLUND, 1878

- *Columella edentula* (DRAPARNAUD, 1805) – HU

Genus *Truncatellina* R.T. LOWE, 1852

- *Truncatellina callicratis* (SCACCHI, 1833) – HU
- *Truncatellina claustralis* (GREDLER, 1856) – HU
- *Truncatellina costulata* (NILSSON, 1823) – HU
- *Truncatellina cylindrica* (A. FÉRUSAC, 1807) – HU

Tribus Vertiginini FITZINGER, 1833

Genus *Vertigo* O.F. MÜLLER, 1773

Subgenus *Vertigo* O.F. MÜLLER, 1773

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – HU
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – HU
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – HU
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – HU
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – HU
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – HU

Subgenus *Vertilla* MOQUIN-TANDON, 1856

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – HU

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)

Familia *Enidae* B.B. WOODWARD, 1903 (1880)

Subfamilia *Eninae* B.B. WOODWARD, 1903 (1880)

Tribus *Enini* B.B. WOODWARD, 1903 (1880)

Genus *Ena* TURTON, 1831

- *Ena montana* (DRAPARNAUD, 1801) – HU

Tribus Multidentulini SCHILEYKO, 1978

Genus *Merdigera* HELD, 1838

- *Merdigera obscura* (O.F. MÜLLER, 1774) – HU

Tribus Chondrulini WENZ, 1923

Genus *Zebrina* HELD, 1838

- *Zebrina detrita detrita* (O.F. MÜLLER, 1774) – HU

Genus *Chondrula* H. BECK, 1837

- *Chondrula tridens tridens* (O.F. MÜLLER, 1774) – HU

Genus *Mastus* H. BECK, 1837

- *Mastus bielzi* (M. VON KIMAKOWICZ, 1890) – HU

Subordo **** (unnamed)
Superfamilia Achatinoidea SWAINSON, 1840
Familia Ferussaciidae BOURGUIGNAT, 1883

Genus *Cecilioides* A. FÉRUSSAC, 1814
Subgenus *Cecilioides* A. FÉRUSSAC, 1814

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – HU
- *Cecilioides (Cecilioides) petitiana* (BENOIT, 1862) [sensu LOŽEK] – HU

Subordo Sigmurethra PILSBRY, 1900
Superfamilia Clausilioidea J.E. GRAY, 1855
Familia Clausiliidae J.E. GRAY, 1855
Subfamilia Alopiinae A.J. WAGNER, 1913
Tribus Alopiini A.J. WAGNER, 1913

Genus *Herilla* H. & A. ADAMS, 1855

- *Herilla zieglerei dacica* (L. PFEIFFER, 1848) – HU

Genus *Alopiā* H. & A. ADAMS, 1855
Subgenus *Alopiā* H. & A. ADAMS, 1855

- *Alopiā (Alopiā) livida bipalatalis* (M. VON KIMAKOWICZ, 1883) – HU
- *Alopiā (Alopiā) straminicollis monacha* (M. VON KIMAKOWICZ, 1894) – HU

Tribus Cochlodinini LINDHOLM, 1925 (1923)

Genus *Cochlodina* A. FÉRUSSAC, 1821
Subgenus *Cochlodina* A. FÉRUSSAC, 1821

- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – HU

Subgenus *Stabilea* DE BETTA, 1870

- *Cochlodina (Stabilea) fimbriata fimbriata* (ROSSMÄSSLER, 1835) – HU

Subgenus *Paracochlodina* H. NORDSIECK, 1969

- *Cochlodina (Paracochlodina) cerata cerata* (ROSSMÄSSLER, 1836) – HU
- *Cochlodina (Paracochlodina) marisi* (A. SCHMIDT, 1868) – HU
- *Cochlodina (Paracochlodina) orthostoma orthostoma* (MENKE, 1828) – HU

Subfamilia Clausiliinae J.E. GRAY, 1855
Tribus Graciliariini H. NORDSIECK, 1979

Genus *Graciliaria* E.A. BIELZ, 1867

- *Graciliaria inserta* (A. & J.B. VILLA, 1841) – HU

Tribus Clausiliini J.E. GRAY, 1855

Genus *Ruthenica* LINDHOLM, 1924

- *Ruthenica filograna filograna* (ROSSMÄSSLER, 1836) – HU

Genus *Pseudofusulus* H. NORDSIECK, 1977

- *Pseudofusus varians* (C. PFEIFFER, 1828) – HU

Genus *Macrogastra* W. HARTMANN, 1841

Subgenus *Macrogastra* W. HARTMANN, 1841

- *Macrogastra (Macrogastra) ventricosa ventricosa* (DRAPARNAUD, 1801) – HU

Subgenus *Pyrostoma* VEST, 1867

- *Macrogastra (Pyrostoma) borealis bielzi* H. NORDSIECK, 1993 – HU
- *Macrogastra (Pyrostoma) densesstriata densesstriata* (ROSSMÄSSLER, 1836) – HU
- *Macrogastra (Pyrostoma) plicatula plicatula* (DRAPARNAUD, 1801) – HU

Genus *Clausilia* DRAPARNAUD, 1805

Subgenus *Clausilia* DRAPARNAUD, 1805

- *Clausilia (Clausilia) cruciata cruciata* (S. STUDER, 1820) – HU
- *Clausilia (Clausilia) pumila pumila* C. PFEIFFER, 1828 – HU
- *Clausilia (Clausilia) rugosa parvula* A. FÉRUSAC, 1807 – HU

Subgenus *Andraea* L. PFEIFFER, 1848

- *Clausilia (Andraea) dubia vindobonensis* A. SCHMIDT, 1856 – HU

Subfamilia Baleinae A.J. WAGNER, 1913

Genus *Laciniaria* W. HARTMANN, 1842

- *Laciniaria plicata plicata* (DRAPARNAUD, 1801) – HU
- *Laciniaria plicata excepta* (A. Schmidt, 1868) – HU

Genus *Balea* J.E. GRAY, 1824

- *Balea perversa* (LINNAEUS, 1758) – HU

Genus *Alinda* H. & A. ADAMS, 1855

Subgenus *Alinda* H. & A. ADAMS, 1855

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – HU

Subgenus *Pseudalinda* O. BOETTGER, 1877

- *Balea (Pseudalinda) stabilis* (L. PFEIFFER, 1847) – HU

Genus *Vestia* P. HESSE, 1916

Subgenus *Vestia* P. HESSE, 1916

- *Vestia (Vestia) gulo* (E.A. BIELZ, 1859) – HU
- *Vestia (Vestia) turgida* (ROSSMÄSSLER, 1836) – HU

Genus *Bulgarica* O. BOETTGER, 1877

Subgenus *Bulgarica* O. BOETTGER, 1877

- *Bulgarica (Bulgarica) rugicollis rugicollis* (ROSSMÄSSLER, 1836) – HU

Subgenus *Strigilecula* KENNARD & B.B. WOODWARD, 1923

- *Bulgarica (Strigilecula) cana cana* (HELD, 1836) – HU
- *Bulgarica (Strigilecula) vetusta vetusta* (ROSSMÄSSLER, 1836) – HU

Superfamilia Punctoidea MORSE, 1864
Familia Punctidae MORSE, 1864

Genus *Punctum* MORSE, 1864
Subgenus *Punctum* MORSE, 1864

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – HU

Familia Helicodiscidae H.B. BAKER, 1927

Genus *Lucilla* R.T. LOWE, 1852

- *Lucilla singleyana* (PILSBRY, 1889) – HU

Familia Discidae THIELE, 1931 (1866)

Genus *Discus* FITZINGER, 1833
Subgenus *Discus* FITZINGER, 1833

- *Discus (Discus) ruderatus ruderatus* (W. HARTMANN, 1821) – HU

Subgenus *Gonyodiscus* FITZINGER, 1833

- *Discus (Gonyodiscus) perspectivus* (MEGERLE VON MÜHLFELD, 1816) – HU
- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – HU

Superfamilia Gastrodontoidea TRYON, 1866
Familia Pristilomatidae T. COCKERELL, 1891

Genus *Vitrea* FITZINGER, 1833

- *Vitrea contracta* (WESTERLUND, 1871) – HU
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – HU
- *Vitrea diaphana diaphana* (S. STUDER, 1820) – HU
- *Vitrea subrimata* (REINHARDT, 1871) – HU
- *Vitrea transsylvanica* (CLESSIN, 1877) – HU

Familia Euconulidae H.B. BAKER, 1928
 Subfamilia Euconulinae H.B. BAKER, 1928

Genus *Euconulus* REINHARDT, 1883
Subgenus *Euconulus* REINHARDT, 1883

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – HU
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – HU

Familia Gastrodontidae TRYON, 1866

Genus *Zonitoides* LEHMANN, 1862
Subgenus *Zonitoides* LEHMANN, 1862

- *Zonitoides (Zonitoides) arboreus* (SAY, 1817) – HU
- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – HU

Familia Oxychilidae P. HESSE, 1927 (1879)
Subfamilia Dauebardiinae KOBELT, 1906

Genus *Dauebardia* W. HARTMANN, 1821
Subgenus *Dauebardia* W. HARTMANN, 1821

- *Dauebardia (Dauebardia) brevipes* (DRAPARNAUD, 1805) – HU
- *Dauebardia (Dauebardia) rufa* (DRAPARNAUD, 1805) – HU

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

Genus *Oxychilus* FITZINGER, 1833
Subgenus *Oxychilus* FITZINGER, 1833

- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – HU

Subgenus *Ortizius* FORCART, 1957

- *Oxychilus (Ortizius) translucidus* (MORTILLET, 1853) – HU

Genus *Cellariopsis* A.J. WAGNER, 1914

- *Cellariopsis deubeli* (A.J. WAGNER, 1914) – HU

Genus *Morlina* A.J. WAGNER, 1914

- *Morlina glabra striaria* (WESTERLUND, 1881) – HU

Genus *Mediterranea* CLESSIN, 1880

- *Mediterranea depressa* (STERKI, 1880) – HU
- *Mediterranea hydatina hydatina* (ROSSMÄSSLER, 1838) – HU
- *Mediterranea inopinata* (ULIČNÝ, 1887) – HU

Subfamilia Godwiniinae C.M. COOKE, 1921

Genus *Aegopinella* LINDHOLM, 1927

- *Aegopinella minor* (STABILE, 1864) – HU
- *Aegopinella nitens* (MICHAUD, 1831) – HU
- *Aegopinella pura* (ALDER, 1830) – HU
- *Aegopinella ressmanni* (WESTERLUND, 1883) – HU

Genus *Nesovitrea* C. M. COOKE, 1921
Subgenus *Perpolita* H.B. BAKER, 1928

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – HU

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)
Familia Milacidae ELLIS, 1926

Genus *Tandonia* LESSONA & POLLONERA, 1882

- *Tandonia budapestensis* (HAZAY, 1880) – HU
- *Tandonia rustica* (MILLET, 1843) – HU

Superfamilia Zonitoidea MÖRCH, 1864

Familia Zonitidae MÖRCH, 1864

Genus *Aegopis* FITZINGER, 1833

- *Aegopis verticillus* (LAMARCK, 1822) – HU

Superfamilia Limacoidea LAMARCK, 1801
Familia Vitrinidae FITZINGER, 1833

Genus *Semilimax* J.E. GRAY, 1847

- *Semilimax semilimax* (J. FÉRUSSAC, 1802) – HU

Genus *Vitrina* DRAPARNAUD, 1801

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – HU

Genus *Oligolimax* P. FISCHER, 1878

- *Oligolimax annularis* (S. STUDER, 1820) – HU

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

Genus *Boettgerilla* SIMROTH, 1910

- *Boettgerilla pallens* SIMROTH, 1912 – HU

Familia Limacidae LAMARCK, 1801
Subfamilia Limacinae LAMARCK, 1801

Genus *Limax* LINNAEUS, 1758

- *Limax cinereoniger* WOLF, 1803 – HU
- *Limax maximus* LINNAEUS, 1758 – HU

Genus *Limacus* LEHMANN, 1864

- *Limacus flavus* (LINNAEUS, 1758) – HU

Genus *Malacolimax* MALM, 1868

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – HU

Genus *Lehmannia* HEYNEMANN, 1863

- *Lehmannia marginata* (O.F. MÜLLER, 1774) – HU
- *Lehmannia nyctelia* (BOURGUIGNAT, 1861) – HU
- *Lehmannia valentiana* (A. FÉRUSSAC, 1822) – HU

Genus *Bielzia* CLESSIN, 1887

- *Bielzia coerulans* (M. BIELZ, 1851) – HU

Familia Agriolimacidae H. WAGNER, 1935
Subfamilia Agriolimacinae H. WAGNER, 1935

Genus *Derocheras* RAFINESQUE, 1820

Subgenus *Deroceras* RAFINESQUE, 1820

- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758) – HU
- *Deroceras (Deroceras) klemmi* GROSSU, 1972 – HU
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – HU
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – HU
- *Deroceras (Deroceras) rodnae* GROSSU & LUPU, 1965 – HU
- *Deroceras (Deroceras) sturanyi* (SIMROTH, 1894) – HU
- *Deroceras (Deroceras) turcicum* (SIMROTH, 1894) – HU

Superfamilia Arionoidea J.E. Gray, 1840
Familia Arionidae J.E. GRAY, 1840

Genus *Arion* A. FÉRUSAC, 1819

Subgenus *Arion* A. FÉRUSAC, 1819

- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – HU
- *Arion (Arion) rufus* (LINNAEUS, 1758) – HU

Subgenus *Mesarion* P. HESSE, 1926

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – HU

Subgenus *Carinarion* P. HESSE, 1926

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – HU
- *Arion (Carinarion) fasciatus* (NILSSON, 1823) – HU
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – HU

Subgenus *Kobeltia* SEIBERT, 1873

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – HU

Superfamilia Helicoidea RAFINESQUE, 1815
Familia Bradybaenidae PILSBRY, 1934 (1898)
Subfamilia Bradybaeninae PILSBRY, 1934 (1898)
Tribus Bradybaenini PILSBRY, 1934 (1898)

Genus *Fruticicola* HELD, 1838

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – HU

Familia Helicodontidae KOBELT, 1904
Subfamilia Helicodontinae KOBELT, 1904

Genus *Helicodonta* A. FÉRUSAC, 1821

- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – HU

Familia Hygromiidae TRYON, 1866
Subfamilia Monachinae WENZ, 1930 (1904)
Tribus Euomphaliini SCHILEYKO, 1978

Genus *Euomphalia* WESTERLUND, 1889

- *Euomphalia strigella strigella* (DRAPARNAUD, 1801) – HU

Tribus Monachaini WENZ, 1930 (1904)

Genus *Monacha* FITZINGER 1833

Subgenus *Monacha* FITZINGER 1833

- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – HU

Subfamilia Hygromiinae TRYON, 1866

Tribus Trochulini LINDHOLM, 1927

Genus *Trochulus* CHEMNITZ, 1786

Subgenus *Trochulus* CHEMNITZ, 1786

- *Trochulus (Trochulus) erjavecii* (BRUSINA, 1870) – HU
- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – HU
- *Trochulus (Trochulus) striolatus danubialis* (CLESSIN, 1874) – HU

Subgenus *Plicuteria* SCHILEYKO, 1978

- *Trochulus (Plicuteria) lubomirskii* (ŚLÓSARSKI, 1881) – HU

Genus *Petasina* H. BECK, 1847

Subgenus *Petasina* H. BECK, 1847

- *Petasina (Petasina) unidentata unidentata* (DRAPARNAUD, 1805) – HU

Subgenus *Edentiella* POLIŃSKI, 1929

- *Petasina (Edentiella) bakowskii* (POLIŃSKI, 1924) – HU

Subgenus *Filicinella* POLIŃSKI, 1929

- *Petasina (Filicinella) filicina filicina* (L. PFEIFFER, 1841) – HU

Genus *Helicopsis* FITZINGER, 1833

- *Helicopsis striata striata* (O.F. MÜLLER, 1774) – HU
- *Helicopsis striata hungarica* (SOÓS & H. WAGNER, 1935) – HU

Tribus Helicellini IHERING, 1909

Genus *Candidula* KOBELT, 1871

- *Candidula unifasciata unifasciata* (POIRET, 1801) – HU
- *Candidula unifasciata soosiana* (H. WAGNER, 1933) – HU

Tribus Hygromiini TRYON, 1866

Genus *Hygromia* RISSO, 1826

Subgenus *Hygromia* RISSO, 1826

- *Hygromia (Hygromia) cinctella* (DRAPARNAUD, 1801) – HU

Genus *Cernuella* SCHLÜTER, 1838

Subgenus *Xerocincta* MONTEROSATO, 1892

- *Cernuella (Xerocincta) neglecta* (DRAPARNAUD, 1805) – HU

Tribus Leptaxini C. BOETTGER, 1909

Genus *Pseudotrichia* SCHILEYKO, 1970

- *Pseudotrichia rubiginosa* (ROSSMÄSSLER, 1838) – HU

Genus *Monachoides* GUDE & B.B. WOODWARD, 1921

- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – HU
- *Monachoides vicinus* (ROSSMÄSSLER, 1842) – HU

Genus *Perforatella* SCHLÜTER, 1838

- *Perforatella bidentata* (GMELIN, 1791) – HU
- *Perforatella dibothrion* (M. VON KIMAKOWICZ, 1884) – HU

Genus *Urticicola* LINDHOLM, 1927

- *Urticicola umbrosus* (C. PFEIFFER, 1828) – HU

Tribus incerta

Genus *Xerolenta* MONTEROSATO, 1892

- *Xerolenta obvia obvia* (MENKE, 1828) – HU

Genus *Kovacsia* H. NORDSIECK, 1993

- *Kovacsia kovacsi* (VARGA & L. PINTÉR, 1972) – HU

Genus *Lozekia* HUDEC, 1970

- *Lozekia transsylvanica* (WESTERLUND, 1876) – HU

Familia Helicidae RAFINESQUE, 1815

Subfamilia Ariantinae MÖRCH, 1864

Genus *Arianta* TURTON, 1831

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – HU

Genus *Drobacia* BRUSINA, 1904

- *Drobacia banatica* (ROSSMÄSSLER, 1838) – HU

Genus *Faustina* KOBELT, 1904

- *Faustina faustina faustina* (ROSSMÄSSLER, 1835) – HU
- *Faustina illyrica illyrica* (STABILE, 1864) – HU

Genus *Isognomostoma* FITZINGER, 1833

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – HU

Subfamilia Helicinae RAFINESQUE, 181

Tribus Helicini RAFINESQUE, 1815

Genus *Cepaea* HELD, 1838

Subgenus *Cepaea* HELD, 1838

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – HU
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – HU

Subgenus *Austrotachea* G. PFEFFER, 1930

- *Cepaea (Austrotachea) vindobonensis* (C. PFEIFFER, 1828) – HU

Genus *Eobania* P. HESSE, 1913

- *Eobania vermiculata* (O.F. MÜLLER, 1774) – HU

Genus *Cornu* BORN, 1778

- *Cornu aspersum* (O.F. MÜLLER, 1774) – HU

Genus *Helix* LINNAEUS, 1758

Subgenus *Helix* LINNAEUS, 1758

- *Helix (Helix) lucorum* LINNAEUS, 1758 – HU
- *Helix (Helix) lutescens* ROSSMÄSSLER, 1837 – HU
- *Helix (Helix) pomatia* LINNAEUS, 1758 – HU