

FAUNA EUROPAEA PROJECT

Checklist of the land and freshwater Gastropoda of Ireland and the United Kingdom

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogeveen, the Netherlands, phone +31-598-852132)

Last update: July 24th, 2011

Send remarks/additions/corrections to Ruud.Bank@quicknet.nl

Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See www.faunaeur.org for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the www.faunaeur.org is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24th, 2011. Furthermore, the systematic framework of the Gastropoda of www.faunaeur.org is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abandoned. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTEBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

Phylum Mollusca CUVIER, 1795
Classis Gastropoda CUVIER, 1795
Subclassis Neritimorpha KOKEN, 1896
Ordo Cycloneritimorpha FRÝDA, 1998
Superfamilia Neritoidea RAFINESQUE, 1815
Familia Neritidae RAFINESQUE, 1815
Subfamilia Neritinae POEY, 1852
Tribus Theodoxini BANDEL, 2001

Genus *Theodoxus* MONTFORT, 1810

Subgenus *Theodoxus* MONTFORT, 1810

- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – IE, UK

Subclassis Caenogastropoda COX, 1960
Ordo Architaenioglossa HALLER, 1890
Superfamilia Cyclophoroidea J.E. GRAY, 1847
Familia Aciculidae J.E. GRAY, 1850

Genus *Acicula* W. HARTMANN, 1821

- *Acicula fusca* (MONTAGU, 1803) – IE, UK

Superfamilia Viviparoidea J.E. GRAY, 1847
Familia Viviparidae J.E. GRAY, 1847
Subfamilia Viviparinae J.E. GRAY, 1847

Genus *Viviparus* MONTFORT, 1810

- *Viviparus contectus* (MILLET, 1813) – UK
- *Viviparus viviparus* (LINNAEUS, 1758) – IE, UK

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997
Ordo Littorinimorpha PCHELINTSEV, 1963
Superfamilia Littorinoidea CHILDREN, 1834
Familia Pomatiidae NEWTON, 1891 (1828)

Genus *Pomatias* S. STUDER, 1789

- *Pomatias elegans* (O.F. MÜLLER, 1774) – IE, UK

Superfamilia Rissosoidea J.E. GRAY, 1847
Familia Bithyniidae J.E. GRAY, 1857

Genus *Bithynia* LEACH, 1818

- *Bithynia leachii* (SHEPPARD, 1823) – IE, UK
- *Bithynia tentaculata* (LINNAEUS, 1758) – IE, UK

Familia Cochliopidae TRYON, 1866
Subfamilia Semisalsinae GIUSTI & PEZZOLI, 1980

Genus *Heleobia* STIMPSON, 1865

Subgenus *Semisalsa* RADOMAN, 1974

- *Heleobia (Semisalsa) stagnorum* (GMELIN, 1791) – UK

Familia Hydrobiidae STIMPSON, 1865
Subfamilia Tateinae THIELE, 1925

Genus *Potamopyrgus* STIMPSON, 1865

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – IE, UK

Subfamilia Hydrobiinae STIMPSON, 1865

Genus *Hydrobia* W. HARTMANN, 1821

- *Hydrobia neglecta* MUUS, 1963 – IE, UK

Genus *Ecrobia* STIMPSON, 1865

- *Ecrobia ventrosa* (MONTAGU, 1803) – IE, UK

Genus *Peringia* PALADILHE, 1874

- *Peringia ulvae* (PENNANT, 1777) – IE, UK

Genus *Mercuria* BOETERS, 1971

- *Mercuria anatina* (POIRET, 1801) – IE, UK

Familia Amnicolidae TRYON, 1863
Subfamilia Amnicolinae TRYON, 1863

Genus *Marstoniopsis* VAN REGTEREN ALTENA, 1936

- *Marstoniopsis insubrica* (KÜSTER, 1853) – UK

Familia Truncatellidae J.E. GRAY, 1840
Subfamilia Truncatellinae J.E. GRAY, 1840

Genus *Truncatella* RISSO, 1826

- *Truncatella subcylindrica* (LINNAEUS, 1767) – IE, UK

Familia Assimineidae H. & A. ADAMS, 1856
Subfamilia Assimineinae H. & A. ADAMS, 1856

Genus *Assiminea* FLEMING, 1828

Subgenus *Assiminea* FLEMING, 1828

- *Assiminea (Assiminea) grayana* FLEMING, 1828 – IE, UK

Genus *Paludinella* L. PFEIFFER, 1841

Subgenus *Paludinella* L. PFEIFFER, 1841

- *Paludinella (Paludinella) littorina* (DELLE CHIAJE, 1828) – UK

Subclassis Heterobranchia BURMEISTER, 1837
Ordo Allogastropoda HASZPRUNAR, 1985
Superfamilia Valvatoidea J.E. GRAY, 1840
Familia Valvatidae J.E. GRAY, 1840

Genus *Valvata* O.F. MÜLLER, 1773

Subgenus *Valvata* O.F. MÜLLER, 1773

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – IE, UK

Subgenus *Tropidina* H. & A. ADAMS, 1854

- *Valvata (Tropidina) macrostoma* MÖRCH, 1864 – IE, UK

Subgenus *Cincinna* HÜBNER, 1810

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – IE, UK

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814
Ordo Hygrophila A. FÉRUSAC, 1822
Superfamilia Acroloxoidea THIELE, 1931
Familia Acroloxidae THIELE, 1931

Genus *Acroloxus* H. BECK, 1838

- *Acroloxus lacustris* (LINNAEUS, 1758) – IE, UK

Superfamilia Lymnaeoidea RAFINESQUE, 1815
Familia Lymnaeidae RAFINESQUE, 1815
Subfamilia Lymnaeinae RAFINESQUE, 1815

Genus *Galba* SCHRANK, 1803

Subgenus *Galba* SCHRANK, 1803

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – IE, UK

Genus *Stagnicola* JEFFREYS, 1830

- *Stagnicola corvus* (GMELIN, 1791) – UK
- *Stagnicola fuscus* (C. PFEIFFER, 1821) – IE, UK
- *Stagnicola palustris* (O.F. MÜLLER, 1774) – IE, UK

Genus *Omphiscola* RAFINESQUE, 1819

- *Omphiscola glabra* (O.F. MÜLLER, 1774) – IE, UK

Genus *Radix* MONTFORT, 1810

- *Radix auricularia* (LINNAEUS, 1758) – IE, UK
- *Radix balthica* (LINNAEUS, 1758) – IE, UK

Genus *Myxas* G.B. SOWERBY I, 1822

- *Myxas glutinosa* (O.F. MÜLLER, 1774) – IE, UK

Genus *Lymnaea* LAMARCK, 1799

- *Lymnaea stagnalis* (LINNAEUS, 1758) – IE, UK

Superfamilia Planorboidea RAFINESQUE, 1815
Familia Physidae FITZINGER, 1833
Subfamilia Physinae FITZINGER, 1833
Tribus Physini FITZINGER, 1833

Genus *Physa* DRAPARNAUD, 1801

- *Physa fontinalis* (LINNAEUS, 1758) – IE, UK

Tribus Physellini D.W. TAYLOR, 2003

Genus *Physella* HALDEMAN, 1842

- *Physella gyrina* (SAY, 1821) – IE, UK

Tribus Haitiini D.W. TAYLOR, 2003

Genus *Haitia* CLENCH & AGUAYO, 1932

- *Haitia acuta* (DRAPARNAUD, 1805) – UK

Subfamilia Aplexinae STAROBOGATOV, 1967
Tribus Aplexini STAROBOGATOV, 1967

Genus *Aplexa* FLEMING, 1820

- *Aplexa hypnorum* (LINNAEUS, 1758) – IE, UK

Familia Planorbidae RAFINESQUE, 1815
Subfamilia Bulininae P. FISCHER & CROSSE, 1880
Tribus Coretini J.E. GRAY, 1847

Genus *Planorbarius* DUMÉRIL, 1806

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – IE, UK

Genus *Menetus* H. & A. ADAMS, 1855

Subgenus *Dilatata* CLESSIN, 1885

- *Menetus (Dilatata) dilatatus* (GOULD, 1841) – UK
Tribus Miratestini P. & F. SARASIN, 1897

Genus *Ferrissia* WALKER, 1903

Subgenus *Pettancyllus* IREDALE, 1943

- *Ferrissia (Pettancyllus) wautieri* (MIROLLI, 1960) – UK

Subfamilia Planorbinae RAFINESQUE, 1815
Tribus Planorbini RAFINESQUE, 1815

Genus *Planorbis* O.F. MÜLLER, 1773

Subgenus *Planorbis* O.F. MÜLLER, 1773

- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – IE, UK
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – IE, UK

Genus *Anisus* S. STUDER, 1820

Subgenus *Anisus* S. STUDER, 1820

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – IE, UK
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – IE, UK

Subgenus *Disculifer* C. BOETTGER, 1944

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – IE, UK
- *Anisus (Disculifer) vorticulus* (TROSCHER, 1834) – UK

Genus *Bathyomphalus* CHARPENTIER, 1837

- *Bathyomphalus contortus* (LINNAEUS, 1758) – IE, UK

Genus *Gyraulus* CHARPENTIER, 1837

Subgenus *Gyraulus* CHARPENTIER, 1837

- *Gyraulus (Gyraulus) acronicus* (A. FÉRUSAC, 1807) – UK
- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – IE, UK

Subgenus *Torquis* DALL, 1905

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – IE, UK

Subgenus *Armiger* W. HARTMANN, 1843

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – IE, UK

Tribus Segmentinini F.C. BAKER, 1945

Genus *Hippeutis* CHARPENTIER, 1837

- *Hippeutis complanatus* (LINNAEUS, 1758) – IE, UK

Genus *Segmentina* FLEMING, 1818

- *Segmentina nitida* (O.F. MÜLLER, 1774) – UK

Tribus Ancylini RAFINESQUE, 1815

Genus *Ancylus* O.F. MÜLLER, 1773

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – IE, UK

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990

Superfamilia Otinoidea H. & A. ADAMS, 1855

Familia Otinidae H. & A. ADAMS, 1855

Genus *Otina* J.E. GRAY, 1847

- *Otina ovata* (TH. BROWN, 1827) – IE, UK

Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)

Familia Ellobiidae L. PFEIFFER, 1854 (1822)

Subfamilia Pythiinae ODHNER, 1925 (1880)

Genus *Myosotella* MONTEROSATO, 1906

- *Myosotella denticulata* (MONTAGU, 1803) – IE, UK
- *Myosotella myosotis* (DRAPARNAUD, 1801) – IE, UK

Subfamilia Ellobiinae L. PFEIFFER, 1854 (1822)

Genus *Leucophytia* WINCKWORTH, 1949

- *Leucophytia bidentata* (MONTAGU, 1808) – IE, UK

Subfamilia Carychiinae JEFFREYS, 1830

Genus *Carychium* O.F. MÜLLER, 1773

Subgenus *Carychium* O.F. MÜLLER, 1773

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – IE, UK

Subgenus *Saraphia* RISSO, 1826

- *Carychium (Saraphia) tridentatum* (RISSE, 1826) – IE, UK

Ordo Systellommatophora PILSBRY, 1948
 Superfamilia Onchidioidea RAFINESQUE, 1815
Familia Onchidiidae RAFINESQUE, 1815

Genus *Onchidella* J.E. GRAY, 1850

- *Onchidella celtica* (CUVIER, 1817) – UK

Ordo Stylommatophora A. SCHMIDT, 1855
 Subordo Elasmognatha MÖRCH, 1863
 Superfamilia Succineoidea H. BECK, 1837
Familia Succineidae H. BECK, 1837
 Subfamilia Succineinae H. BECK, 1837

Genus *Succinea* DRAPARNAUD, 1801

- *Succinea putris* (LINNAEUS, 1758) – IE, UK

Genus *Succinella* J. MABILLE, 1871

- *Succinella oblonga* (DRAPARNAUD, 1801) – IE, UK

Genus *Oxyloma* WESTERLUND, 1885

Subgenus *Oxyloma* WESTERLUND, 1885

- *Oxyloma (Oxyloma) elegans elegans* (RISSE, 1826) – IE, UK
- *Oxyloma (Oxyloma) sarsii* (ESMARK, 1886) – IE, UK

Subfamilia Catinellinae ODHNER, 1950

Genus *Quickella* C. BOETTGER, 1939

- *Quickella arenaria* (POTIEZ & MICHAUD, 1835) – IE, UK

Subordo Orthurethra PILSBRY, 1900
 Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)
Familia Cochlicopidae PILSBRY, 1900 (1879)
 Subfamilia Cochlicopinae PILSBRY, 1900 (1879)

Genus *Cochlicopa* A. FÉRUSAC, 1821

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – IE, UK
- *Cochlicopa lubricella* (PORRO, 1838) – IE, UK

Subfamilia Azecinae H. WATSON, 1920

Genus *Azeca* FLEMING, 1828

- *Azeca goodalli* (A. FÉRUSAC, 1821) – UK

Superfamilia Pupilloidea TURTON, 1831
Familia Lauriidae STEENBERG, 1925

Genus *Lauria* J.E. GRAY, 1840

Subgenus *Lauria* J.E. GRAY, 1840

- *Lauria (Lauria) cylindracea* (DA COSTA, 1778) – IE, UK
- *Lauria (Lauria) sempronii* (CHARPENTIER, 1837) – UK

Genus *Leiostyla* R.T. LOWE, 1852

Subgenus *Leiostyla* R.T. LOWE, 1852

- *Leiostyla (Leiostyla) anglica* (A. FÉRUSAC, 1821) – IE, UK

Familia Valloniidae MORSE, 1864
Subfamilia Valloniinae MORSE, 1864

Genus *Vallonia* RISSO, 1826

- *Vallonia costata* (O.F. MÜLLER, 1774) – IE, UK
- *Vallonia excentrica* STERKI, 1893 – IE, UK
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – IE, UK

Subfamilia Acanthinulinae STEENBERG, 1917

Genus *Acanthinula* H. BECK, 1847

- *Acanthinula aculeata* (O.F. MÜLLER 1774) – IE, UK

Genus *Spermodea* WESTERLUND, 1903

- *Spermodea lamellata* (JEFFREYS, 1830) – IE, UK

Familia Pupillidae TURTON, 1831

Genus *Pupilla* FLEMING, 1828

Subgenus *Pupilla* FLEMING, 1828

- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – IE, UK

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

Genus *Pyramidula* FITZINGER, 1833

- *Pyramidula umbilicata* (MONTAGU, 1803) – IE, UK

Familia Chondrinidae STEENBERG, 1925
Subfamilia Granariinae KOKSHOORN & E. GITTENBERGER, 2010

Genus *Granaria* HELD, 1838

- *Granaria frumentum illyrica* (ROSSMÄSSLER, 1835) – UK

Subfamilia Chondrininae STEENBERG, 1925

Genus *Abida* TURTON, 1831

- *Abida secale secale* (DRAPARNAUD, 1801) – UK

Familia Vertiginidae FITZINGER, 1833
Subfamilia Vertigininae FITZINGER, 1833
Tribus Truncatellini STEENBERG, 1925

Genus *Columella* WESTERLUND, 1878

- *Columella aspera* WALDÉN, 1966 – IE, UK
- *Columella edentula* (DRAPARNAUD, 1805) – IE, UK

Genus *Truncatellina* R.T. LOWE, 1852

- *Truncatellina callicratis* (SCACCHI, 1833) – UK
- *Truncatellina cylindrica* (A. FÉRUSAC, 1807) – UK

Tribus Vertiginini FITZINGER, 1833

Genus *Vertigo* O.F. MÜLLER, 1773

Subgenus *Vertigo* O.F. MÜLLER, 1773

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – UK
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – IE, UK
- *Vertigo (Vertigo) genesii* (GREDLER, 1856) – UK
- *Vertigo (Vertigo) geyeri* LINDHOLM, 1925 – IE, UK
- *Vertigo (Vertigo) lilljeborgi* (WESTERLUND, 1871) – IE, UK
- *Vertigo (Vertigo) modesta arctica* (WALLENBERG, 1858) – UK
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – IE, UK
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – IE, UK
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – IE, UK
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – IE, UK

Subgenus *Vertilla* MOQUIN-TANDON, 1856

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – IE, UK

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)

Familia Enidae B.B. WOODWARD, 1903 (1880)

Subfamilia Eninae B.B. WOODWARD, 1903 (1880)

Tribus Enini B.B. WOODWARD, 1903 (1880)

Genus *Ena* TURTON, 1831

- *Ena montana* (DRAPARNAUD, 1801) – UK

Tribus Multidentulini SCHILEYKO, 1978

Genus *Merdigera* HELD, 1838

- *Merdigera obscura* (O.F. MÜLLER, 1774) – IE, UK

Subordo **** (unnamed)

Superfamilia Achatinoidea SWAINSON, 1840

Familia Ferussaciidae BOURGUIGNAT, 1883

Genus *Cecilioides* A. FÉRUSAC, 1814

Subgenus *Cecilioides* A. FÉRUSAC, 1814

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – IE, UK

Subordo Sigmurethra PILSBRY, 1900

Superfamilia Clausilioidea J.E. GRAY, 1855

Familia Clausiliidae J.E. GRAY, 1855

Subfamilia Alopiinae A.J. WAGNER, 1913
Tribus Cochlodinini LINDHOLM, 1925 (1923)

Genus *Cochlodina* A. FÉRUSAC, 1821
Subgenus *Cochlodina* A. FÉRUSAC, 1821

- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – IE, UK

Tribus Delimini R. BRANDT, 1956

Genus *Papillifera* W. HARTMANN, 1842

- *Papillifera papillaris papillaris* (O.F. MÜLLER, 1774) – UK

Subfamilia Clausiliinae J.E. GRAY, 1855
Tribus Clausiliini J.E. GRAY, 1855

Genus *Macrogastra* W. HARTMANN, 1841
Subgenus *Pseudovestia* H. NORDSIECK, 1977

- *Macrogastra (Pseudovestia) rolphii rolphii* (TURTON, 1826) – UK

Genus *Clausilia* DRAPARNAUD, 1805
Subgenus *Clausilia* DRAPARNAUD, 1805

- *Clausilia (Clausilia) bidentata bidentata* (STRØM, 1765) – IE, UK

Subgenus *Andraea* L. PFEIFFER, 1848

- *Clausilia (Andraea) dubia dubia* DRAPARNAUD, 1805 – UK
- *Clausilia (Andraea) dubia suttoni* WESTERLUND, 1881 – UK

Subfamilia Baleinae A.J. WAGNER, 1913

Genus *Balea* J.E. GRAY, 1824

- *Balea heydeni* VON MALTZAN, 1881 – IE, UK
- *Balea perversa* (LINNAEUS, 1758) – IE, UK

Genus *Alinda* H. & A. ADAMS, 1855
Subgenus *Alinda* H. & A. ADAMS, 1855

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – UK

Superfamilia Testacelloidea J.E. GRAY, 1840
Familia Testacellidae J.E. GRAY, 1840

Genus *Testacella* LAMARCK, 1801
Subgenus *Testacella* LAMARCK, 1801

- *Testacella (Testacella) haliotidea* DRAPARNAUD, 1801 – IE, UK
- *Testacella (Testacella) maugei* A. FÉRUSAC, 1819 – IE, UK
- *Testacella (Testacella) scutulum* G.B. SOWERBY I, 1820 – IE, UK

Superfamilia Punctoidea MORSE, 1864
Familia Punctidae MORSE, 1864

Genus *Punctum* MORSE, 1864

Subgenus *Punctum* MORSE, 1864

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – IE, UK

Genus *Paralaoma* IREDALE, 1913

- *Paralaoma servilis* (SHUTTLEWORTH, 1852) – UK

Familia Helicodiscidae H.B. BAKER, 1927

Genus *Lucilla* R.T. LOWE, 1852

- *Lucilla singleyana* (PILSBRY, 1889) – UK

Familia Discidae THIELE, 1931(1866)

Genus *Discus* FITZINGER, 1833

Subgenus *Gonyodiscus* FITZINGER, 1833

- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – IE, UK

Superfamilia Gastrodontoidea TRYON, 1866

Familia Pristilomatidae T. COCKERELL, 1891

Genus *Vitrea* FITZINGER, 1833

- *Vitrea crystallina* (O.F. MÜLLER, 1774) – IE, UK
- *Vitrea contracta* (WESTERLUND, 1871) – IE, UK
- *Vitrea subrimata* (REINHARDT, 1871) – UK

Familia Euconulidae H.B. BAKER, 1928

Subfamilia Euconulinae H.B. BAKER, 1928

Genus *Euconulus* REINHARDT, 1883

Subgenus *Euconulus* REINHARDT, 1883

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – IE, UK
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – IE, UK
- *Euconulus (Euconulus) trochiformis* (MONTAGU, 1803) – IE, UK

Familia Gastrodontidae TRYON, 1866

Genus *Zonitoides* LEHMANN, 1862

Subgenus *Zonitoides* LEHMANN, 1862

- *Zonitoides (Zonitoides) excavatus* (ALDER, 1830) – IE, UK
- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – IE, UK

Familia Oxychilidae P. HESSE, 1927 (1879)

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

Genus *Oxychilus* FITZINGER, 1833

Subgenus *Oxychilus* FITZINGER, 1833

- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – IE, UK
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – IE, UK

Subgenus *Ortizius* FORCART, 1957

- *Oxychilus (Ortizius) alliaris* (J.S. MILLER, 1822) – IE, UK
- *Oxychilus (Ortizius) navarricus helveticus* (BLUM, 1881) – IE, UK

Subfamilia Godwiniinae C.M. COOKE, 1921

Genus *Aegopinella* LINDHOLM, 1927

- *Aegopinella nitidula* (DRAPARNAUD, 1805) – IE, UK
- *Aegopinella pura* (ALDER, 1830) – IE, UK

Genus *Nesovitrea* C. M. COOKE, 1921

Subgenus *Perpolita* H.B. BAKER, 1928

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – IE, UK

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)

Familia Milacidae ELLIS, 1926

Genus *Milax* J.E. GRAY, 1855

- *Milax gagates* (DRAPARNAUD, 1801) – IE, UK

Genus *Tandonia* LESSONA & POLLONERA, 1882

- *Tandonia budapestensis* (HAZAY, 1880) – IE, UK
- *Tandonia rustica* (MILLET, 1843) – IE, UK
- *Tandonia sowerbyi* (A. FÉRUSAC, 1823) – IE, UK

Familia Trigonochlamydidae P. HESSE, 1882

Subfamilia Trigonochlamydiae P. HESSE, 1882

Genus *Selenochlamys* O. BOETTGER, 1883

- *Selenochlamys ysbyrda* ROWSON & SYMONDSON, 2008 – UK

Superfamilia Limacoidea LAMARCK, 1801

Familia Vitrinidae FITZINGER, 1833

Genus *Semilimax* J.E. GRAY, 1847

- *Semilimax pyrenaicus* (A. FÉRUSAC, 1821) – IE

Genus *Vitrina* DRAPARNAUD, 1801

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – IE, UK

Genus *Phenacolimax* STABILE, 1859

- *Phenacolimax major* (A. FÉRUSAC, 1807) – UK

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

Genus *Boettgerilla* SIMROTH, 1910

- *Boettgerilla pallens* SIMROTH, 1912 – IE, UK

Familia Limacidae LAMARCK, 1801
Subfamilia Limacinae LAMARCK, 1801

Genus *Limax* LINNAEUS, 1758

- *Limax cinereoniger* WOLF, 1803 – IE, UK
- *Limax maximus* LINNAEUS, 1758 – IE, UK

Genus *Limacus* LEHMANN, 1864

- *Limacus flavus* (LINNAEUS, 1758) – IE, UK
- *Limacus maculatus* (KALENICZENKO, 1851) – IE, UK

Genus *Malacolimax* MALM, 1868

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – UK

Genus *Lehmannia* HEYNEMANN, 1863

- *Lehmannia marginata* (O.F. MÜLLER, 1774) – IE, UK
- *Lehmannia nyctelia* (BOURGUIGNAT, 1861) – UK
- *Lehmannia valentiana* (A. FÉRUSAC, 1822) – IE, UK

Familia Agriolimacidae H. WAGNER, 1935
Subfamilia Agriolimacinae H. WAGNER, 1935

Genus *Deroceras* RAFINESQUE, 1820

Subgenus *Deroceras* RAFINESQUE, 1820

- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758) – IE, UK
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – IE, UK
- *Deroceras (Deroceras) panormitanum* (LESSONA & POLLONERA, 1882) – IE, UK
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – IE, UK

Superfamilia Arionoidea J.E. Gray, 1840
Familia Arionidae J.E. GRAY, 1840

Genus *Geomalacus* ALLMAN, 1843

Subgenus *Geomalacus* ALLMAN, 1843

- *Geomalacus (Geomalacus) maculosus* ALLMAN, 1843 – IE

Genus *Arion* A. FÉRUSAC, 1819

Subgenus *Arion* A. FÉRUSAC, 1819

- *Arion (Arion) ater* (LINNAEUS, 1758) – IE, UK
- *Arion (Arion) flagellus* COLLINGE, 1893 – IE, UK
- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – IE, UK
- *Arion (Arion) rufus* (LINNAEUS, 1758) – IE, UK

Subgenus *Mesarion* P. HESSE, 1926

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – IE
- *Arion (Mesarion) subfuscus* (DRAPARNAUD, 1805) – IE, UK

Subgenus *Carinarion* P. HESSE, 1926

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – IE, UK
- *Arion (Carinarion) fasciatus* (NILSSON, 1823) – IE, UK
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – IE, UK

Subgenus *Kobeltia* SEIBERT, 1873

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – IE, UK
- *Arion (Kobeltia) hortensis* A. FÉRUSAC, 1819 – IE, UK
- *Arion (Kobeltia) intermedius* NORMAND, 1852 – IE, UK
- *Arion (Kobeltia) occultus* ANDERSON, 2004 – IE
- *Arion (Kobeltia) owenii* DAVIES, 1979 – IE, UK

Superfamilia Helicoidea RAFINESQUE, 1815
 Familia Bradybaenidae PILSBRY, 1934 (1898)
 Subfamilia Bradybaeninae PILSBRY, 1934 (1898)
 Tribus Bradybaenini PILSBRY, 1934 (1889)

Genus *Fruticicola* HELD, 1838

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – UK

Familia Helicodontidae KOBELT, 1904
 Subfamilia Helicodontinae KOBELT, 1904

Genus *Helicodonta* A. FÉRUSAC, 1821

- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – UK

Familia Cochlicellidae SCHILEYKO, 1972

Genus *Cochlicella* A. FÉRUSAC, 1821

Subgenus *Cochlicella* A. FÉRUSAC, 1821

- *Cochlicella (Cochlicella) acuta* (O.F. MÜLLER, 1774) – IE, UK

Subgenus *Prietocella* SCHILEYKO & MENKHORST, 1997

- *Cochlicella (Prietocella) barbara* (LINNAEUS, 1758) – UK

Familia Hygromiidae TRYON, 1866
 Subfamilia Monachinae WENZ, 1930 (1904)
 Tribus Monachaini WENZ, 1930 (1904)

Genus *Monacha* FITZINGER 1833

Subgenus *Monacha* FITZINGER 1833

- *Monacha (Monacha) cantiana* (MONTAGU, 1803) – UK
- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – UK

Genus *Ashfordia* J.W. TAYLOR, 1917

- *Ashfordia granulata* (ALDER, 1830) – IE, UK

Subfamilia Geomitrinae C. BOETTGER, 1909
 Tribus Trochoideini H. NORDSIECK, 1987

Genus *Trochoidea* T. BROWN, 1827
Subgenus *Trochoidea* T. BROWN, 1827

- *Trochoidea (Trochoidea) elegans* (GMELIN, 1791) – UK

Subfamilia Ponentininae SCHILEYKO, 1991

Genus *Ponentina* P. HESSE, 1921

- *Ponentina subvirescens* (BELLAMY, 1839) – UK

Subfamilia Hygromiinae TRYON, 1866
Tribus Trochulini LINDHOLM, 1927

Genus *Trochulus* CHEMNITZ, 1786
Subgenus *Trochulus* CHEMNITZ, 1786

- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – IE, UK
- *Trochulus (Trochulus) sericeus* (DRAPARNAUD, 1801) – UK
- *Trochulus (Trochulus) striolatus ablutens* (LOCARD, 1888) – IE, UK

Tribus Helicellini IHERING, 1909

Genus *Helicella* A. FÉRUSAC, 1821

- *Helicella itala itala* (LINNAEUS, 1758) – IE, UK

Genus *Candidula* KOBELT, 1871

- *Candidula gigaxii* (L. PFEIFFER, 1847) – IE, UK
- *Candidula intersecta* (POIRET, 1801) – IE, UK

Tribus Hygromiini TRYON, 1866

Genus *Hygromia* RISSO, 1826
Subgenus *Hygromia* RISSO, 1826

- *Hygromia (Hygromia) cinctella* (DRAPARNAUD, 1801) – IE, UK

Subgenus *Riedelia* SCHILEYKO, 1972

- *Hygromia (Riedelia) limbata limbata* (DRAPARNAUD, 1805) – UK

Genus *Zenobiella* GUDE & B.B. WOODWARD, 1921

- *Zenobiella subrufescens* (J.S. MILLER, 1822) – IE, UK

Genus *Cernuella* SCHLÜTER, 1838
Subgenus *Cernuella* SCHLÜTER, 1838

- *Cernuella (Cernuella) aginnica* (LOCARD, 1882) – UK
- *Cernuella (Cernuella) virgata* (DA COSTA, 1778) – IE, UK

Tribus Leptaxini C. BOETTGER, 1909

Genus *Pseudotrichia* SCHILEYKO, 1970

- *Pseudotrachia rubiginosa* (ROSSMÄSSLER, 1838) – UK

Familia Helicidae RAFINESQUE, 1815
Subfamilia Ariantinae MÖRCH, 1864

Genus *Arianta* TURTON, 1831

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – IE, UK

Genus *Helicigona* A. FÉRUSAC, 1821

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – IE, UK

Subfamilia Helicinae RAFINESQUE, 1815
Tribus Thebini WENZ, 1923

Genus *Theba* RISSO, 1826

- *Theba pisana pisana* (O.F. MÜLLER, 1774) – IE, UK

Tribus Helicini RAFINESQUE, 1815

Genus *Cepaea* HELD, 1838

Subgenus *Cepaea* HELD, 1838

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – IE, UK
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – IE, UK

Genus *Cornu* BORN, 1778

- *Cornu aspersum* (O.F. MÜLLER, 1774) – IE, UK

Genus *Helix* LINNAEUS, 1758

Subgenus *Helix* LINNAEUS, 1758

- *Helix (Helix) pomatia* LINNAEUS, 1758 – UK