

# FAUNA EUROPAEA PROJECT

## Checklist of the land and freshwater Gastropoda of Liechtenstein

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogezand, the Netherlands, phone +31-598-852132)

Last update: July 24<sup>th</sup>, 2011

Send remarks/additions/corrections to [Ruud.Bank@quicknet.nl](mailto:Ruud.Bank@quicknet.nl)

### Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See [www.faunaeur.org](http://www.faunaeur.org) for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the [www.faunaeur.org](http://www.faunaeur.org) is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24<sup>th</sup>, 2011. Furthermore, the systematic framework of the Gastropoda of [www.faunaeur.org](http://www.faunaeur.org) is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abonded. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & Th.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

---

Phylum Mollusca CUVIER, 1795  
Classis Gastropoda CUVIER, 1795  
Subclassis Caenogastropoda COX, 1960  
Ordo Architaenioglossa HALLER, 1890  
Superfamilia Cyclophoroidea J.E. GRAY, 1847  
Familia Aciculidae J.E. GRAY, 1850

### **Genus *Acicula* W. HARTMANN, 1821**

- *Acicula lineata lineata* (DRAPARNAUD, 1801) – FL

**Genus *Platyla* MOQUIN-TANDON, 1856**

- *Platyla polita polita* (W. HARTMANN, 1840) – FL

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997  
Ordo Littorinimorpha PCHELINTSEV, 1963  
Superfamilia Rissooidea J.E. GRAY, 1847  
Familia Bithyniidae J.E. GRAY, 1857

**Genus *Bithynia* LEACH, 1818**

- *Bithynia tentaculata* (LINNAEUS, 1758) – FL

Subclassis Heterobranchia BURMEISTER, 1837  
Ordo Allogastropoda HASZPRUNAR, 1985  
Superfamilia Valvatoidea J.E. GRAY, 1840  
Familia Valvatidae J.E. GRAY, 1840

**Genus *Valvata* O.F. MÜLLER, 1773**

**Subgenus *Valvata* O.F. MÜLLER, 1773**

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – FL

**Subgenus *Cincinna* HÜBNER, 1810**

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – FL

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814  
Ordo Hygrophila A. FÉRUSSAC, 1822  
Superfamilia Lymnaeoidea RAFINESQUE, 1815  
Familia Lymnaeidae RAFINESQUE, 1815  
Subfamilia Lymnaeinae RAFINESQUE, 1815

**Genus *Galba* SCHRANK, 1803**

**Subgenus *Galba* SCHRANK, 1803**

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – FL

**Genus *Stagnicola* JEFFREYS, 1830**

- *Stagnicola fuscus* (C. PFEIFFER, 1821) – FL

**Genus *Radix* MONTFORT, 1810**

- *Radix balthica* (LINNAEUS, 1758) – FL
- *Radix labiata* (ROSSMÄSSLER, 1835) – FL

**Genus *Lymnaea* LAMARCK, 1799**

- *Lymnaea stagnalis* (LINNAEUS, 1758) – FL

Superfamilia Planorboidea RAFINESQUE, 1815  
Familia Physidae FITZINGER, 1833  
Subfamilia Physinae FITZINGER, 1833  
Tribus Haitiini D.W. TAYLOR, 2003

**Genus *Haitia* CLENCH & AGUAYO, 1932**

- *Haitia acuta* (DRAPARNAUD, 1805) – FL

Subfamilia Aplexinae STAROBOGATOV, 1967  
Tribus Aplexini STAROBOGATOV, 1967

**Genus *Aplexa* FLEMING, 1820**

- *Aplexa hypnorum* (LINNAEUS, 1758) – FL

Familia Planorbidae RAFINESQUE, 1815  
Subfamilia Bulininae P. FISCHER & CROSSE, 1880  
Tribus Coretini J.E. GRAY, 1847

**Genus *Planorbarius* DUMÉRIL, 1806**

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – FL

Subfamilia Planorbinae RAFINESQUE, 1815  
Tribus Planorbini RAFINESQUE, 1815

**Genus *Planorbis* O.F. MÜLLER, 1773**

**Subgenus *Planorbis* O.F. MÜLLER, 1773**

- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – FL
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – FL

**Genus *Anisus* S. STUDER, 1820**

**Subgenus *Anisus* S. STUDER, 1820**

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – FL

**Genus *Bathyomphalus* CHARPENTIER, 1837**

- *Bathyomphalus contortus* (LINNAEUS, 1758) – FL

**Genus *Gyraulus* CHARPENTIER, 1837**

**Subgenus *Gyraulus* CHARPENTIER, 1837**

- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – FL

**Subgenus *Torquis* DALL, 1905**

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – FL

Tribus Segmentinini F.C. BAKER, 1945

**Genus *Hippeutis* CHARPENTIER, 1837**

- *Hippeutis complanatus* (LINNAEUS, 1758) – FL

**Genus *Segmentina* FLEMING, 1818**

- *Segmentina nitida* (O.F. MÜLLER, 1774) – FL

Tribus Ancylini RAFINESQUE, 1815

**Genus *Ancylus* O.F. MÜLLER, 1773**

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – FL

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990  
 Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)  
Familia Ellobiidae L. Pfeiffer, 1854 (1822)  
 Subfamilia Carychiinae JEFFREYS, 1830

**Genus *Carychium* O.F. MÜLLER, 1773**

**Subgenus *Carychium* O.F. MÜLLER, 1773**

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – FL

**Subgenus *Saraphia* RISSO, 1826**

- *Carychium (Saraphia) tridentatum* (RISSO, 1826) – FL

Ordo Stylommatophora A. SCHMIDT, 1855  
 Subordo Elasmognatha MÖRCH, 1863  
 Superfamilia Succineoidea H. BECK, 1837  
Familia Succineidae H. BECK, 1837  
 Subfamilia Succineinae H. BECK, 1837

**Genus *Succinea* DRAPARNAUD, 1801**

- *Succinea putris* (LINNAEUS, 1758) – FL

**Genus *Succinella* J. MABILLE, 1871**

- *Succinella oblonga* (DRAPARNAUD, 1801) – FL

**Genus *Oxyloma* WESTERLUND, 1885**

**Subgenus *Oxyloma* WESTERLUND, 1885**

- *Oxyloma (Oxyloma) elegans elegans* (RISSO, 1826) – FL

Subordo Orthurethra PILSBRY, 1900  
 Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)  
Familia Cochlicopidae PILSBRY, 1900 (1879)  
 Subfamilia Cochlicopinae PILSBRY, 1900 (1879)

**Genus *Cochlicopa* A. FÉRUSAC, 1821**

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – FL
- *Cochlicopa lubricella* (PORRO, 1838) – FL

Superfamilia Pupilloidea TURTON, 1831  
Familia Orculidae PILSBRY, 1918  
 Subfamilia Orculinae PILSBRY, 1918

**Genus *Orcula* HELD, 1838**

- *Orcula dolium dolium* (DRAPARNAUD, 1801) – FL

Familia Valloniidae MORSE, 1864  
 Subfamilia Valloniinae MORSE, 1864

**Genus *Vallonia* RISSO, 1826**

- *Vallonia costata* (O.F. MÜLLER, 1774) – FL
- *Vallonia excentrica* STERKI, 1893 – FL
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – FL

Subfamilia Acanthinulinae STEENBERG, 1917

**Genus *Acanthinula* H. BECK, 1847**

- *Acanthinula aculeata* (O.F. MÜLLER 1774) – FL

Familia Pupillidae TURTON, 1831

**Genus *Pupilla* FLEMING, 1828**

**Subgenus *Pupilla* FLEMING, 1828**

- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – FL
- *Pupilla (Pupilla) sterrii* (VOITH, 1840) – FL

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

**Genus *Pyramidula* FITZINGER, 1833**

- *Pyramidula pusilla* (VALLOT, 1801) – FL

Familia Chondrinidae STEENBERG, 1925

Subfamilia Chondrininae STEENBERG, 1925

**Genus *Abida* TURTON, 1831**

- *Abida secale secale* (DRAPARNAUD, 1801) – FL

**Genus *Chondrina* REICHENBACH, 1828**

- *Chondrina arcadica clienta* (WESTERLUND, 1883) – FL
- *Chondrina avenacea avenacea* (BRUGUIERE, 1792) – FL

Familia Vertiginidae FITZINGER, 1833

Subfamilia Vertigininae FITZINGER, 1833

Tribus Truncatellini STEENBERG, 1925

**Genus *Columella* WESTERLUND, 1878**

- *Columella columella* (G. VON MARTENS, 1830) – FL
- *Columella edentula* (DRAPARNAUD, 1805) – FL

**Genus *Truncatellina* R.T. LOWE, 1852**

- *Truncatellina cylindrica* (A. FÉRUSAC, 1807) – FL
- *Truncatellina monodon* (HELD, 1837) – FL

Tribus Vertiginini FITZINGER, 1833

**Genus *Vertigo* O.F. MÜLLER, 1773**

**Subgenus *Vertigo* O.F. MÜLLER, 1773**

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – FL
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – FL

- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – FL
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – FL
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – FL

**Subgenus *Vertilla* MOQUIN-TANDON, 1856**

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – FL

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)  
Familia Enidae B.B. WOODWARD, 1903 (1880)  
 Subfamilia Eninae B.B. WOODWARD, 1903 (1880)  
 Tribus Enini B.B. WOODWARD, 1903 (1880)

**Genus *Ena* TURTON, 1831**

- *Ena montana* (DRAPARNAUD, 1801) – FL

Tribus Multidentulini SCHILEYKO, 1978

**Genus *Merdigera* HELD, 1838**

- *Merdigera obscura* (O.F. MÜLLER, 1774) – FL

Subordo \*\*\*\* (unnamed)  
 Superfamilia Achatinoidea SWAINSON, 1840  
Familia Ferussaciidae BOURGUIGNAT, 1883

**Genus *Cecilioides* A. FÉRUSSAC, 1814**

**Subgenus *Cecilioides* A. FÉRUSSAC, 1814**

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – FL

Subordo Sigmurethra PILSBRY, 1900  
 Superfamilia Clausilioidea J.E. GRAY, 1855  
Familia Clausiliidae J.E. GRAY, 1855  
 Subfamilia Alopiinae A.J. WAGNER, 1913  
 Tribus Cochlodinini LINDHOLM, 1925 (1923)

**Genus *Cochlodina* A. FÉRUSSAC, 1821**

**Subgenus *Cochlodina* A. FÉRUSSAC, 1821**

- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – FL

**Subgenus *Stabilea* DE BETTA, 1870**

- *Cochlodina (Stabilea) fimbriata fimbriata* (ROSSMÄSSLER, 1835) – FL

**Subgenus *Paracochlodina* H. NORDSIECK, 1969**

- *Cochlodina (Paracochlodina) orthostoma orthostoma* (MENKE, 1828) – FL

Subfamilia Clausiliinae J.E. GRAY, 1855  
 Tribus Clausiliini J.E. GRAY, 1855

**Genus *Macrogastra* W. HARTMANN, 1841**

**Subgenus *Macrogastra* W. HARTMANN, 1841**

- *Macrogastra (Macrogastra) ventricosa ventricosa* (DRAPARNAUD, 1801) – FL

**Subgenus *Pyrostoma* VEST, 1867**

- *Macrogastra (Pyrostoma) attenuata lineolata* (HELD, 1836) – FL
- *Macrogastra (Pyrostoma) plicatula plicatula* (DRAPARNAUD, 1801) – FL

**Genus *Clausilia* DRAPARNAUD, 1805**

**Subgenus *Clausilia* DRAPARNAUD, 1805**

- *Clausilia (Clausilia) cruciata cruciata* (S. STUDER, 1820) – FL
- *Clausilia (Clausilia) rugosa parvula* (A. FÉRUSAC, 1807) – FL

**Subgenus *Andraea* L. PFEIFFER, 1848**

- *Clausilia (Andraea) dubia dubia* DRAPARNAUD, 1805 – FL

**Genus *Neostyriaca* A.J. WAGNER, 1920**

- *Neostyriaca corynodes saxatilis* (W. HARTMANN, 1843) – FL

Subfamilia Baleinae A.J. WAGNER, 1913

**Genus *Laciniaria* W. HARTMANN, 1842**

- *Laciniaria plicata plicata* (DRAPARNAUD, 1801) – FL

**Genus *Balea* J.E. GRAY, 1824**

- *Balea perversa* (LINNAEUS, 1758) – FL

Superfamilia Punctoidea MORSE, 1864

Familia Punctidae MORSE, 1864

**Genus *Punctum* MORSE, 1864**

**Subgenus *Punctum* MORSE, 1864**

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – FL

Familia Discidae THIELE, 1931 (1866)

**Genus *Discus* FITZINGER, 1833**

**Subgenus *Discus* FITZINGER, 1833**

- *Discus (Discus) ruderatus ruderatus* (W. HARTMANN, 1821) – FL

**Subgenus *Gonyodiscus* FITZINGER, 1833**

- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – FL

Superfamilia Gastrodontoidea TRYON, 1866

Familia Pristilomatidae T. COCKERELL, 1891

**Genus *Vitrea* FITZINGER, 1833**

- *Vitrea contracta* (WESTERLUND, 1871) – FL
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – FL
- *Vitrea diaphana diaphana* (S. STUDER, 1820) – FL

- *Vitrea subrimata* (REINHARDT, 1871) – FL

Familia Euconulidae H.B. BAKER, 1928  
Subfamilia Euconulinae H.B. BAKER, 1928

**Genus *Euconulus* REINHARDT, 1883**

**Subgenus *Euconulus* REINHARDT, 1883**

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – FL
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – FL

Familia Gastrodontidae TRYON, 1866

**Genus *Zonitoides* LEHMANN, 1862**

**Subgenus *Zonitoides* LEHMANN, 1862**

- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – FL

Familia Oxychilidae P. HESSE, 1927 (1879)  
Subfamilia Daudebardiinae KOBELT, 1906

**Genus *Daudebardia* W. HARTMANN, 1821**

**Subgenus *Daudebardia* W. HARTMANN, 1821**

- *Daudebardia (Daudebardia) rufa* (DRAPARNAUD, 1805) – FL

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

**Genus *Oxychilus* FITZINGER, 1833**

**Subgenus *Oxychilus* FITZINGER, 1833**

- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – FL
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – FL

**Subgenus *Ortizius* FORCART, 1957**

- *Oxychilus (Ortizius) alliarius* (J.S. MILLER, 1822) – FL

**Genus *Morlina* A.J. WAGNER, 1914**

- *Morlina glabra glabra* (ROSSMÄSSLER, 1835) – FL

**Genus *Mediterranea* CLESSIN, 1880**

- *Mediterranea depressa* (STERKI, 1880) – FL

Subfamilia Godwiniinae C.M. COOKE, 1921

**Genus *Aegopinella* LINDHOLM, 1927**

- *Aegopinella minor* (STABILE, 1864) – FL
- *Aegopinella nitens* (MICHAUD, 1831) – FL
- *Aegopinella pura* (ALDER, 1830) – FL

**Genus *Nesovitrea* C. M. COOKE, 1921**

**Subgenus *Perpolita* H.B. BAKER, 1928**



- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – FL
- *Nesovitrea (Perpolita) petronella* (L. PFEIFFER, 1853) – FL

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)  
Familia Milacidae ELLIS, 1926

**Genus *Tandonia* LESSONA & POLLONERA, 1882**

- *Tandonia rustica* (MILLET, 1843) – FL

Superfamilia Limacoidea LAMARCK, 1801  
Familia Vitrinidae FITZINGER, 1833

**Genus *Semilimax* J.E. GRAY, 1847**

- *Semilimax semilimax* (J. FÉRUSSAC, 1802) – FL

**Genus *Vitrinobrachium* KÜNKEL, 1929**

- *Vitrinobrachium breve* (A. FÉRUSSAC, 1821) – FL

**Genus *Eucobresia* H.B. BAKER, 1929**

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – FL
- *Eucobresia nivalis* (DUMONT & MORTILLET, 1854) – FL

**Genus *Vitrina* DRAPARNAUD, 1801**

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – FL

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

**Genus *Boettgerilla* SIMROTH, 1910**

- *Boettgerilla pallens* SIMROTH, 1912 – FL

Familia Limacidae LAMARCK, 1801  
Subfamilia Limacinae LAMARCK, 1801

**Genus *Limax* LINNAEUS, 1758**

- *Limax cinereoniger* WOLF, 1803 – FL
- *Limax maximus* LINNAEUS, 1758 – FL

**Genus *Malacolimax* MALM, 1868**

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – FL

**Genus *Lehmannia* HEYNEMANN, 1863**

- *Lehmannia marginata* (O.F. MÜLLER, 1774) – FL

Familia Agriolimacidae H. WAGNER, 1935  
Subfamilia Agriolimacinae H. WAGNER, 1935

**Genus *Deroceas* RAFINESQUE, 1820**

**Subgenus *Deroceas* RAFINESQUE, 1820**

- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – FL
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – FL

Superfamilia Arionoidea J.E. GRAY, 1840  
Familia Arionidae J.E. GRAY, 1840

**Genus *Arion* A. FÉRUSAC, 1819**

**Subgenus *Arion* A. FÉRUSAC, 1819**

- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – FL
- *Arion (Arion) rufus* (LINNAEUS, 1758) – FL

**Subgenus *Mesarion* P. HESSE, 1926**

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – FL

**Subgenus *Carinarion* P. HESSE, 1926**

- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – FL

**Subgenus *Kobeltia* SEIBERT, 1873**

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – FL

Superfamilia Helicoidea RAFINESQUE, 1815  
Familia Bradybaenidae PILSBRY, 1934 (1898)  
 Subfamilia Bradybaeninae PILSBRY, 1934 (1898)  
 Tribus Bradybaenini PILSBRY, 1934 (1898)

**Genus *Fruticicola* HELD, 1838**

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – FL

Familia Helicodontidae KOBELT, 1904  
 Subfamilia Helicodontinae KOBELT, 1904

**Genus *Helicodonta* A. FÉRUSAC, 1821**

- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – FL

Familia Hygromiidae TRYON, 1866  
 Subfamilia Monachinae WENZ, 1930 (1904)  
 Tribus Euomphaliini SCHILEYKO, 1978

**Genus *Euomphalia* WESTERLUND, 1889**

- *Euomphalia strigella strigella* (DRAPARNAUD, 1801) – FL

Subfamilia Hygromiinae TRYON, 1866  
 Tribus Trochulini LINDHOLM, 1927

**Genus *Trochulus* CHEMNITZ, 1786**

**Subgenus *Trochulus* CHEMNITZ, 1786**

- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – FL
- *Trochulus (Trochulus) clandestinus clandestinus* (W. HARTMANN, 1821) – FL
- *Trochulus (Trochulus) sericeus* (DRAPARNAUD, 1801) – FL

- *Trochulus (Trochulus) villosus* (DRAPARNAUD, 1805) – FL

**Genus *Petasina* H. BECK, 1847**

**Subgenus *Petasina* H. BECK, 1847**

- *Petasina (Petasina) unidentata unidentata* (DRAPARNAUD, 1805) – FL

**Subgenus *Edentiella* POLIŃSKI, 1929**

- *Petasina (Edentiella) edentula helvetica* (POLIŃSKI, 1929) – FL

Tribus Helicellini IHERING, 1909

**Genus *Helicella* A. FÉRUSAC, 1821**

- *Helicella itala itala* (LINNAEUS, 1758) – FL

Tribus Leptaxini C. BOETTGER, 1909

**Genus *Monachoides* GUDE & B.B. WOODWARD, 1921**

- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – FL

Familia Helicidae RAFINESQUE, 1815

Subfamilia Ariantinae MÖRCH, 1864

**Genus *Arianta* TURTON, 1831**

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – FL

**Genus *Helicigona* A. FÉRUSAC, 1821**

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – FL

**Genus *Chilostoma* FITZINGER, 1833**

**Subgenus *Cingulifera* HELD, 1838**

- *Chilostoma (Cingulifera) cingulatum peregrini* FALKNER, 1998 – FL

**Genus *Isognomostoma* FITZINGER, 1833**

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – FL

**Genus *Causa* SCHILEYKO, 1971**

- *Causa holosericea* (S. STUDER, 1820) – FL

Subfamilia Helicinae RAFINESQUE, 1815

Tribus Helicini RAFINESQUE, 1815

**Genus *Cepaea* HELD, 1838**

**Subgenus *Cepaea* HELD, 1838**

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – FL
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – FL

**Genus *Helix* LINNAEUS, 1758**

**Subgenus *Helix* LINNAEUS, 1758**

- *Helix (Helix) pomatia* LINNAEUS, 1758 – FL