

# FAUNA EUROPAEA PROJECT

## Checklist of the land and freshwater Gastropoda of the Netherlands

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogeveen, the Netherlands, phone +31-598-852132)

Last update: July 24<sup>th</sup>, 2011

Send remarks/additions/corrections to [Ruud.Bank@quicknet.nl](mailto:Ruud.Bank@quicknet.nl)

### Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See [www.faunaeur.org](http://www.faunaeur.org) for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the [www.faunaeur.org](http://www.faunaeur.org) is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24<sup>th</sup>, 2011. Furthermore, the systematic framework of the Gastropoda of [www.faunaeur.org](http://www.faunaeur.org) is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abandoned. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

---

Phylum Mollusca CUVIER, 1795  
Classis Gastropoda CUVIER, 1795  
Subclassis Neritimorpha KOKEN, 1896  
Ordo Cycloneritimorpha FRÝDA, 1998  
Superfamilia Neritoidea RAFINESQUE, 1815  
Familia Neritidae RAFINESQUE, 1815  
Subfamilia Neritinae POEY, 1852

**Genus *Theodoxus* MONTFORT, 1810**

**Subgenus *Theodoxus* MONTFORT, 1810**

- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – NL

Subclassis Caenogastropoda COX, 1960  
 Ordo Architaenioglossa HALLER, 1890  
 Superfamilia Cyclophoroidea J.E. GRAY, 1847  
Familia Aciculidae J.E. GRAY, 1850

**Genus *Acicula* W. HARTMANN, 1821**

- *Acicula fusca* (MONTAGU, 1803) – NL

**Genus *Platyla* MOQUIN-TANDON, 1856**

- *Platyla polita polita* (W. HARTMANN, 1840) – NL

Superfamilia Viviparoidea J.E. GRAY, 1847  
Familia Viviparidae J.E. GRAY, 1847  
 Subfamilia Viviparinae J.E. GRAY, 1847

**Genus *Viviparus* MONTFORT, 1810**

- *Viviparus acerosus acerosus* (BOURGUIGNAT, 1862) – NL
- *Viviparus contectus* (MILLET, 1813) – NL
- *Viviparus viviparus* (LINNAEUS, 1758) – NL

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997  
 Ordo \*\*\* (unnamed)  
 Superfamilia Cerithioidea FLEMING, 1822  
Familia Thiaridae GILL, 1871 (1823)

**Genus *Melanoides* OLIVIER, 1804**

- *Melanoides tuberculatus* (O.F. MÜLLER, 1774) – NL

Ordo Littorinimorpha PCHELINTSEV, 1963  
 Superfamilia Littorinoidea CHILDREN, 1834  
Familia Pomatiidae NEWTON, 1891 (1828)

**Genus *Pomatias* S. STUDER, 1789**

- *Pomatias elegans* (O.F. MÜLLER, 1774) – NL

Superfamilia Rissooidea J.E. GRAY, 1847  
Familia Bithyniidae J.E. GRAY, 1857

**Genus *Bithynia* LEACH, 1818**

- *Bithynia leachii* (SHEPPARD, 1823) – NL
- *Bithynia tentaculata* (LINNAEUS, 1758) – NL

Familia Cochliopidae TRYON, 1866  
 Subfamilia Semisalsinae GIUSTI & PEZZOLI, 1980

**Genus *Heleobia* STIMPSON, 1865**

**Subgenus *Semisalsa* RADOMAN, 1974**

- *Heleobia (Semisalsa) stagnorum* (GMELIN, 1791) – NL

Familia Hydrobiidae STIMPSON, 1865  
Subfamilia Tateinae THIELE, 1925

**Genus *Potamopyrgus* STIMPSON, 1865**

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – NL

Subfamilia Hydrobiinae STIMPSON, 1865

**Genus *Ecrobia* STIMPSON, 1865**

- *Ecrobia ventrosa* (MONTAGU, 1803) – NL

**Genus *Peringia* PALADILHE, 1874**

- *Peringia ulvae* (PENNANT, 1777) – NL

**Genus *Mercuria* BOETERS, 1971**

- *Mercuria anatina* (POIRET, 1801) – NL

Subfamilia Belgrandiinae DE STEFANI, 1877  
Tribus Belgrandiellini RADOMAN, 1983

**Genus *Bythiospeum* BOURGUIGNAT, 1882**

- *Bythiospeum husmanni* (C. BOETTGER, 1963) – NL?

Tribus Pseudohoratiini RADOMAN, 1973

**Genus *Avenionia* NICOLAS, 1882**

- *Avenionia roberti* BOETERS, 1967 – NL

Familia Lithoglyphidae TRYON, 1866  
Subfamilia Lithoglyphinae TRYON, 1866

**Genus *Lithoglyphus* C. PFEIFFER, 1828**

- *Lithoglyphus naticoides* (C. PFEIFFER, 1828) – NL

Familia Amnicolidae TRYON, 1863  
Subfamilia Amnicolinae TRYON, 1863

**Genus *Marstoniopsis* VAN REGTEREN ALTENA, 1936**

- *Marstoniopsis insubrica* (KÜSTER, 1853) – NL

**Genus *Bythinella* MOQUIN-TANDON, 1856**

- *Bythinella dunkeri* (FRAUENFELD, 1857) – NL

Familia Assimineidae H. & A. ADAMS, 1856  
Subfamilia Assimineinae H. & A. ADAMS, 1856

**Genus *Assiminea* FLEMING, 1828**

**Subgenus *Assiminea* FLEMING, 1828**

- *Assiminea (Assiminea) grayana* FLEMING, 1828 – NL

Subclassis Heterobranchia BURMEISTER, 1840  
 Ordo Allogastropoda HASZPRUNAR, 1985  
 Superfamilia Valvatoidea J.E. GRAY, 1840  
Familia Valvatidae J.E. GRAY, 1840

**Genus *Valvata* O.F. MÜLLER, 1773**

**Subgenus *Valvata* O.F. MÜLLER, 1773**

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – NL

**Subgenus *Tropidina* H. & A. ADAMS, 1854**

- *Valvata (Tropidina) macrostoma* MÖRCH, 1864 – NL

**Subgenus *Cincinna* HÜBNER, 1810**

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – NL

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814  
 Ordo Hygrophila A. FÉRUSAC, 1822  
 Superfamilia Acroloxoidea THIELE, 1931  
Familia Acroloxidae THIELE, 1931

**Genus *Acroloxus* H. BECK, 1838**

- *Acroloxus lacustris* (LINNAEUS, 1758) – NL

Superfamilia Lymnaeoidea RAFINESQUE, 1815  
Familia Lymnaeidae RAFINESQUE, 1815  
 Subfamilia Lymnaeinae RAFINESQUE, 1815

**Genus *Galba* SCHRANK, 1803**

**Subgenus *Galba* SCHRANK, 1803**

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – NL

**Genus *Stagnicola* JEFFREYS, 1830**

- *Stagnicola corvus* (GMELIN, 1791) – NL
- *Stagnicola fuscus* (C. PFEIFFER, 1821) – NL
- *Stagnicola palustris* (O.F. MÜLLER, 1774) – NL

**Genus *Omphiscola* RAFINESQUE, 1819**

- *Omphiscola glabra* (O.F. MÜLLER, 1774) – NL

**Genus *Radix* MONTFORT, 1810**

- *Radix auricularia* (LINNAEUS, 1758) – NL
- *Radix balthica* (LINNAEUS, 1758) – NL
- *Radix labiata* (ROSSMÄSSLER, 1835) – NL

**Genus *Myxas* G.B. SOWERBY I, 1822**

- *Myxas glutinosa* (O.F. MÜLLER, 1774) – NL

**Genus *Lymnaea* LAMARCK, 1799**

- *Lymnaea stagnalis* (LINNAEUS, 1758) – NL

Superfamilia Planorboidea RAFINESQUE, 1815

Familia Physidae FITZINGER, 1833

Subfamilia Physinae FITZINGER, 1833

Tribus Physini FITZINGER, 1833

**Genus *Physa* DRAPARNAUD, 1801**

- *Physa fontinalis* (LINNAEUS, 1758) – NL

Tribus Haitiini D.W. TAYLOR, 2003

**Genus *Haitia* CLENCH & AGUAYO, 1932**

- *Haitia acuta* (DRAPARNAUD, 1805) – NL

Subfamilia Aplexinae STAROBOGATOV, 1967

Tribus Aplexini STAROBOGATOV, 1967

**Genus *Aplexa* FLEMING, 1820**

- *Aplexa hypnorum* (LINNAEUS, 1758) – NL

Familia Planorbidae RAFINESQUE, 1815

Subfamilia Bulininae P. FISCHER & CROSSE, 1880

Tribus Coretini J.E. GRAY, 1847

**Genus *Planorbarius* DUMÉRIL, 1806**

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – NL

**Genus *Planorbella* HALDEMAN, 1843**

- *Planorbella duryi* (WETHERBY, 1879) – NL

**Genus *Menetus* H. & A. ADAMS, 1855**

**Subgenus *Dilatata* CLESSIN, 1885**

- *Menetus (Dilatata) dilatatus* (GOULD, 1841) – NL

Tribus Miratestini P. & F. SARASIN, 1897

**Genus *Ferrissia* WALKER, 1903**

**Subgenus *Pettancylus* IREDALE, 1943**

- *Ferrissia (Pettancylus) wautieri* (MIROLLI 1960) – NL

Subfamilia Planorbinae RAFINESQUE, 1815

Tribus Planorbini RAFINESQUE, 1815

**Genus *Planorbis* O.F. MÜLLER, 1773**

**Subgenus *Planorbis* O.F. MÜLLER, 1773**

- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – NL
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – NL

**Genus *Anisus* S. STUDER, 1820**

**Subgenus *Anisus* S. STUDER, 1820**

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – NL
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – NL?

**Subgenus *Disculifer* C. BOETTGER, 1944**

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – NL
- *Anisus (Disculifer) vorticulus* (TROSCHER, 1834) – NL

**Genus *Bathyomphalus* CHARPENTIER, 1837**

- *Bathyomphalus contortus* (LINNAEUS, 1758) – NL

**Genus *Gyraulus* CHARPENTIER, 1837**

**Subgenus *Gyraulus* CHARPENTIER, 1837**

- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – NL
- *Gyraulus (Gyraulus) chinensis* (DUNKER, 1848) – NL

**Subgenus *Torquis* DALL, 1905**

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – NL

**Subgenus *Lamorbis* STAROBOGATOV, 1967**

- *Gyraulus (Lamorbis) riparius* (WESTERLUND, 1865) – NL

**Subgenus *Armiger* W. HARTMANN, 1843**

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – NL

Tribus Segmentinini F.C. BAKER, 1945

**Genus *Hippeutis* CHARPENTIER, 1837**

- *Hippeutis complanatus* (LINNAEUS, 1758) – NL

**Genus *Segmentina* FLEMING, 1818**

- *Segmentina nitida* (O.F. MÜLLER, 1774) – NL

Tribus Ancylini RAFINESQUE, 1815

**Genus *Ancylus* O.F. MÜLLER, 1773**

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – NL

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990  
 Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)  
Familia Ellobiidae L. PFEIFFER, 1854 (1822)  
 Subfamilia Pythiinae ODHNER, 1925 (1880)

**Genus *Myosotella* MONTEROSATO, 1906**

- *Myosotella denticulata* (MONTAGU, 1803) – NL
- *Myosotella myosotis* (DRAPARNAUD, 1801) – NL

Subfamilia Ellobiinae L. PFEIFFER, 1854 (1822)

**Genus *Leucophytia* WINCKWORTH, 1949**

- *Leucophytia bidentata* (MONTAGU, 1808) – NL

Subfamilia Carychiinae JEFFREYS, 1830

**Genus *Carychium* O.F. MÜLLER, 1773**

**Subgenus *Carychium* O.F. MÜLLER, 1773**

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – NL

**Subgenus *Saraphia* RISSO, 1826**

- *Carychium (Saraphia) tridentatum* (RISSO, 1826) – NL

Ordo Stylommatophora A. SCHMIDT, 1855

Subordo Elasmognatha MÖRCH, 1863

Superfamilia Succineoidea H. BECK, 1837

Familia Succineidae H. BECK, 1837

Subfamilia Succineinae H. BECK, 1837

**Genus *Succinea* DRAPARNAUD, 1801**

- *Succinea putris* (LINNAEUS, 1758) – NL

**Genus *Succinella* J. MABILLE, 1871**

- *Succinella oblonga* (DRAPARNAUD, 1801) – NL

**Genus *Oxyloma* WESTERLUND, 1885**

**Subgenus *Oxyloma* WESTERLUND, 1885**

- *Oxyloma (Oxyloma) elegans elegans* (RISSO, 1826) – NL
- *Oxyloma (Oxyloma) sarsii* (ESMARK, 1886) – NL

Subfamilia Catinellinae ODHNER, 1950

**Genus *Quickella* C. BOETTGER, 1939**

- *Quickella arenaria* (POTIEZ & MICHAUD, 1835) – NL

Subordo Orthurethra PILSBRY, 1900 (1879)

Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)

Familia Cochlicopidae PILSBRY, 1900 (1879)

Subfamilia Cochlicopininae PILSBRY, 1900 (1879)

**Genus *Cochlicopa* A. FÉRUSSAC, 1821**

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – NL
- *Cochlicopa lubricella* (PORRO, 1838) – NL

Superfamilia Pupilloidea TURTON, 1831  
Familia Lauriidae STEENBERG, 1925

**Genus *Lauria* J.E. GRAY, 1840**  
**Subgenus *Lauria* J.E. GRAY, 1840**

- *Lauria (Lauria) cylindracea* (DA COSTA, 1778) – NL

Familia Orculidae PILSBRY, 1918  
Subfamilia Orculinae PILSBRY, 1918

**Genus *Sphyradium* CHARPENTIER, 1837**

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – NL

Familia Valloniidae MORSE, 1864  
Subfamilia Valloniinae MORSE, 1864

**Genus *Vallonia* RISSO, 1826**

- *Vallonia costata* (O.F. MÜLLER, 1774) – NL
- *Vallonia excentrica* STERKI, 1893 – NL
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – NL

Subfamilia Acanthinulinae STEENBERG, 1917

**Genus *Acanthinula* H. BECK, 1847**

- *Acanthinula aculeata* (O.F. MÜLLER 1774) – NL

**Genus *Spermodea* WESTERLUND, 1903**

- *Spermodea lamellata* (JEFFREYS, 1830) – NL

Familia Pupillidae TURTON, 1831

**Genus *Pupilla* FLEMING, 1828**  
**Subgenus *Pupilla* FLEMING, 1828**

- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – NL

Familia Vertiginidae FITZINGER, 1833  
Subfamilia Vertigininae FITZINGER, 1833  
Tribus Truncatellinini STEENBERG, 1925

**Genus *Columella* WESTERLUND, 1878**

- *Columella aspera* WALDÉN, 1966 – NL
- *Columella edentula* (DRAPARNAUD, 1805) – NL

**Genus *Truncatellina* R.T. LOWE, 1852**

- *Truncatellina cylindrica* (A. FÉRUSAC, 1807) – NL

Tribus Vertiginini FITZINGER, 1833

**Genus *Vertigo* O.F. MÜLLER, 1773**  
**Subgenus *Vertigo* O.F. MÜLLER, 1773**

- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – NL
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – NL
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – NL
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – NL
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – NL

**Subgenus *Vertilla* MOQUIN-TANDON, 1856**

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – NL

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)  
 Familia Enidae B.B. WOODWARD, 1903 (1880)  
 Subfamilia Eninae B.B. WOODWARD, 1903 (1880)  
 Tribus Multidentulini SCHILEYKO, 1978

**Genus *Merdigera* HELD, 1838**

- *Merdigera obscura* (O.F. MÜLLER, 1774) – NL

Subordo \*\*\*\* (unnamed)  
 Superfamilia Achatinoidea SWAINSON, 1840  
 Familia Ferussaciidae BOURGUIGNAT, 1883

**Genus *Cecilioides* A. FÉRUSAC, 1814**

**Subgenus *Cecilioides* A. FÉRUSAC, 1814**

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – NL

Subordo Sigmurethra PILSBRY, 1900  
 Superfamilia Clausilioidea J.E. GRAY, 1855  
 Familia Clausiliidae J.E. GRAY, 1855  
 Subfamilia Alopiinae A.J. WAGNER, 1913  
 Tribus Cochlodinini LINDHOLM, 1925 (1923)

**Genus *Cochlodina* A. FÉRUSAC, 1821**

**Subgenus *Cochlodina* A. FÉRUSAC, 1821**

- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – NL

Subfamilia Clausiliinae J.E. GRAY, 1855  
 Tribus Clausiliini J.E. GRAY, 1855

**Genus *Macrogastra* W. HARTMANN, 1841**

**Subgenus *Pseudovestia* H. NORDSIECK, 1977**

- *Macrogastra (Pseudovestia) rophii rophii* (TURTON, 1826) – NL

**Subgenus *Pyrostoma* VEST, 1867**

- *Macrogastra (Pyrostoma) attenuata lineolata* (HELD, 1836) – NL

**Genus *Clausilia* DRAPARNAUD, 1805**

**Subgenus *Clausilia* DRAPARNAUD, 1805**

- *Clausilia (Clausilia) bidentata bidentata* (STRØM, 1765) – NL
- *Clausilia (Clausilia) rugosa parvula* (A. FÉRUSAC, 1807) – NL

**Subgenus *Andraea* L. PFEIFFER, 1848**

- *Clausilia (Andraea) dubia dubia* DRAPARNAUD, 1805 – NL

Subfamilia Baleinae A.J. WAGNER, 1913

**Genus *Balea* J.E. GRAY, 1824**

- *Balea heydeni* VON MALTZAN 1881 – NL
- *Balea perversa* (LINNAEUS, 1758) – NL

**Genus *Alinda* H. & A. ADAMS, 1855**

**Subgenus *Alinda* H. & A. ADAMS, 1855**

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – NL

Superfamilia Testacelloidea J.E. Gray, 1840  
Familia Testacellidae J.E. GRAY, 1840

**Genus *Testacella* LAMARCK, 1801**

**Subgenus *Testacella* LAMARCK, 1801**

- *Testacella (Testacella) haliotidea* DRAPARNAUD, 1801 – NL

Superfamilia Punctoidea MORSE, 1864  
Familia Punctidae MORSE, 1864

**Genus *Punctum* MORSE, 1864**

**Subgenus *Punctum* MORSE, 1864**

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – NL

**Genus *Paralaoma* IREDALE, 1913**

- *Paralaoma servilis* (SHUTTLEWORTH, 1852) – NL

Familia Helicodiscidae H.B. BAKER, 1927

**Genus *Lucilla* R.T. LOWE, 1852**

- *Lucilla scintilla* (R.T. LOWE, 1852) – NL

Familia Discidae THIELE, 1931 (1866)

**Genus *Discus* FITZINGER, 1833**

**Subgenus *Gonyodiscus* FITZINGER, 1833**

- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – NL

Superfamilia Gastrodontoidea TRYON, 1866  
Familia Pristilomatidae T. COCKERELL, 1891

**Genus *Vitrea* FITZINGER, 1833**

- *Vitrea contracta* (WESTERLUND, 1871) – NL
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – NL

Familia Euconulidae H.B. BAKER, 1928

Subfamilia Euconulinae H.B. BAKER, 1928

**Genus *Euconulus* REINHARDT, 1883**

**Subgenus *Euconulus* REINHARDT, 1883**

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – NL
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – NL
- *Euconulus (Euconulus) trochiformis* (MONTAGU, 1803) – NL

Familia Gastrodontidae TRYON, 1866

**Genus *Zonitoides* LEHMANN, 1862**

**Subgenus *Zonitoides* LEHMANN, 1862**

- *Zonitoides (Zonitoides) excavatus* (ALDER, 1830) – NL
- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – NL

Familia Oxychilidae P. HESSE, 1927 (1879)

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

**Genus *Oxychilus* FITZINGER, 1833**

**Subgenus *Oxychilus* FITZINGER, 1833**

- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – NL
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – NL

**Subgenus *Ortizius* FORCART, 1957**

- *Oxychilus (Ortizius) alliaris* (J.S. MILLER, 1822) – NL
- *Oxychilus (Ortizius) navarricus helveticus* (BLUM, 1881) – NL

Subfamilia Godwiniinae C.M. COOKE, 1921

**Genus *Aegopinella* LINDHOLM, 1927**

- *Aegopinella nitens* (MICHAUD, 1831) – NL
- *Aegopinella nitidula* (DRAPARNAUD, 1805) – NL
- *Aegopinella pura* (ALDER, 1830) – NL

**Genus *Nesovitrea* C. M. COOKE, 1921**

**Subgenus *Perpolita* H.B. BAKER, 1928**

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – NL

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)

Familia Milacidae ELLIS, 1926

**Genus *Milax* J.E. GRAY, 1855**

- *Milax gagates* (DRAPARNAUD, 1801) – NL
- *Milax nigricans* (PHILIPPI, 1836) – NL

**Genus *Tandonia* LESSONA & POLLONERA, 1882**

- *Tandonia budapestensis* (HAZAY, 1880) – NL
- *Tandonia rustica* (MILLET, 1843) – NL
- *Tandonia sowerbyi* (A. FÉRUSSAC, 1823) – NL

Superfamilia Limacoidea LAMARCK, 1801  
Familia Vitrinidae FITZINGER, 1833

**Genus *Vitrinobrachium* KÜNKEL, 1929**

- *Vitrinobrachium breve* (A. FÉRUSAC, 1821) – NL

**Genus *Eucobresia* H.B. BAKER, 1929**

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – NL

**Genus *Vitrina* DRAPARNAUD, 1801**

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – NL

**Genus *Phenacolimax* STABILE, 1859**

- *Phenacolimax major* (A. FÉRUSAC, 1807) – NL

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

**Genus *Boettgerilla* SIMROTH, 1910**

- *Boettgerilla pallens* SIMROTH, 1912 – NL

Familia Limacidae LAMARCK, 1801  
Subfamilia Limacinae LAMARCK, 1801

**Genus *Limax* LINNAEUS, 1758**

- *Limax cinereoniger* WOLF, 1803 – NL
- *Limax maximus* LINNAEUS, 1758 – NL

**Genus *Limacus* LEHMANN, 1864**

- *Limacus flavus* (LINNAEUS, 1758) – NL

**Genus *Malacolimax* MALM, 1868**

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – NL

**Genus *Lehmannia* HEYNEMANN, 1863**

- *Lehmannia marginata* (O.F. MÜLLER, 1774) – NL
- *Lehmannia valentiana* (A. FÉRUSAC, 1822) – NL

Familia Agriolimacidae H. WAGNER, 1935  
Subfamilia Agriolimacinae H. WAGNER, 1935

**Genus *Deroceras* RAFINESQUE, 1820**

**Subgenus *Deroceras* RAFINESQUE, 1820**

- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758) – NL
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – NL
- *Deroceras (Deroceras) panormitanum* (LESSONA & POLLONERA, 1882) – NL
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – NL

- *Deroceras (Deroceras) sturanyi* (SIMROTH, 1894) – NL

Superfamilia Arionoidea J.E. GRAY, 1840  
Familia Arionidae J.E. GRAY, 1840

**Genus *Arion* A. FÉRUSAC, 1819**

**Subgenus *Arion* A. FÉRUSAC, 1819**

- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – NL
- *Arion (Arion) rufus* (LINNAEUS, 1758) – NL

**Subgenus *Mesarion* P. HESSE, 1926**

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – NL
- *Arion (Mesarion) subfuscus* (DRAPARNAUD, 1805) – NL

**Subgenus *Carinarion* P. HESSE, 1926**

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – NL
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – NL

**Subgenus *Kobeltia* SEIBERT, 1873**

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – NL
- *Arion (Kobeltia) hortensis* A. FÉRUSAC, 1819 – NL
- *Arion (Kobeltia) intermedius* NORMAND, 1852 – NL

Superfamilia Helicoidea RAFINESQUE, 1815  
Familia Bradybaenidae PILSBRY, 1934 (1898)  
 Subfamilia Bradybaeninae PILSBRY, 1934 (1898)  
 Tribus Bradybaenini PILSBRY, 1934 (1898)

**Genus *Fruticicola* HELD, 1838**

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – NL

Familia Helicodontidae KOBELT, 1904  
 Subfamilia Helicodontinae KOBELT, 1904

**Genus *Helicodonta* A. FÉRUSAC, 1821**

- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – NL

Familia Cochlicellidae SCHILEYKO, 1972

**Genus *Cochlicella* A. FÉRUSAC, 1821**

**Subgenus *Cochlicella* A. FÉRUSAC, 1821**

- *Cochlicella (Cochlicella) acuta* (O.F. MÜLLER, 1774) – NL

**Subgenus *Prietocella* SCHILEYKO & MENKHORST, 1997**

- *Cochlicella (Prietocella) barbara* (LINNAEUS, 1758) – NL

Familia Hygromiidae TRYON, 1866  
 Subfamilia Monachinae WENZ, 1930 (1904)  
 Tribus Monachini WENZ, 1930 (1904)

**Genus *Monacha* FITZINGER 1833**  
**Subgenus *Monacha* FITZINGER 1833**

- *Monacha (Monacha) cantiana* (MONTAGU, 1803) – NL
- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – NL

Subfamilia Hygromiinae TRYON, 1866  
Tribus Trochulini LINDHOLM, 1927

**Genus *Trochulus* CHEMNITZ, 1786**  
**Subgenus *Trochulus* CHEMNITZ, 1786**

- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – NL
- *Trochulus (Trochulus) striolatus ablutens* (LOCARD, 1888) – NL

Tribus Helicellini IHERING, 1909

**Genus *Xerotricha* MONTEROSATO, 1892**

- *Xerotricha apicina* (LAMARCK, 1822) – NL

**Genus *Helicella* A. FÉRUSAC, 1821**

- *Helicella itala itala* (LINNAEUS, 1758) – NL

**Genus *Candidula* KOBELT, 1871**

- *Candidula gigaxii* (L. PFEIFFER, 1847) – NL
- *Candidula intersecta* (POIRET, 1801) – NL
- *Candidula unifasciata unifasciata* (POIRET, 1801) – NL

Tribus Hygromiini TRYON, 1866

**Genus *Hygromia* RISSO, 1826**  
**Subgenus *Hygromia* RISSO, 1826**

- *Hygromia (Hygromia) cinctella* (DRAPARNAUD, 1801) – NL

**Genus *Cernuella* SCHLÜTER, 1838**  
**Subgenus *Cernuella* SCHLÜTER, 1838**

- *Cernuella (Cernuella) aginnica* (LOCARD, 1882) – NL
- *Cernuella (Cernuella) cisalpina* (ROSSMÄSSLER, 1837) – NL
- *Cernuella (Cernuella) virgata* (DA COSTA, 1778) – NL

**Subgenus *Xerocincta* MONTEROSATO, 1892**

- *Cernuella (Xerocincta) neglecta* (DRAPARNAUD, 1805) – NL

Tribus Leptaxini C. BOETTGER, 1909

**Genus *Pseudotrichia* SCHILEYKO, 1970**

- *Pseudotrichia rubiginosa* (ROSSMÄSSLER, 1838) – NL

**Genus *Monachoides* GUDE & B.B. WOODWARD, 1921**

- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – NL

Familia Helicidae RAFINESQUE, 1815  
Subfamilia Ariantinae MÖRCH, 1864

**Genus *Arianta* TURTON, 1831**

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – NL

**Genus *Helicigona* A. FÉRUSSAC, 1821**

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – NL

Subfamilia Helicinae RAFINESQUE, 1815  
Tribus Thebini WENZ, 1923

**Genus *Theba* RISSO, 1826**

- *Theba pisana pisana* (O.F. MÜLLER, 1774) – NL

Tribus Helicini RAFINESQUE, 1815

**Genus *Cepaea* HELD, 1838**

**Subgenus *Cepaea* HELD, 1838**

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – NL
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – NL

**Genus *Cornu* BORN, 1778**

- *Cornu aspersum* (O.F. MÜLLER, 1774) – NL

**Genus *Helix* LINNAEUS, 1758**

**Subgenus *Helix* LINNAEUS, 1758**

- *Helix (Helix) pomatia* LINNAEUS, 1758 – NL