

# FAUNA EUROPAEA PROJECT

## Checklist of the land and freshwater Gastropoda of Poland

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogezaand, the Netherlands, phone +31-598-852132)

Last update: July 24<sup>th</sup>, 2011

Send remarks/additions/corrections to [Ruud.Bank@quicknet.nl](mailto:Ruud.Bank@quicknet.nl)

### Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See [www.faunaeur.org](http://www.faunaeur.org) for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the [www.faunaeur.org](http://www.faunaeur.org) is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24<sup>th</sup>, 2011. Furthermore, the systematic framework of the Gastropoda of [www.faunaeur.org](http://www.faunaeur.org) is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abonded. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

---

*Note:* For the latest checklist see PIECHOCKI *et al.* (2008): Fauna of Poland. Characteristics and checklist of species. Volume III. Mollusca. – Warszawa (Muzeum i Instytut Zoologii PAN): 366-425.

Phylum Mollusca CUVIER, 1795  
Classis Gastropoda CUVIER, 1795  
Subclassis Neritimorpha KOKEN, 1896  
Ordo Cycloneritimorpha FRÝDA, 1998  
Superfamilia Neritoidea RAFINESQUE, 1815  
Familia Neritidae RAFINESQUE, 1815  
Subfamilia Neritinae POEY, 1852

Tribus Theodoxini BANDEL, 2001

**Genus *Theodoxus* MONTFORT, 1810**

**Subgenus *Theodoxus* MONTFORT, 1810**

- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – PL

Subclassis Caenogastropoda COX, 1960  
Ordo Architaenioglossa HALLER, 1890  
Superfamilia Cyclophoroidea J.E. GRAY, 1847  
Familia Aciculidae J.E. GRAY, 1850

**Genus *Acicula* W. HARTMANN, 1821**

- *Acicula parcelineata* (CLESSIN, 1911) – PL

**Genus *Platyla* MOQUIN-TANDON, 1856**

- *Platyla polita polita* (W. HARTMANN, 1840) – PL

Superfamilia Viviparoidea J.E. GRAY, 1847  
Familia Viviparidae J.E. GRAY, 1847  
Subfamilia Viviparinae J.E. GRAY, 1847

**Genus *Viviparus* MONTFORT, 1810**

- *Viviparus contectus* (MILLET, 1813) – PL
- *Viviparus viviparus* (LINNAEUS, 1758) – PL

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997  
Ordo \*\*\*\* (unnamed)  
Superfamilia Cerithioidea FLEMING, 1822  
Familia Thiaridae GILL, 1871 (1823)

**Genus *Melanoides* OLIVIER, 1804**

- *Melanoides tuberculatus* (O.F. MÜLLER, 1774) – PL

Ordo Littorinimorpha PHELINTSEV, 1963  
Superfamilia Rissoidae J.E. GRAY, 1847  
Familia Bithyniidae J.E. GRAY, 1857

**Genus *Bithynia* LEACH, 1818**

- *Bithynia leachii* (SHEPPARD, 1823) – PL
- *Bithynia tentaculata* (LINNAEUS, 1758) – PL
- *Bithynia troschelii* (PAASCH, 1842) – PL

Familia Hydrobiidae STIMPSON, 1865  
Subfamilia Tateinae THIELE, 1925

**Genus *Potamopyrgus* STIMPSON, 1865**

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – PL

Subfamilia Hydrobiinae STIMPSON, 1865

**Genus *Hydrobia* W. HARTMANN, 1821**

- *Hydrobia neglecta* MUUS, 1963 – PL

**Genus *Ecrobia* STIMPSON, 1865**

- *Ecrobia ventrosa* (MONTAGU, 1803) – PL

**Genus *Peringia* PALADILHE, 1874**

- *Peringia ulvae* (PENNANT, 1777) – PL

**Genus *Falniowskaia* BERNASCONI, 1991**

- *Falniowskaia neglectissima* (FALNIOWSKI & STEFFEK, 1989) – PL

Familia Lithoglyphidae TRYON, 1866  
Subfamilia Lithoglyphinae TRYON, 1866

**Genus *Lithoglyphus* C. PFEIFFER, 1828**

- *Lithoglyphus naticoides* (C. PFEIFFER, 1828) – PL

Familia Amnicolidae TRYON, 1863  
Subfamilia Amnicolinae TRYON, 1863

**Genus *Marstoniopsis* VAN REGTEREN ALTENA, 1936**

- *Marstoniopsis insubrica* (KÜSTER, 1853) – PL

**Genus *Bythinella* MOQUIN-TANDON, 1856**

- *Bythinella austriaca austriaca* (FRAUENFELD, 1857) – PL
- *Bythinella austriaca ehrmanni* PAX, 1938 – PL
- *Bythinella hungarica* HAZAY, 1880 – PL
- *Bythinella metarubra* FALNIOWSKI, 1987 – PL
- *Bythinella micherdzinskii* FALNIOWSKI, 1980 – PL
- *Bythinella zyvionteki* FALNIOWSKI, 1987 – PL

Subclassis Heterobranchia BURMEISTER, 1837  
Ordo Allogastropoda HASZPRUNAR, 1985  
Superfamilia Valvatoidea J.E. GRAY, 1840  
Familia Valvatidae J.E. GRAY, 1840

**Genus *Valvata* O.F. MÜLLER, 1773**

**Subgenus *Valvata* O.F. MÜLLER, 1773**

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – PL

**Subgenus *Tropidina* H. & A. ADAMS, 1854**

- *Valvata (Tropidina) macrostoma* MÖRCH, 1864 – PL

**Subgenus *Cincinna* HÜBNER, 1810**

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – PL

**Genus *Borysthenia* LINDHOLM, 1913**

- *Borysthenia naticina* (MENKE, 1845) – PL

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814  
 Ordo Hygrophila A. FÉRUSAC, 1822  
 Superfamilia Acroloxoidea THIELE, 1931  
Familia Acroloxidae THIELE, 1931

**Genus *Acroloxus* H. BECK, 1838**

- *Acroloxus lacustris* (LINNAEUS, 1758) – PL

Superfamilia Lymnaeoidea RAFINESQUE, 1815  
Familia Lymnaeidae RAFINESQUE, 1815  
 Subfamilia Lymnaeinae RAFINESQUE, 1815

**Genus *Galba* SCHRANK, 1803**

**Subgenus *Galba* SCHRANK, 1803**

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – PL

**Genus *Catascopia* MEIER-BROOK & BARGUES, 2003**

- *Catascopia terebra* (WESTERLUND, 1885) – PL

**Genus *Stagnicola* JEFFREYS, 1830**

- *Stagnicola corvus* (GMELIN, 1791) – PL
- *Stagnicola palustris* (O.F. MÜLLER, 1774) – PL
- *Stagnicola turricula* (HELD, 1836) – PL

**Genus *Radix* MONTFORT, 1810**

- *Radix ampla* (W. HARTMANN, 1821) – PL
- *Radix auricularia* (LINNAEUS, 1758) – PL
- *Radix balthica* (LINNAEUS, 1758) – PL
- *Radix labiata* (ROSSMÄSSLER, 1835) – PL

**Genus *Myxas* G.B. SOWERBY I, 1822**

- *Myxas glutinosa* (O.F. MÜLLER, 1774) – PL

**Genus *Lymnaea* LAMARCK, 1799**

- *Lymnaea stagnalis* (LINNAEUS, 1758) – PL

Superfamilia Planorboidea RAFINESQUE, 1815  
Familia Physidae FITZINGER, 1833  
 Subfamilia Physinae FITZINGER, 1833  
 Tribus Physini FITZINGER, 1833

**Genus *Physa* DRAPARNAUD, 1801**

- *Physa fontinalis* (LINNAEUS, 1758) – PL

Tribus Haitiini D.W. TAYLOR, 2003

**Genus *Haitia* CLENCH & AGUAYO, 1932**

- *Haitia acuta* (DRAPARNAUD, 1805) – PL

Subfamilia Aplexinae STAROBOGATOV, 1967  
Tribus Aplexini STAROBOGATOV, 1967

**Genus *Aplexa* FLEMING, 1820**

- *Aplexa hypnorum* (LINNAEUS, 1758) – PL

Familia Planorbidae RAFINESQUE, 1815  
Subfamilia Bulininae P. FISCHER & CROSSE, 1880  
Tribus Coretini J.E. GRAY, 1847

**Genus *Planorbarius* DUMÉRIL, 1806**

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – PL

**Genus *Planorbella* HALDEMAN, 1843**

- *Planorbella duryi* (WETHERBY, 1879) – PL

**Genus *Menetus* H. & A. ADAMS, 1855**

**Subgenus *Dilatata* CLESSIN, 1885**

- *Menetus (Dilatata) dilatatus* (GOULD, 1841) – PL

Tribus Miratestini P. & F. SARASIN, 1897

**Genus *Ferrissia* WALKER, 1903**

**Subgenus *Pettancylus* IREDALE, 1943**

- *Ferrissia (Pettancylus) wautieri* (MIROLI, 1960) – PL

Subfamilia Planorbinae RAFINESQUE, 1815  
Tribus Planorbini RAFINESQUE, 1815

**Genus *Planorbis* O.F. MÜLLER, 1773**

**Subgenus *Planorbis* O.F. MÜLLER, 1773**

- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – PL
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – PL

**Genus *Anisus* S. STUDER, 1820**

**Subgenus *Anisus* S. STUDER, 1820**

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – PL
- *Anisus (Anisus) septemgyratus* (ROSSMÄSSLER, 1835) – PL
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – PL

**Subgenus *Disculifer* C. BOETTGER, 1944**

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – PL
- *Anisus (Disculifer) vorticulus* (TROSCHER, 1834) – PL

**Genus *Bathyomphalus* CHARPENTIER, 1837**

- *Bathyomphalus contortus* (LINNAEUS, 1758) – PL

**Genus *Gyraulus* CHARPENTIER, 1837**

**Subgenus *Gyraulus* CHARPENTIER, 1837**

- *Gyraulus (Gyraulus) acronicus* (A. FÉRUSAC, 1807) – PL
- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – PL

**Subgenus *Torquis* DALL, 1905**

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – PL

**Subgenus *Lamorbis* STAROBOGATOV, 1967**

- *Gyraulus (Lamorbis) riparius* (WESTERLUND, 1865) – PL
- *Gyraulus (Lamorbis) rossmaessleri* (AUERSWALD, 1852) – PL

**Subgenus *Armiger* W. HARTMANN, 1843**

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – PL

Tribus Segmentinini F.C. BAKER, 1945

**Genus *Hippeutis* CHARPENTIER, 1837**

- *Hippeutis complanatus* (LINNAEUS, 1758) – PL

**Genus *Segmentina* FLEMING, 1818**

- *Segmentina nitida* (O.F. MÜLLER, 1774) – PL

Tribus Ancylini RAFINESQUE, 1815

**Genus *Ancylus* O.F. MÜLLER, 1773**

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – PL

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990  
 Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)  
 Familia Ellobiidae L. PFEIFFER, 1854 (1822)  
 Subfamilia Carychiinae JEFFREYS, 1830

**Genus *Carychium* O.F. MÜLLER, 1773**

**Subgenus *Carychium* O.F. MÜLLER, 1773**

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – PL

**Subgenus *Saraphia* RISSO, 1826**

- *Carychium (Saraphia) tridentatum* (RISSO, 1826) – PL

Ordo Stylommatophora A. SCHMIDT, 1855  
 Subordo Elasmognatha MÖRCH, 1863  
 Superfamilia Succineoidea H. BECK, 1837  
 Familia Succineidae H. BECK, 1837  
 Subfamilia Succineinae H. BECK, 1837

**Genus *Succinea* DRAPARNAUD, 1801**

- *Succinea putris* (LINNAEUS, 1758) – PL

**Genus *Succinella* J. MABILLE, 1871**

- *Succinella oblonga* (DRAPARNAUD, 1801) – PL

**Genus *Oxyloma* WESTERLUND, 1885**

**Subgenus *Oxyloma* WESTERLUND, 1885**

- *Oxyloma (Oxyloma) dunkeri* (L. PFEIFFER, 1865) – PL?
- *Oxyloma (Oxyloma) elegans elegans* (RISSO, 1826) – PL
- *Oxyloma (Oxyloma) sarsii* (ESMARK, 1886) – PL

Subfamilia Catinellinae ODHNER, 1950

**Genus *Quickella* C. BOETTGER, 1939**

- *Quickella arenaria* (POTIEZ & MICHAUD, 1835) – PL

Subordo Orthurethra PILSBRY, 1900  
Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)  
Familia Cochlicopidae PILSBRY, 1900 (1879)  
Subfamilia Cochlicopinae PILSBRY, 1900 (1879)

**Genus *Cochlicopa* A. FÉRUSAC, 1821**

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – PL
- *Cochlicopa lubricella* (PORRO, 1838) – PL
- *Cochlicopa nitens* (M. VON GALLENSTEIN, 1848) – PL

Superfamilia Pupilloidea TURTON, 1831  
Familia Orculidae PILSBRY, 1918  
Subfamilia Orculinae PILSBRY, 1918

**Genus *Orcula* HELD, 1838**

- *Orcula dolium dolium* (DRAPARNAUD, 1801) – PL

**Genus *Sphyradium* CHARPENTIER, 1837**

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – PL

**Genus *Pagodulina* CLESSIN, 1876**

- *Pagodulina pagodula attilis* KLEMM, 1939 – PL

Familia Argnidae HUDEC, 1965

**Genus *Argna* COSSMANN, 1889**

- *Argna bielzi bielzi* (ROSSMÄSSLER, 1859) – PL

Familia Valloniidae MORSE, 1864  
Subfamilia Valloniinae MORSE, 1864

**Genus *Vallonia* RISSO, 1826**

- *Vallonia costata* (O.F. MÜLLER, 1774) – PL
- *Vallonia declivis* STERKI, 1893 – PL
- *Vallonia enniensis* (GREDLER, 1856) – PL
- *Vallonia excentrica* STERKI, 1893 – PL
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – PL

Subfamilia Acanthinulinae STEENBERG, 1917

**Genus *Acanthinula* H. BECK, 1847**

- *Acanthinula aculeata* (O.F. MÜLLER 1774) – PL

**Genus *Spermodea* WESTERLUND, 1903**

- *Spermodea lamellata* (JEFFREYS, 1830) – PL

Familia Pupillidae TURTON, 1831

**Genus *Pupilla* FLEMING, 1828**

**Subgenus *Pupilla* FLEMING, 1828**

- *Pupilla (Pupilla) alpicola* (CHARPENTIER, 1837) – PL
- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – PL
- *Pupilla (Pupilla) pratensis* (CLESSIN, 1871) – PL
- *Pupilla (Pupilla) sterrii* (VOITH, 1840) – PL
- *Pupilla (Pupilla) triplicata* (S. STUDER, 1820) – PL

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

**Genus *Pyramidula* FITZINGER, 1833**

- *Pyramidula pusilla* (VALLOT, 1801) – PL

Familia Chondrinidae STEENBERG, 1925

Subfamilia Granariinae KOKSHOORN & E. GITTENBERGER, 2010

**Genus *Granaria* HELD, 1838**

- *Granaria frumentum frumentum* (DRAPARNAUD, 1801) – PL

Subfamilia Chondrininae STEENBERG, 1925

**Genus *Chondrina* REICHENBACH, 1828**

- *Chondrina arcadica clienta* (WESTERLUND, 1883) – PL

Familia Vertiginidae FITZINGER, 1833

Subfamilia Vertigininae FITZINGER, 1833

Tribus Truncatellinini STEENBERG, 1925

**Genus *Columella* WESTERLUND, 1878**

- *Columella aspera* WALDÉN, 1966 – PL
- *Columella columella* (G. VON MARTENS, 1830) – PL
- *Columella edentula* (DRAPARNAUD, 1805) – PL



**Genus *Truncatellina* R.T. LOWE, 1852**

- *Truncatellina claustralis* (GREDLER, 1856) – PL
- *Truncatellina costulata* (NILSSON, 1823) – PL
- *Truncatellina cylindrica* (A. FÉRUSAC, 1807) – PL

Tribus Vertiginini FITZINGER, 1833

**Genus *Vertigo* O.F. MÜLLER, 1773**

**Subgenus *Vertigo* O.F. MÜLLER, 1773**

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – PL
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – PL
- *Vertigo (Vertigo) genesii* (GREDLER, 1856) – PL
- *Vertigo (Vertigo) geyeri* LINDHOLM, 1925 – PL
- *Vertigo (Vertigo) modesta arctica* (WALLENBERG, 1858) – PL
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – PL
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – PL
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – PL
- *Vertigo (Vertigo) ronnebyensis* (WESTERLUND, 1871) – PL
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – PL

**Subgenus *Vertilla* MOQUIN-TANDON, 1856**

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – PL

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)

Familia Enidae B.B. WOODWARD, 1903 (1880)

Subfamilia Eninae B.B. WOODWARD, 1903 (1880)

Tribus Enini B.B. WOODWARD, 1903 (1880)

**Genus *Ena* TURTON, 1831**

- *Ena montana* (DRAPARNAUD, 1801) – PL

Tribus Multidentulini SCHILEYKO, 1978

**Genus *Merdigera* HELD, 1838**

- *Merdigera obscura* (O.F. MÜLLER, 1774) – PL

Tribus Chondrulini WENZ, 1923

**Genus *Chondrula* H. BECK, 1837**

- *Chondrula tridens tridens* (O.F. MÜLLER, 1774) – PL

Subordo \*\*\*\* (unnamed)

Superfamilia Achatinoidea SWAINSON, 1840

Familia Ferussaciidae BOURGUIGNAT, 1883

**Genus *Cecilioides* A. FÉRUSAC, 1814**

**Subgenus *Cecilioides* A. FÉRUSAC, 1814**

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – PL

Subordo Sigmurethra PILSBRY, 1900

Superfamilia Clausilioidea J.E. GRAY, 1855  
Familia Clausiliidae J.E. GRAY, 1855  
Subfamilia Aloiinae A.J. WAGNER, 1913  
Tribus Cochlodinini LINDHOLM, 1925 (1923)

**Genus Cochlodina A. FÉRUSSAC, 1821**

**Subgenus Cochlodina A. FÉRUSSAC, 1821**

- *Cochlodina (Cochlodina) dubiosa corcontica* BRABENEC, 1967 – PL
- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – PL

**Subgenus Stabilea DE BETTA, 1870**

- *Cochlodina (Stabilea) costata silesiaca* (A. SCHMIDT, 1868) – PL

**Subgenus Paracochlodina H. NORDSIECK, 1969**

- *Cochlodina (Paracochlodina) orthostoma orthostoma* (MENKE, 1828) – PL

Tribus Delimini R. BRANDT, 1956

**Genus Charpentieria STABILE, 1864**

**Subgenus Charpentieria STABILE, 1864**

- *Charpentieria (Charpentieria) ornata* (ROSSMÄSSLER, 1836) – PL

Subfamilia Clausiliinae J.E. GRAY, 1855  
Tribus Clausiliini J.E. GRAY, 1855

**Genus Ruthenica LINDHOLM, 1924**

- *Ruthenica filograna filograna* (ROSSMÄSSLER, 1836) – PL

**Genus Macrogastra W. HARTMANN, 1841**

**Subgenus Macrogastra W. HARTMANN, 1841**

- *Macrogastra (Macrogastra) ventricosa ventricosa* (DRAPARNAUD, 1801) – PL

**Subgenus Pyrostoma VEST, 1867**

- *Macrogastra (Pyrostoma) badia mucida* (ROSSMÄSSLER, 1835) – PL
- *Macrogastra (Pyrostoma) borealis borealis* (O. BOETTGER, 1878) – PL
- *Macrogastra (Pyrostoma) borealis bielzi* H. NORDSIECK, 1993 – PL
- *Macrogastra (Pyrostoma) plicatula plicatula* (DRAPARNAUD, 1801) – PL
- *Macrogastra (Pyrostoma) tumida* (ROSSMÄSSLER, 1836) – PL

**Genus Clausilia DRAPARNAUD, 1805**

**Subgenus Clausilia DRAPARNAUD, 1805**

- *Clausilia (Clausilia) bidentata bidentata* (STRØM, 1765) – PL
- *Clausilia (Clausilia) cruciata cruciata* (S. STUDER, 1820) – PL
- *Clausilia (Clausilia) pumila pumila* C. PFEIFFER, 1828 – PL
- *Clausilia (Clausilia) rugosa parvula* (A. FÉRUSSAC, 1807) – PL

**Subgenus Andraea L. PFEIFFER, 1848**

- *Clausilia (Andraea) dubia dubia* DRAPARNAUD, 1805 – PL

Subfamilia Baleinae A.J. WAGNER, 1913

**Genus *Laciniaria* W. HARTMANN, 1842**

- *Laciniaria plicata plicata* (DRAPARNAUD, 1801) – PL

**Genus *Balea* J.E. GRAY, 1824**

- *Balea perversa* (LINNAEUS, 1758) – PL

**Genus *Alinda* H. & A. ADAMS, 1855**

**Subgenus *Alinda* H. & A. ADAMS, 1855**

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – PL

**Subgenus *Pseudalinda* O. BOETTGER, 1877**

- *Balea (Pseudalinda) fallax* (ROSSMÄSSLER, 1836) – PL
- *Balea (Pseudalinda) stabilis* (L. PFEIFFER, 1847) – PL

**Genus *Vestia* P. HESSE, 1916**

**Subgenus *Vestia* P. HESSE, 1916**

- *Vestia (Vestia) elata* (ROSSMÄSSLER, 1836) – PL
- *Vestia (Vestia) gulo* (E.A. BIELZ, 1859) – PL
- *Vestia (Vestia) turgida* (ROSSMÄSSLER, 1836) – PL

**Genus *Bulgarica* O. BOETTGER, 1877**

**Subgenus *Strigilecula* KENNARD & B.B. WOODWARD, 1923**

- *Bulgarica (Strigilecula) cana cana* (HELD, 1836) – PL

Superfamilia Punctoidea MORSE, 1864  
Familia Punctidae MORSE, 1864

**Genus *Punctum* MORSE, 1864**

**Subgenus *Punctum* MORSE, 1864**

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – PL

Familia Helicodiscidae H.B. BAKER, 1927

**Genus *Lucilla* R.T. LOWE, 1852**

- *Lucilla singleyana* (PILSBRY, 1889) – PL

Familia Discidae THIELE, 1931 (1866)

**Genus *Discus* FITZINGER, 1833**

**Subgenus *Discus* FITZINGER, 1833**

- *Discus (Discus) ruderatus ruderatus* (W. HARTMANN, 1821) – PL

**Subgenus *Gonyodiscus* FITZINGER, 1833**

- *Discus (Gonyodiscus) perspectivus* (MEGERLE VON MÜHLFELD, 1816) – PL

- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – PL

Superfamilia Gastrodontoidea TRYON, 1866  
Familia Pristilomatidae T. COCKERELL, 1891

**Genus *Vitrea* FITZINGER, 1833**

- *Vitrea contracta* (WESTERLUND, 1871) – PL
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – PL
- *Vitrea diaphana diaphana* (S. STUDER, 1820) – PL
- *Vitrea subrimata* (REINHARDT, 1871) – PL
- *Vitrea transsylvanica* (CLESSIN, 1877) – PL

Familia Euconulidae H.B. BAKER, 1928  
 Subfamilia Euconulinae H.B. BAKER, 1928

**Genus *Euconulus* REINHARDT, 1883**

**Subgenus *Euconulus* REINHARDT, 1883**

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – PL
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – PL

Familia Gastrodontidae TRYON, 1866

**Genus *Zonitoides* LEHMANN, 1862**

**Subgenus *Zonitoides* LEHMANN, 1862**

- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – PL

Familia Oxychilidae P. HESSE, 1927 (1879)  
 Subfamilia Daudebardiinae KOBELT, 1906

**Genus *Daudebardia* W. HARTMANN, 1821**

**Subgenus *Daudebardia* W. HARTMANN, 1821**

- *Daudebardia (Daudebardia) brevipes* (DRAPARNAUD, 1805) – PL
- *Daudebardia (Daudebardia) rufa* (DRAPARNAUD, 1805) – PL

**Genus *Carpathica* A.J. WAGNER, 1895**

**Subgenus *Carpathica* A.J. WAGNER, 1895**

- *Carpathica (Carpathica) calophana* (WESTERLUND, 1881) – PL

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

**Genus *Oxychilus* FITZINGER, 1833**

**Subgenus *Oxychilus* FITZINGER, 1833**

- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – PL
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – PL

**Subgenus *Ortizius* FORCART, 1957**

- *Oxychilus (Ortizius) alliarius* (J.S. MILLER, 1822) – PL
- *Oxychilus (Ortizius) translucidus* (MORTILLET, 1853) – PL

**Genus *Cellariopsis* A.J. WAGNER, 1914**

- *Cellariopsis deubeli* (A.J. WAGNER, 1914) – PL

**Genus *Morlina* A.J. WAGNER, 1914**

- *Morlina glabra striaria* (WESTERLUND, 1881) – PL

**Genus *Mediterranea* CLESSIN, 1880**

- *Mediterranea depressa* (STERKI, 1880) – PL
- *Mediterranea inopinata* (ULIČNÝ, 1887) – PL

Subfamilia Godwiniinae C.M. COOKE, 1921

**Genus *Aegopinella* LINDHOLM, 1927**

- *Aegopinella epipedostoma iuncta* HUDEC, 1964 – PL
- *Aegopinella minor* (STABILE, 1864) – PL
- *Aegopinella nitens* (MICHAUD, 1831) – PL
- *Aegopinella nitidula* (DRAPARNAUD, 1805) – PL
- *Aegopinella pura* (ALDER, 1830) – PL

**Genus *Nesovitrea* C. M. COOKE, 1921**

**Subgenus *Perpolita* H.B. BAKER, 1928**

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – PL
- *Nesovitrea (Perpolita) petronella* (L. PFEIFFER, 1853) – PL

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)

Familia Milacidae ELLIS, 1926

**Genus *Tandonia* LESSONA & POLLONERA, 1882**

- *Tandonia budapestensis* (HAZAY, 1880) – PL
- *Tandonia rustica* (MILLET, 1843) – PL

Superfamilia Limacoidea LAMARCK, 1801

Familia Vitrinidae FITZINGER, 1833

Subfamilia Vitriniinae FITZINGER, 1833

**Genus *Semilimax* J.E. GRAY, 1847**

- *Semilimax semilimax* (J. FÉRUSSAC, 1802) – PL

**Genus *Hessemilimax* SCHILEYKO, 1986**

- *Hessemilimax kotulae* (WESTERLUND, 1883) – PL

**Genus *Eucobresia* H.B. BAKER, 1929**

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – PL
- *Eucobresia nivalis* (DUMONT & MORTILLET, 1854) – PL

**Genus *Vitrina* DRAPARNAUD, 1801**

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – PL

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

**Genus *Boettgerilla* SIMROTH, 1910**

- *Boettgerilla pallens* SIMROTH, 1912 – PL

Familia Limacidae LAMARCK, 1801  
Subfamilia Limacinae LAMARCK, 1801

**Genus *Limax* LINNAEUS, 1758**

- *Limax bielzii* SEIBERT, 1874 – PL
- *Limax cinereoniger* WOLF, 1803 – PL
- *Limax maximus* LINNAEUS, 1758 – PL

**Genus *Limacus* LEHMANN, 1864**

- *Limacus flavus* (LINNAEUS, 1758) – PL

**Genus *Malacolimax* MALM, 1868**

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – PL

**Genus *Lehmannia* HEYNEMANN, 1863**

- *Lehmannia macroflagellata* GROSSU & LUPU, 1962 – PL
- *Lehmannia marginata* (O.F. MÜLLER, 1774) – PL
- *Lehmannia nyctelia* (BOURGUIGNAT, 1861) – PL
- *Lehmannia valentiana* (A. FÉRUSAC, 1822) – PL

**Genus *Bielzia* CLESSIN, 1887**

- *Bielzia coeruleans* (M. BIELZ, 1851) – PL

Familia Agriolimacidae H. WAGNER, 1935  
Subfamilia Agriolimacinae H. WAGNER, 1935

**Genus *Deroceras* RAFINESQUE, 1820**

**Subgenus *Deroceras* RAFINESQUE, 1820**

- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758) – PL
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – PL
- *Deroceras (Deroceras) panormitanum* (LESSONA & POLLONERA, 1882) – PL
- *Deroceras (Deroceras) praecox* WIKTOR, 1966 – PL
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – PL
- *Deroceras (Deroceras) rodnae* GROSSU & LUPU, 1965 – PL
- *Deroceras (Deroceras) sturanyi* (SIMROTH, 1894) – PL
- *Deroceras (Deroceras) turcicum* (SIMROTH, 1894) – PL

**Subgenus *Liolytopelte* SIMROTH, 1902**

- *Deroceras (Liolytopelte) moldavicum* (GROSSU & LUPU, 1961) – PL

Superfamilia Arionoidea J.E. GRAY, 1840  
Familia Arionidae J.E. GRAY, 1840

**Genus *Arion* A. FÉRUSAC, 1819**

**Subgenus *Arion* A. FÉRUSAC, 1819**

- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – PL
- *Arion (Arion) rufus* (LINNAEUS, 1758) – PL

**Subgenus *Mesarion* P. HESSE, 1926**

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – PL

**Subgenus *Carinarion* P. HESSE, 1926**

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – PL
- *Arion (Carinarion) fasciatus* (NILSSON, 1823) – PL
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – PL

**Subgenus *Kobeltia* SEIBERT, 1873**

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – PL
- *Arion (Kobeltia) intermedius* NORMAND, 1852 – PL

Superfamilia Helicoidea RAFINESQUE, 1815  
Familia Bradybaenidae PILSBRY, 1934 (1898)  
Subfamilia Bradybaeninae PILSBRY, 1934 (1898)  
Tribus Bradybaenini PILSBRY, 1934 (1898)

**Genus *Fruticicola* HELD, 1838**

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – PL

Familia Helicodontidae KOBELT, 1904  
Subfamilia Helicodontinae KOBELT, 1904

**Genus *Helicodonta* A. FÉRUSAC, 1821**

- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – PL

Familia Hygromiidae TRYON, 1866  
Subfamilia Monachinae WENZ, 1930 (1904)  
Tribus Euomphaliini SCHILEYKO, 1978

**Genus *Euomphalia* WESTERLUND, 1889**

- *Euomphalia strigella strigella* (DRAPARNAUD, 1801) – PL

Tribus Monachaini WENZ, 1930 (1904)

**Genus *Monacha* FITZINGER 1833**

**Subgenus *Monacha* FITZINGER 1833**

- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – PL

Subfamilia Hygromiinae TRYON, 1866  
Tribus Trochulini LINDHOLM, 1927

**Genus *Trochulus* Chemnitz, 1786**

**Subgenus *Trochulus* Chemnitz, 1786**

- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – PL

- *Trochulus (Trochulus) sericeus* (DRAPARNAUD, 1801) – PL
- *Trochulus (Trochulus) villosulus* (ROSSMÄSSLER, 1838) – PL

**Subgenus *Plicuteria* SCHILEYKO, 1978**

- *Trochulus (Plicuteria) lubomirskii* (ŚLÓSARSKI, 1881) – PL

**Genus *Petasina* H. BECK, 1847**

**Subgenus *Petasina* H. BECK, 1847**

- *Petasina (Petasina) unidentata unidentata* (DRAPARNAUD, 1805) – PL

**Subgenus *Edentiella* POLIŃSKI, 1929**

- *Petasina (Edentiella) bakowskii* (POLIŃSKI, 1924) – PL

**Subgenus *Filicinella* POLIŃSKI, 1929**

- *Petasina (Filicinella) bielzi bielzi* (E.A. BIELZ, 1859) – PL
- *Petasina (Filicinella) bielzi euconus* (WESTERLUND, 1890) – PL

**Genus *Helicopsis* FITZINGER, 1833**

- *Helicopsis striata striata* (O.F. MÜLLER, 1774) – PL

Tribus Helicellini IHERING, 1909

**Genus *Helicella* A. FÉRUSSAC, 1821**

- *Helicella itala itala* (LINNAEUS, 1758) – PL

**Genus *Candidula* KOBELT, 1871**

- *Candidula unifasciata unifasciata* (POIRET, 1801) – PL

Tribus Leptaxini C. BOETTGER, 1909

**Genus *Pseudotrichia* SCHILEYKO, 1970**

- *Pseudotrichia rubiginosa* (ROSSMÄSSLER, 1838) – PL

**Genus *Monachoides* GUDE & B.B. WOODWARD, 1921**

- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – PL
- *Monachoides vicinus* (ROSSMÄSSLER, 1842) – PL

**Genus *Perforatella* SCHLÜTER, 1838**

- *Perforatella bidentata* (GMELIN, 1791) – PL
- *Perforatella dibothrion* (M. VON KIMAKOWICZ, 1884) – PL

**Genus *Urticicola* LINDHOLM, 1927**

- *Urticicola umbrosus* (C. PFEIFFER, 1828) – PL

Tribus incerta



**Genus *Xerolenta* MONTEROSATO, 1892**

- *Xerolenta obvia obvia* (MENKE, 1828) – PL

Familia Helicidae RAFINESQUE, 1815

Subfamilia Ariantinae MÖRCH, 1864

**Genus *Arianta* TURTON, 1831**

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – PL

**Genus *Helicigona* A. FÉRUSAC, 1821**

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – PL

**Genus *Faustina* KOBELT, 1904**

- *Faustina cingulella* (ROSSMÄSSLER, 1837) – PL
- *Faustina faustina faustina* (ROSSMÄSSLER, 1835) – PL
- *Faustina rossmaessleri* (L. PFEIFFER, 1842) – PL

**Genus *Isognomostoma* FITZINGER, 1833**

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – PL

**Genus *Causa* SCHILEYKO, 1971**

- *Causa holosericea* (S. STUDER, 1820) – PL

Subfamilia Helicinae RAFINESQUE, 1815

Tribus Helicini RAFINESQUE, 1815

**Genus *Cepaea* HELD, 1838**

**Subgenus *Cepaea* HELD, 1838**

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – PL
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – PL

**Subgenus *Austrotachea* G. PFEIFFER, 1930**

- *Cepaea (Austrotachea) vindobonensis* (C. PFEIFFER, 1828) – PL

**Genus *Helix* LINNAEUS, 1758**

**Subgenus *Helix* LINNAEUS, 1758**

- *Helix (Helix) lutescens* ROSSMÄSSLER, 1837 – PL
- *Helix (Helix) pomatia* LINNAEUS, 1758 – PL