

FAUNA EUROPAEA PROJECT

Checklist of the land and freshwater Gastropoda of the Slovak Republic

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogeveen, the Netherlands, phone +31-598-852132)

Last update: July 24th, 2011

Send remarks/additions/corrections to Ruud.Bank@quicknet.nl

Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See www.faunaeur.org for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the www.faunaeur.org is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24th, 2011. Furthermore, the systematic framework of the Gastropoda of www.faunaeur.org is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abandoned. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTEBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

Note: For the latest checklist see T. ČEJKA, L. DVOŘÁK, M. HORSÁK & J. ŠTEFFEK (2007): Checklist of the molluscs (Mollusca) of the Slovak Republic. – *Folia Malacologica*, 15 (2): 48-58. As well as: M. HORSÁK, L. JUŘIČKOVÁ, L. BERAN, T. ČEJKA & L. DVOŘÁK (2010): Annotated list of mollusc species recorded outdoors in the Czech and Slovak Republics. – *Malacologica Bohemoslovaca*, Suppl. 1: 1-37.

Both publications do not consistently recognize subspecies.

I have adapted their views regarding the presence/absence of taxa as far as possible. The following taxa are still provisionally in my list: *Melanoides tuberculata*, *Catascopia terebra*, *Stagnicola turricula*, *Stagnicola fuscus*, *Radix lagotis*, *Oxyloma dunkeri*, *Limax bielzii*, *Drobacia banatica*.

Phylum Mollusca CUVIER, 1795
Classis Gastropoda CUVIER, 1795
Subclassis Neritimorpha KOKEN, 1896
Ordo Cycloneritimorpha Frýda, 1998
Superfamilia Neritoidea RAFINESQUE, 1815
Familia Neritidae RAFINESQUE, 1815
Subfamilia Neritinae POEY, 1852
Tribus Theodoxini BANDEL, 2001

Genus *Theodoxus* MONTFORT, 1810

Subgenus *Theodoxus* MONTFORT, 1810

- *Theodoxus (Theodoxus) danubialis danubialis* (C. PFEIFFER, 1828) – SK
- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – SK
- *Theodoxus (Theodoxus) transversalis* (C. PFEIFFER, 1828) – SK

Subclassis Caenogastropoda COX, 1960
Ordo Architaenioglossa HALLER, 1890
Superfamilia Cyclophoroidea J.E. GRAY, 1847
Familia Aciculidae J.E. GRAY, 1850

Genus *Acicula* W. HARTMANN, 1821

- *Acicula parcelineata* (CLESSIN, 1911) – SK

Genus *Platyla* MOQUIN-TANDON, 1856

- *Platyla polita polita* (W. HARTMANN, 1840) – SK

Superfamilia Viviparoidea J.E. GRAY, 1847
Familia Viviparidae J.E. GRAY, 1847
Subfamilia Viviparinae J.E. GRAY, 1847

Genus *Viviparus* MONTFORT, 1810

- *Viviparus acerosus acerosus* (BOURGUIGNAT, 1862) – SK
- *Viviparus contectus* (MILLET, 1813) – SK

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997
Ordo **** (unnamed)
Superfamilia Cerithioidea FLEMING, 1822
Familia Thiaridae GILL, 1871 (1823)

Genus *Melanoides* OLIVIER, 1804

- *Melanoides tuberculatus* (O.F. MÜLLER, 1774) – SK

Familia Melanopsidae H. & A. ADAMS, 1854

Genus *Esperiana* BOURGUIGNAT, 1877

Subgenus *Esperiana* BOURGUIGNAT, 1877

- *Esperiana (Esperiana) esperi* (A. FÉRUSAC, 1823) – SK

Subgenus *Microcolpia* BOURGUIGNAT, 1884

- *Esperia* (*Microcolpia*) *daudebartii acicularis* (A. FÉRUSAC, 1823) – SK

Ordo Littorimorpha PCHELINTSEV, 1963
 Superfamilia Rissooidea J.E. GRAY, 1847
Familia Bithyniidae J.E. GRAY, 1857

Genus *Bithynia* LEACH, 1818

- *Bithynia leachii* (SHEPPARD, 1823) – SK
- *Bithynia tentaculata* (LINNAEUS, 1758) – SK
- *Bithynia troschelii* (PAASCH, 1842) – SK

Familia Hydrobiidae STIMPSON, 1865
 Subfamilia Tateinae THIELE, 1925

Genus *Potamopyrgus* STIMPSON, 1865

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – SK

Subfamilia Belgrandiinae DE STEFANI, 1877
 Tribus Belgrandiini DE STEFANI, 1877

Genus *Alzoniella* GIUSTI & BODON, 1984

Subgenus *Alzoniella* GIUSTI & BODON, 1984

- *Alzoniella* (*Alzoniella*) *slovenica* (LOŽEK & BRTEK, 1964) - SK

Familia Lithoglyphidae TRYON, 1866
 Subfamilia Lithoglyphinae TRYON, 1866

Genus *Lithoglyphus* C. PFEIFFER, 1828

- *Lithoglyphus naticoides* (C. PFEIFFER, 1828) – SK

Familia Amnicolidae TRYON, 1863
 Subfamilia Amnicolinae TRYON, 1863

Genus *Bythinella* MOQUIN-TANDON, 1856

- *Bythinella austriaca austriaca* (FRAUENFELD, 1857) – SK
- *Bythinella hungarica* HAZAY, 1880 – SK
- *Bythinella metarubra* FALNIOWSKI, 1987 – SK
- *Bythinella pannonica* (FRAUENFELD, 1865) – SK

Subclassis Heterobranchia BURMEISTER, 1837
 Ordo Allogastropoda HASZPRUNAR, 1985
 Superfamilia Valvatoidea J.E. GRAY, 1840
Familia Valvatidae J.E. GRAY, 1840

Genus *Valvata* O.F. MÜLLER, 1773

Subgenus *Valvata* O.F. MÜLLER, 1773

- *Valvata* (*Valvata*) *cristata* O.F. MÜLLER, 1774 – SK

Subgenus *Tropidina* H. & A. ADAMS, 1854

- *Valvata* (*Tropidina*) *macrostoma* MÖRCH, 1864 – SK

Subgenus *Cincinna* HÜBNER, 1810

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – SK

Genus *Borysthenia* LINDHOLM, 1913

- *Borysthenia naticina* (MENKE, 1845) – SK

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814
Ordo Hygrophila A. FÉRUSAC, 1822
Superfamilia Acroloxoidea THIELE, 1931
Familia Acroloxidae THIELE, 1931

Genus *Acroloxus* H. BECK, 1838

- *Acroloxus lacustris* (LINNAEUS, 1758) – SK

Superfamilia Lymnaeoidea RAFINESQUE, 1815
Familia Lymnaeidae RAFINESQUE, 1815
Subfamilia Lymnaeinae RAFINESQUE, 1815

Genus *Galba* SCHRANK, 1803

Subgenus *Galba* SCHRANK, 1803

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – SK

Genus *Catascopia* MEIER-BROOK & BARGUES, 2003

- *Catascopia terebra* (WESTERLUND, 1885) – SK

Genus *Stagnicola* JEFFREYS, 1830

- *Stagnicola corvus* (GMELIN, 1791) – SK
- *Stagnicola fuscus* (C. PFEIFFER, 1821) – SK
- *Stagnicola turricula* (HELD, 1836) – SK

Genus *Radix* MONTFORT, 1810

- *Radix ampla* (W. HARTMANN, 1821) – SK
- *Radix auricularia* (LINNAEUS, 1758) – SK
- *Radix balthica* (LINNAEUS, 1758) – SK
- *Radix labiata* (ROSSMÄSSLER, 1835) – SK
- *Radix lagotis* (SCHRANK, 1803) – SK

Genus *Lymnaea* LAMARCK, 1799

- *Lymnaea stagnalis* (LINNAEUS, 1758) – SK

Superfamilia Planorboidea RAFINESQUE, 1815
Familia Physidae FITZINGER, 1833
Subfamilia Physinae FITZINGER, 1833
Tribus Physini FITZINGER, 1833

Genus *Physa* DRAPARNAUD, 1801

- *Physa fontinalis* (LINNAEUS, 1758) – SK

Tribus Haitiini D.W. TAYLOR, 2003

Genus *Haitia* CLENCH & AGUAYO, 1932

- *Haitia acuta* (DRAPARNAUD, 1805) – SK

Subfamilia Aplexinae STAROBOGATOV, 1967

Tribus Aplexini STAROBOGATOV, 1967

Genus *Aplexa* FLEMING, 1820

- *Aplexa hypnorum* (LINNAEUS, 1758) – SK

Familia Planorbidae RAFINESQUE, 1815

Subfamilia Bulininae P. FISCHER & CROSSE, 1880

Tribus Coretini J.E. GRAY, 1847

Genus *Planorbarius* DUMÉRIL, 1806

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – SK

Tribus Miratestini P. & F. SARASIN, 1897

Genus *Ferrissia* WALKER, 1903

Subgenus *Pettancyllus* IREDALE, 1943

- *Ferrissia (Pettancyllus) wautieri* (MIROLLI, 1960) – SK

Subfamilia Planorbinae RAFINESQUE, 1815

Tribus Planorbini RAFINESQUE, 1815

Genus *Planorbis* O.F. MÜLLER, 1773

Subgenus *Planorbis* O.F. MÜLLER, 1773

- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – SK
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – SK

Genus *Anisus* S. STUDER, 1820

Subgenus *Anisus* S. STUDER, 1820

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – SK
- *Anisus (Anisus) septemgyratus* (ROSSMÄSSLER, 1835) – SK
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – SK

Subgenus *Disculifer* C. BOETTGER, 1944

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – SK
- *Anisus (Disculifer) vorticulus* (TROSCHER, 1834) – SK

Genus *Bathyomphalus* CHARPENTIER, 1837

- *Bathyomphalus contortus* (LINNAEUS, 1758) – SK

Genus *Gyraulus* CHARPENTIER, 1837

Subgenus *Gyraulus* CHARPENTIER, 1837

- *Gyraulus (Gyraulus) acronicus* (A. FÉRUSAC, 1807) – SK

- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – SK

Subgenus *Torquis* DALL, 1905

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – SK

Subgenus *Lamorbis* STAROBOGATOV, 1967

- *Gyraulus (Lamorbis) riparius* (WESTERLUND, 1865) – SK
- *Gyraulus (Lamorbis) rosmaessleri* (AUERSWALD, 1852) – SK

Subgenus *Armiger* W. HARTMANN, 1843

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – SK

Tribus Segmentinini F.C. BAKER, 1945

Genus *Hippeutis* CHARPENTIER, 1837

- *Hippeutis complanatus* (LINNAEUS, 1758) – SK

Genus *Segmentina* FLEMING, 1818

- *Segmentina nitida* (O.F. MÜLLER, 1774) – SK

Tribus Ancylini RAFINESQUE, 1815

Genus *Ancylus* O.F. MÜLLER, 1773

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – SK

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990
 Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)
Familia Ellobiidae L. PFEIFFER, 1854 (1822)
 Subfamilia Carychiinae JEFFREYS, 1830

Genus *Carychium* O.F. MÜLLER, 1773

Subgenus *Carychium* O.F. MÜLLER, 1773

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – SK

Subgenus *Saraphia* RISSO, 1826

- *Carychium (Saraphia) tridentatum* (RISSO, 1826) – SK

Ordo Stylommatophora A. SCHMIDT, 1855
 Subordo Elasmognatha MÖRCH, 1863
 Superfamilia Succineoidea H. BECK, 1837
Familia Succineidae H. BECK, 1837
 Subfamilia Succineinae H. BECK, 1837

Genus *Succinea* DRAPARNAUD, 1801

- *Succinea putris* (LINNAEUS, 1758) – SK

Genus *Succinella* J. MABILLE, 1871

- *Succinella oblonga* (DRAPARNAUD, 1801) – SK

Genus *Oxyloma* WESTERLUND, 1885
Subgenus *Oxyloma* WESTERLUND, 1885

- *Oxyloma (Oxyloma) dunkeri* (L. PFEIFFER, 1865) – SK
- *Oxyloma (Oxyloma) elegans elegans* (RISSO, 1826) – SK

Subfamilia Catinellinae ODHNER, 1950

Genus *Quickella* C. BOETTGER, 1939

- *Quickella arenaria* (POTIEZ & MICHAUD, 1835) – SK

Subordo Orthurethra PILSBRY, 1900
Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)
Familia Cochlicopidae PILSBRY, 1900 (1879)
Subfamilia Cochlicopinae PILSBRY, 1900 (1879)

Genus *Cochlicopa* A. FÉRUSAC, 1821

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – SK
- *Cochlicopa lubricella* (PORRO, 1838) – SK
- *Cochlicopa nitens* (M. VON GALLENSTEIN, 1848) – SK

Superfamilia Pupilloidea TURTON, 1831
Familia Orculidae PILSBRY, 1918
Subfamilia Orculinae PILSBRY, 1918

Genus *Orcula* HELD, 1838

- *Orcula dolium dolium* (DRAPARNAUD, 1801) – SK
- *Orcula dolium brancsiki* (CLESSIN, 1887) – SK

Genus *Sphyradium* CHARPENTIER, 1837

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – SK

Genus *Pagodulina* CLESSIN, 1876

- *Pagodulina pagodula attilis* KLEMM, 1939 – SK

Familia Argnidae HUDEC, 1965

Genus *Argna* COSSMANN, 1889

- *Argna bielzi bielzi* (ROSSMÄSSLER, 1859) – SK

Familia Spelaeodiscidae STEENBERG, 1925

Genus *Spelaeodiscus* BRUSINA, 1886
Subgenus *Aspasita* WESTERLUND, 1889

- *Spelaeodiscus (Aspasita) triarius tatricus* (HAZAY, 1883) – SK

Familia Valloniidae MORSE, 1864
Subfamilia Valloniinae MORSE, 1864

Genus *Vallonia* RISSO, 1826

- *Vallonia costata* (O.F. MÜLLER, 1774) – SK
- *Vallonia declivis* STERKI 1893 – SK
- *Vallonia enniensis* (GREDLER, 1856) – SK
- *Vallonia excentrica* STERKI, 1893 – SK
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – SK

Subfamilia Acanthinulinae STEENBERG, 1917

Genus *Acanthinula* H. BECK, 1847

- *Acanthinula aculeata* (O.F. MÜLLER 1774) – SK

Familia Pupillidae TURTON, 1831

Genus *Pupilla* FLEMING, 1828

Subgenus *Pupilla* FLEMING, 1828

- *Pupilla (Pupilla) alpicola* (CHARPENTIER, 1837) – SK
- *Pupilla (Pupilla) bigranata* (ROSSMÄSSLER, 1839) – SK
- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – SK
- *Pupilla (Pupilla) pratensis* (CLESSIN, 1871) – SK
- *Pupilla (Pupilla) sterrii* (VOITH, 1840) – SK
- *Pupilla (Pupilla) triplicata* (S. STUDER, 1820) – SK

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

Genus *Pyramidula* FITZINGER, 1833

- *Pyramidula pusilla* (VALLOT, 1801) – SK

Familia Chondrinidae STEENBERG, 1925

Subfamilia Granariinae KOKSHOORN & E. GITTENBERGER, 2010

Genus *Granaria* HELD, 1838

- *Granaria frumentum frumentum* (DRAPARNAUD, 1801) – SK

Subfamilia Chondrininae STEENBERG, 1925

Genus *Abida* TURTON, 1831

- *Abida secale secale* (DRAPARNAUD, 1801) – SK

Genus *Chondrina* REICHENBACH, 1828

- *Chondrina arcadica clienta* (WESTERLUND, 1883) – SK
- *Chondrina tatica* LOŽEK, 1948 – SK

Familia Vertiginidae FITZINGER, 1833

Subfamilia Vertigininae FITZINGER, 1833

Tribus Truncatellinini STEENBERG, 1925

Genus *Columella* WESTERLUND, 1878

- *Columella aspera* WALDÉN, 1966 – SK
- *Columella columella* (G. VON MARTENS, 1830) – SK

- *Columella edentula* (DRAPARNAUD, 1805) – SK

Genus *Truncatellina* R.T. LOWE, 1852

- *Truncatellina claustralis* (GREDLER, 1856) – SK
- *Truncatellina costulata* (NILSSON, 1823) – SK
- *Truncatellina cylindrica* (A. FÉRUSAC, 1807) – SK

Tribus Vertiginini FITZINGER, 1833

Genus *Vertigo* O.F. MÜLLER, 1773

Subgenus *Vertigo* O.F. MÜLLER, 1773

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – SK
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – SK
- *Vertigo (Vertigo) geyeri* LINDHOLM, 1925 – SK
- *Vertigo (Vertigo) modesta arctica* (WALLENBERG, 1858) – SK
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – SK
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – SK
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – SK
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – SK

Subgenus *Vertilla* MOQUIN-TANDON, 1856

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – SK

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)

Familia Enidae B.B. WOODWARD, 1903 (1880)

Subfamilia Eninae B.B. WOODWARD, 1903 (1880)

Tribus Enini B.B. WOODWARD, 1903 (1880)

Genus *Ena* TURTON, 1831

- *Ena montana* (DRAPARNAUD, 1801) – SK

Tribus Multidentulini SCHILEYKO, 1978

Genus *Merdigera* HELD, 1838

- *Merdigera obscura* (O.F. MÜLLER, 1774) – SK

Tribus Chondrulini WENZ, 1923

Genus *Zebrina* HELD, 1838

- *Zebrina detrita detrita* (O.F. MÜLLER, 1774) – SK

Genus *Chondrula* H. BECK, 1837

- *Chondrula tridens tridens* (O.F. MÜLLER, 1774) – SK
- *Chondrula tridens eximia* (ROSSMÄSSLER, 1835) – SK

Subordo **** (unnamed)

Superfamilia Achatinoidea SWAINSON, 1840

Familia Ferussaciidae BOURGUIGNAT, 1883

Genus *Cecilioides* A. FÉRUSAC, 1814

Subgenus *Cecilioides* A. FÉRUSAC, 1814

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – SK
- *Cecilioides (Cecilioides) petítiana* (BENOIT, 1862) [sensu LOŽEK] – SK

Subordo Sigmurethra PILSBRY, 1900
Superfamilia Clausilioidea J.E. GRAY, 1855
Familia Clausiliidae J.E. GRAY, 1855
Subfamilia Alopiinae A.J. WAGNER, 1913
Tribus Alopiini A.J. WAGNER, 1913

Genus *Alopi* H. & A. ADAMS, 1855

Subgenus *Alopi* H. & A. ADAMS, 1855

- *Alopi (Alopi) bielzii clathrata* (E.A. BIELZ, 1856) – SK

Tribus Cochlodinini LINDHOLM, 1925 (1923)

Genus *Cochlodina* A. FÉRUSAC, 1821

Subgenus *Cochlodina* A. FÉRUSAC, 1821

- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – SK

Subgenus *Stabilea* DE BETTA, 1870

- *Cochlodina (Stabilea) fimbriata remota* LOŽEK, 1952 – SK

Subgenus *Paracochlodina* H. NORDSIECK, 1969

- *Cochlodina (Paracochlodina) cerata cerata* (ROSSMÄSSLER, 1836) – SK
- *Cochlodina (Paracochlodina) orthostoma orthostoma* (MENKE, 1828) – SK

Subfamilia Clausiliinae J.E. GRAY, 1855
Tribus Clausiliini J.E. GRAY, 1855

Genus *Ruthenica* LINDHOLM, 1924

- *Ruthenica filograna filograna* (ROSSMÄSSLER, 1836) – SK

Genus *Pseudofusulus* H. NORDSIECK, 1977

- *Pseudofusulus varians* (C. PFEIFFER, 1828) – SK

Genus *Macrogastra* W. HARTMANN, 1841

Subgenus *Macrogastra* W. HARTMANN, 1841

- *Macrogastra (Macrogastra) ventricosa ventricosa* (DRAPARNAUD, 1801) – SK

Subgenus *Pyrostoma* VEST, 1867

- *Macrogastra (Pyrostoma) borealis bielzi* H. NORDSIECK, 1993 – SK
- *Macrogastra (Pyrostoma) plicatula plicatula* (DRAPARNAUD, 1801) – SK
- *Macrogastra (Pyrostoma) tumida* (ROSSMÄSSLER, 1836) – SK

Genus *Clausilia* DRAPARNAUD, 1805

Subgenus *Clausilia* DRAPARNAUD, 1805

- *Clausilia (Clausilia) cruciata cruciata* (S. STUDER, 1820) – SK
- *Clausilia (Clausilia) pumila pumila* C. PFEIFFER, 1828 – SK
- *Clausilia (Clausilia) pumila succosa* CHARPENTIER, 1852 – SK
- *Clausilia (Clausilia) rugosa parvula* (A. FÉRUSAC, 1807) – SK

Subgenus *Andraea* L. PFEIFFER, 1848

- *Clausilia (Andraea) dubia dubia* DRAPARNAUD, 1805 – SK
- *Clausilia (Andraea) dubia carpathica* BRANCSIK, 1888 – SK
- *Clausilia (Andraea) dubia ingenua* HUDEC & BRABENEC, 1963 – SK
- *Clausilia (Andraea) dubia vindobonensis* A. SCHMIDT, 1856 – SK

Subfamilia Baleinae A.J. WAGNER, 1913

Genus *Laciniaria* W. HARTMANN, 1842

- *Laciniaria plicata plicata* (DRAPARNAUD, 1801) – SK

Genus *Balea* J.E. GRAY, 1824

- *Balea perversa* (LINNAEUS, 1758) – SK

Genus *Alinda* H. & A. ADAMS, 1855

Subgenus *Alinda* H. & A. ADAMS, 1855

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – SK

Subgenus *Pseudalinda* O. BOETTGER, 1877

- *Alinda (Pseudalinda) stabilis* (L. PFEIFFER, 1847) – SK

Genus *Vestia* P. HESSE, 1916

Subgenus *Vestia* P. HESSE, 1916

- *Vestia (Vestia) elata* (ROSSMÄSSLER, 1836) – SK
- *Vestia (Vestia) gulo* (E.A. BIELZ, 1859) – SK
- *Vestia (Vestia) turgida* (ROSSMÄSSLER, 1836) – SK

Genus *Bulgarica* O. BOETTGER, 1877

Subgenus *Strigilecula* KENNARD & B.B. WOODWARD, 1923

- *Bulgarica (Strigilecula) cana cana* (HELD, 1836) – SK

Superfamilia Punctoidea MORSE, 1864

Familia Punctidae MORSE, 1864

Genus *Punctum* MORSE, 1864

Subgenus *Punctum* MORSE, 1864

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – SK

Familia Helicodiscidae H.B. BAKER, 1927

Genus *Lucilla* R.T. LOWE, 1852

- *Lucilla scintilla* (R.T. LOWE, 1852) – SK
- *Lucilla singleyana* (PILSBRY, 1889) – SK

Familia Discidae THIELE, 1931 (1866)

Genus *Discus* FITZINGER, 1833

Subgenus *Discus* FITZINGER, 1833

- *Discus (Discus) ruderatus ruderatus* (W. HARTMANN, 1821) – SK

Subgenus *Gonyodiscus* FITZINGER, 1833

- *Discus (Gonyodiscus) perspectivus* (MEGERLE VON MÜHLFELD, 1816) – SK
- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – SK

Superfamilia Gastrodontoidea TRYON, 1866

Familia Pristilomatidae T. COCKERELL, 1891

Genus *Vitrea* FITZINGER, 1833

- *Vitrea contracta* (WESTERLUND, 1871) – SK
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – SK
- *Vitrea diaphana diaphana* (S. STUDER, 1820) – SK
- *Vitrea subrimata* (REINHARDT, 1871) – SK
- *Vitrea transsylvanica* (CLESSIN, 1877) – SK

Familia Euconulidae H.B. BAKER, 1928

Subfamilia Euconulinae H.B. BAKER, 1928

Genus *Euconulus* REINHARDT, 1883

Subgenus *Euconulus* REINHARDT, 1883

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – SK
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – SK

Familia Gastrodontidae TRYON, 1866

Genus *Zonitoides* LEHMANN, 1862

Subgenus *Zonitoides* LEHMANN, 1862

- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – SK

Familia Oxychilidae P. HESSE, 1927 (1879)

Subfamilia Daudebardiinae KOBELT, 1906

Genus *Daudebardia* W. HARTMANN, 1821

Subgenus *Daudebardia* W. HARTMANN, 1821

- *Daudebardia (Daudebardia) brevipes* (DRAPARNAUD, 1805) – SK
- *Daudebardia (Daudebardia) rufa* (DRAPARNAUD, 1805) – SK

Genus *Carpathica* A.J. WAGNER, 1895

Subgenus *Carpathica* A.J. WAGNER, 1895

- *Carpathica (Carpathica) calophana* (WESTERLUND, 1881) – SK

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

Genus *Oxychilus* FITZINGER, 1833

Subgenus *Oxychilus* FITZINGER, 1833

- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – SK
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – SK

Genus *Cellariopsis* A.J. WAGNER, 1914

- *Cellariopsis deubeli* (A.J. WAGNER, 1914) – SK

Genus *Morlina* A.J. WAGNER, 1914

- *Morlina glabra glabra* (ROSSMÄSSLER, 1835) – SK
- *Morlina glabra striaria* (WESTERLUND, 1881) – SK

Genus *Mediterranea* CLESSIN, 1880

- *Mediterranea depressa* (STERKI, 1880) – SK
- *Mediterranea hydatina hydatina* (ROSSMÄSSLER, 1838) – SK
- *Mediterranea inopinata* (ULIČNÝ, 1887) – SK

Subfamilia Godwiniinae C.M. COOKE, 1921

Genus *Aegopinella* LINDHOLM, 1927

- *Aegopinella epipedostoma iuncta* HUDEC, 1964 – SK
- *Aegopinella minor* (STABILE, 1864) – SK
- *Aegopinella nitens* (MICHAUD, 1831) – SK
- *Aegopinella pura* (ALDER, 1830) – SK

Genus *Nesovitrea* C. M. COOKE, 1921

Subgenus *Perpolita* H.B. BAKER, 1928

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – SK
- *Nesovitrea (Perpolita) petronella* (L. PFEIFFER, 1853) – SK

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)

Familia Milacidae ELLIS, 1926

Genus *Tandonia* LESSONA & POLLONERA, 1882

- *Tandonia budapestensis* (HAZAY, 1880) – SK
- *Tandonia rustica* (MILLET, 1843) – SK

Superfamilia Limacoidea LAMARCK, 1801

Familia Vitrinidae FITZINGER, 1833

Genus *Semilimax* J.E. GRAY, 1847

- *Semilimax semilimax* (J. FÉRUSSAC, 1802) – SK

Genus *Hessemilimax* SCHILEYKO, 1986

- *Hessemilimax kotulae* (WESTERLUND, 1883) – SK

Genus *Eucobresia* H.B. BAKER, 1929

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – SK
- *Eucobresia nivalis* (DUMONT & MORTILLET, 1854) – SK

Genus *Vitrina* DRAPARNAUD, 1801

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – SK

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

Genus *Boettgerilla* SIMROTH, 1910

- *Boettgerilla pallens* SIMROTH, 1912 – SK

Familia Limacidae LAMARCK, 1801
Subfamilia Limacinae LAMARCK, 1801

Genus *Limax* LINNAEUS, 1758

- *Limax bielzii* SEIBERT, 1874 – SK
- *Limax cinereoniger* WOLF, 1803 – SK
- *Limax maximus* LINNAEUS, 1758 – SK

Genus *Limacus* LEHMANN, 1864

- *Limacus flavus* (LINNAEUS, 1758) – SK

Genus *Malacolimax* MALM, 1868

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – SK

Genus *Lehmannia* HEYNEMANN, 1863

- *Lehmannia macroflagellata* GROSSU & LUPU, 1962 – SK
- *Lehmannia marginata* (O.F. MÜLLER, 1774) – SK
- *Lehmannia nyctelia* (BOURGUIGNAT, 1861) – SK

Genus *Bielzia* CLESSIN, 1887

- *Bielzia coeruleans* (M. BIELZ, 1851) – SK

Familia Agriolimacidae H. WAGNER, 1935
Subfamilia Agriolimacinae H. WAGNER, 1935

Genus *Deroceas* RAFINESQUE, 1820

Subgenus *Deroceas* RAFINESQUE, 1820

- *Deroceas (Deroceas) agreste* (LINNAEUS, 1758) – SK
- *Deroceas (Deroceas) laeve* (O.F. MÜLLER, 1774) – SK
- *Deroceas (Deroceas) praecox* WIKTOR, 1966 – SK
- *Deroceas (Deroceas) reticulatum* (O.F. MÜLLER, 1774) – SK
- *Deroceas (Deroceas) rodnae* GROSSU & LUPU, 1965 – SK
- *Deroceas (Deroceas) sturanyi* (SIMROTH, 1894) – SK
- *Deroceas (Deroceas) turcicum* (SIMROTH, 1894) – SK

Superfamilia Arionoidea J.E. GRAY, 1840
Familia Arionidae J.E. GRAY, 1840

Genus *Arion* A. FÉRUSAC, 1819

Subgenus *Arion* A. FÉRUSAC, 1819

- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – SK
- *Arion (Arion) rufus* (LINNAEUS, 1758) – SK

Subgenus *Mesarion* P. HESSE, 1926

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – SK

Subgenus *Carinarion* P. HESSE, 1926

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – SK
- *Arion (Carinarion) fasciatus* (NILSSON, 1823) – SK
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – SK

Subgenus *Kobeltia* SEIBERT, 1873

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – SK

Superfamilia Helicoidea RAFINESQUE, 1815
 Familia Bradybaenidae PILSBRY, 1934 (1898)
 Subfamilia Bradybaeninae PILSBRY, 1934 (1898)
 Tribus Bradybaenini PILSBRY, 1934 (1898)

Genus *Fruticicola* HELD, 1838

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – SK

Familia Helicodontidae KOBELT, 1904
 Subfamilia Helicodontinae KOBELT, 1904

Genus *Helicodonta* A. FÉRUSAC, 1821

- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – SK

Familia Hygromiidae TRYON, 1866
 Subfamilia Monachinae WENZ, 1930 (1904)
 Tribus Euomphaliini SCHILEYKO, 1978

Genus *Euomphalia* WESTERLUND, 1889

- *Euomphalia strigella strigella* (DRAPARNAUD, 1801) – SK

Tribus Monachaini WENZ, 1930 (1904)

Genus *Monacha* FITZINGER 1833

Subgenus *Monacha* FITZINGER 1833

- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – SK

Subfamilia Hygromiinae TRYON, 1866
 Tribus Trochulini LINDHOLM, 1927

Genus *Trochulus* CHEMNITZ, 1786

Subgenus *Trochulus* CHEMNITZ, 1786

- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – SK
- *Trochulus (Trochulus) striolatus danubialis* (CLESSIN, 1874) – SK

- *Trochulus (Trochulus) villosulus* (ROSSMÄSSLER, 1838) – SK

Subgenus *Plicuteria* SCHILEYKO, 1978

- *Trochulus (Plicuteria) lubomirskii* (ŚLÓSARSKI, 1881) – SK

Genus *Petasina* H. BECK, 1847

Subgenus *Petasina* H. BECK, 1847

- *Petasina (Petasina) unidentata unidentata* (DRAPARNAUD, 1805) – SK
- *Petasina (Petasina) unidentata carpatica* (POLIŃSKI, 1929) – SK

Subgenus *Edentiella* POLIŃSKI, 1929

- *Petasina (Edentiella) bakowskii* (POLIŃSKI, 1924) – SK

Subgenus *Filicinella* POLIŃSKI, 1929

- *Petasina (Filicinella) bielzii euconus* (WESTERLUND, 1890) – SK
- *Petasina (Filicinella) filicina filicina* (L. PFEIFFER, 1841) – SK

Genus *Helicopsis* FITZINGER, 1833

- *Helicopsis striata striata* (O.F. MÜLLER, 1774) – SK

Tribus Helicellini IHERING, 1909

Genus *Candidula* KOBELT, 1871

- *Candidula unifasciata unifasciata* (POIRET, 1801) – SK
- *Candidula unifasciata soosiana* (H. WAGNER, 1933) – SK

Tribus Leptaxini C. BOETTGER, 1909

Genus *Pseudotrichia* SCHILEYKO, 1970

- *Pseudotrichia rubiginosa* (ROSSMÄSSLER, 1838) – SK

Genus *Monachoides* GUDE & B.B. WOODWARD, 1921

- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – SK
- *Monachoides vicinus* (ROSSMÄSSLER, 1842) – SK

Genus *Perforatella* SCHLÜTER, 1838

- *Perforatella bidentata* (GMELIN, 1791) – SK
- *Perforatella dibothrion* (M. VON KIMAKOWICZ, 1884) – SK

Genus *Urticicola* LINDHOLM, 1927

- *Urticicola umbrosus* (C. PFEIFFER, 1828) – SK

Tribus incerta

Genus *Xerolenta* MONTEROSATO, 1892

- *Xerolenta obvia obvia* (MENKE, 1828) – SK

Genus *Lozekia* HUDEC, 1970

- *Lozekia transsylvanica* (WESTERLUND, 1876) – SK

Familia Helicidae RAFINESQUE, 1815
Subfamilia Ariantinae MÖRCH, 1864

Genus *Arianta* TURTON, 1831

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – SK

Genus *Drobacia* BRUSINA, 1904

- *Drobacia banatica* (ROSSMÄSSLER, 1838) – SK

Genus *Faustina* KOBELT, 1904

- *Faustina cingulella* (ROSSMÄSSLER, 1837) – SK
- *Faustina faustina faustina* (ROSSMÄSSLER, 1835) – SK
- *Faustina rossmaessleri* (L. PFEIFFER, 1842) – SK

Genus *Isognomostoma* FITZINGER, 1833

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – SK

Genus *Causa* SCHILEYKO, 1971

- *Causa holosericea* (S. STUDER, 1820) – SK

Subfamilia Helicinae RAFINESQUE, 1815
Tribus Helicini RAFINESQUE, 1815

Genus *Cepaea* HELD, 1838

Subgenus *Cepaea* HELD, 1838

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – SK

Subgenus *Austrotachea* G. PFEIFFER, 1930

- *Cepaea (Austrotachea) vindobonensis* (C. PFEIFFER, 1828) – SK

Genus *Helix* LINNAEUS, 1758

Subgenus *Helix* LINNAEUS, 1758

- *Helix (Helix) lutescens* ROSSMÄSSLER, 1837 – SK
- *Helix (Helix) pomatia* LINNAEUS, 1758 – SK