

FAUNA EUROPAEA PROJECT

Checklist of the land and freshwater Gastropoda of Switzerland

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogeveen, the Netherlands, phone +31-598-852132)

Last update: July 24th, 2011

Send remarks/additions/corrections to Ruud.Bank@quicknet.nl

Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See www.faunaeur.org for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the www.faunaeur.org is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24th, 2011. Furthermore, the systematic framework of the Gastropoda of www.faunaeur.org is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abandoned. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

Phylum Mollusca CUVIER, 1795
Classis Gastropoda CUVIER, 1795
Subclassis Neritimorpha KOKEN, 1896
Ordo Cycloneritimorpha FRÝDA, 1998
Superfamilia Neritoidea RAFINESQUE, 1815
Familia Neritidae RAFINESQUE, 1815
Subfamilia Neritinae POEY, 1852
Tribus Theodoxini BANDEL, 2001

Genus *Theodoxus* MONTFORT, 1810

Subgenus *Theodoxus* MONTFORT, 1810

- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – CH

Subclassis Caenogastropoda COX, 1960
 Ordo Architaenioglossa HALLER, 1890
 Superfamilia Cyclophoroidea J.E. GRAY, 1847
Familia Cochlostomatidae KOBELT, 1902

Genus *Cochlostoma* JAN, 1830

Subgenus *Cochlostoma* JAN, 1830

- *Cochlostoma (Cochlostoma) septemspirale septemspirale* (RAZOUKOWSKY, 1789) – CH

Familia Aciculidae J.E. GRAY, 1850

Genus *Acicula* W. HARTMANN, 1821

- *Acicula lineata lineata* (DRAPARNAUD, 1801) – CH
- *Acicula lineata sublineata* (ANDREAE, 1883) – CH
- *Acicula lineolata lineolata* (PINI, 1884) – CH

Genus *Platyla* MOQUIN-TANDON, 1856

- *Platyla polita polita* (W. HARTMANN, 1840) – CH

Superfamilia Viviparoidea J.E. GRAY, 1847
Familia Viviparidae J.E. GRAY, 1847
 Subfamilia Viviparinae J.E. GRAY, 1847

Genus *Viviparus* MONTFORT, 1810

- *Viviparus ater ater* (DE CRISTOFORI & JAN, 1832) – CH
- *Viviparus contectus* (MILLET, 1813) – CH

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997
 Ordo Littorinimorpha PCHELINTSEV, 1963
 Superfamilia Littorinoidea CHILDREN, 1834
Familia Pomatiidae NEWTON, 1891 (1828)

Genus *Pomatias* S. STUDER, 1789

- *Pomatias elegans* (O.F. MÜLLER, 1774) – CH

Superfamilia Rissooidea J.E. GRAY, 1847
Familia Bithyniidae J.E. GRAY, 1857

Genus *Bithynia* LEACH, 1818

- *Bithynia leachii* (SHEPPARD, 1823) – CH
- *Bithynia tentaculata* (LINNAEUS, 1758) – CH

Familia Hydrobiidae STIMPSON, 1865
 Subfamilia Tateinae THIELE, 1925

Genus *Potamopyrgus* STIMPSON, 1865

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – CH

Subfamilia Belgrandiinae DE STEFANI, 1877
Tribus Belgrandiellini RADOMAN, 1983

Genus *Graziana* RADOMAN, 1975

- *Graziana lacheineri* (KÜSTER, 1853) – CH?
- *Graziana quadrifoglio* HAASE, 2003 – CH

Genus *Istriana* VELKOVRH, 1971

Genus *Bythiospeum* BOURGUIGNAT, 1882

- *Bythiospeum alpinum* BERNASCONI, 1988 – CH
- *Bythiospeum charpyi charpyi* (PALADILHE, 1867) – CH
- *Bythiospeum francomontanum* BERNASCONI, 1973 – CH
- *Bythiospeum helveticum* (CLESSIN, 1882) – CH
- *Bythiospeum rhenanum turneri* BERNASCONI, 1997 – CH
- *Bythiospeum sterkianum sterkianum* (CLESSIN, 1882) – CH

Subfamilia Islamiinae RADOMAN, 1973

Genus *Islamia* RADOMAN, 1974

- *Islamia minuta minuta* (DRAPARNAUD, 1805) – CH

Familia Amnicolidae TRYON, 1863
Subfamilia Amnicolinae TRYON, 1863

Genus *Marstoniopsis* VAN REGTEREN ALTENA, 1936

- *Marstoniopsis insubrica* (KÜSTER, 1853) – CH

Genus *Bythinella* MOQUIN-TANDON, 1856

- *Bythinella padana* BERNASCONI, 1989 – CH
- *Bythinella pupoides pupoides* (PALADILHE, 1869) – CH

Subclassis Heterobranchia BURMEISTER, 1837
Ordo Allogastropoda HASZPRUNAR, 1985
Superfamilia Valvatoidea J.E. GRAY, 1840
Familia Valvatidae J.E. GRAY, 1840

Genus *Valvata* O.F. MÜLLER, 1773

Subgenus *Valvata* O.F. MÜLLER, 1773

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – CH

Subgenus *Tropidina* H. & A. ADAMS, 1854

- *Valvata (Tropidina) macrostoma* MÖRCH, 1864 – CH

Subgenus *Cincinna* HÜBNER, 1810

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – CH
- *Valvata (Cincinna) studeri* BOETERS & FALKNER, 1998 – CH

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814

Ordo Hygrophila A. FÉRUSAC, 1822
Superfamilia Acroloxoidea THIELE, 1931
Familia Acroloxidae THIELE, 1931

Genus *Acroloxus* H. BECK, 1838

- *Acroloxus lacustris* (LINNAEUS, 1758) – CH

Superfamilia Lymnaeoidea RAFINESQUE, 1815
Familia Lymnaeidae RAFINESQUE, 1815
Subfamilia Lymnaeinae RAFINESQUE, 1815

Genus *Galba* SCHRANK, 1803

Subgenus *Galba* SCHRANK, 1803

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – CH

Genus *Stagnicola* JEFFREYS, 1830

- *Stagnicola corvus* (GMELIN, 1791) – CH
- *Stagnicola fuscus* (C. PFEIFFER, 1821) – CH

Genus *Radix* MONTFORT, 1810

- *Radix ampla* (W. HARTMANN, 1821) – CH
- *Radix auricularia* (LINNAEUS, 1758) – CH
- *Radix balthica* (LINNAEUS, 1758) – CH
- *Radix labiata* (ROSSMÄSSLER, 1835) – CH

Genus *Lymnaea* LAMARCK, 1799

- *Lymnaea stagnalis* (LINNAEUS, 1758) – CH

Superfamilia Planorboidea RAFINESQUE, 1815
Familia Physidae FITZINGER, 1833
Subfamilia Physinae FITZINGER, 1833
Tribus Physini FITZINGER, 1833

Genus *Physa* DRAPARNAUD, 1801

- *Physa fontinalis* (LINNAEUS, 1758) – CH

Tribus Haitiini D.W. TAYLOR, 2003

Genus *Haitia* Clench & Aguayo, 1932

- *Haitia acuta* (DRAPARNAUD, 1805) – CH

Subfamilia Aplexinae STAROBOGATOV, 1967
Tribus Aplexini STAROBOGATOV, 1967

Genus *Aplexa* FLEMING, 1820

- *Aplexa hypnorum* (LINNAEUS, 1758) – CH

Familia Planorbidae RAFINESQUE, 1815
Subfamilia Bulininae P. FISCHER & CROSSE, 1880
Tribus Coretini J.E. GRAY, 1847

Genus *Planorbarius* DUMÉRIL, 1806

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – CH

Tribus Miratestini P. & F. SARASIN, 1897

Genus *Ferrissia* WALKER, 1903

Subgenus *Pettancyllus* IREDALE, 1943

- *Ferrissia (Pettancyllus) wautieri* (MIROLLI, 1960) – CH

Subfamilia Planorbinae RAFINESQUE, 1815

Tribus Planorbini RAFINESQUE, 1815

Genus *Planorbis* O.F. MÜLLER, 1773

Subgenus *Planorbis* O.F. MÜLLER, 1773

- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – CH
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – CH

Genus *Anisus* S. STUDER, 1820

Subgenus *Anisus* S. STUDER, 1820

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – CH
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – CH

Subgenus *Disculifer* C. BOETTGER, 1944

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – CH
- *Anisus (Disculifer) vorticolus* (TROSCHER, 1834) – CH

Genus *Bathyomphalus* CHARPENTIER, 1837

- *Bathyomphalus contortus* (LINNAEUS, 1758) – CH

Genus *Gyraulus* CHARPENTIER, 1837

Subgenus *Gyraulus* CHARPENTIER, 1837

- *Gyraulus (Gyraulus) acronicus* (A. FÉRUSAC, 1807) – CH
- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – CH

Subgenus *Torquis* DALL, 1905

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – CH
- *Gyraulus (Torquis) parvus* (SAY, 1817) – CH

Subgenus *Lamorbis* STAROBOGATOV, 1967

- *Gyraulus (Lamorbis) rossmaessleri* (AUERSWALD, 1852) – CH

Subgenus *Armiger* W. HARTMANN, 1843

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – CH

Tribus Segmetinini F.C. BAKER, 1945

Genus *Hippeutis* CHARPENTIER, 1837

- *Hippeutis complanatus* (LINNAEUS, 1758) – CH

Genus *Segmentina* FLEMING, 1818

- *Segmentina nitida* (O.F. MÜLLER, 1774) – CH

Tribus Ancylini RAFINESQUE, 1815

Genus *Ancylus* O.F. MÜLLER, 1773

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – CH

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990
Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)
Familia Ellobiidae L. Pfeiffer, 1854 (1822)
Subfamilia Carychiinae JEFFREYS, 1830

Genus *Carychium* O.F. MÜLLER, 1773

Subgenus *Carychium* O.F. MÜLLER, 1773

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – CH

Subgenus *Saraphia* Risso, 1826

- *Carychium (Saraphia) tridentatum* (Risso, 1826) – CH

Ordo Stylommatophora A. SCHMIDT, 1855
Subordo Elasmognatha MÖRCH, 1863
Superfamilia Succineoidea H. BECK, 1837
Familia Succineidae H. BECK, 1837
Subfamilia Succineinae H. BECK, 1837

Genus *Succinea* DRAPARNAUD, 1801

- *Succinea putris* (LINNAEUS, 1758) – CH

Genus *Succinella* J. MABILLE, 1871

- *Succinella oblonga* (DRAPARNAUD, 1801) – CH

Genus *Oxyloma* WESTERLUND, 1885

Subgenus *Oxyloma* WESTERLUND, 1885

- *Oxyloma (Oxyloma) elegans elegans* (Risso, 1826) – CH

Subfamilia Catinellinae ODHNER, 1950

Genus *Quickella* C. BOETTGER, 1939

- *Quickella arenaria* (POTIEZ & MICHAUD, 1835) – CH

Subordo Orthurethra PILSBRY, 1900
Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)
Familia Cochlicopidae PILSBRY, 1900 (1879)
Subfamilia Cochlicopinae Pilsbry, 1900 (1879)

Genus *Cochlicopa* A. FÉRUSAC, 1821

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – CH
- *Cochlicopa lubricella* (PORRO, 1838) – CH
- *Cochlicopa nitens* (M. VON GALLENSTEIN, 1848) – CH

Superfamilia Pupilloidea TURTON, 1831
Familia Lauriidae STEENBERG, 1925

Genus *Lauria* J.E. GRAY, 1840

Subgenus *Lauria* J.E. GRAY, 1840

- *Lauria (Lauria) cylindracea* (DA COSTA, 1778) – CH
- *Lauria (Lauria) sempronii* (CHARPENTIER, 1837) – CH

Familia Orculidae PILSBRY, 1918
Subfamilia Orculinae PILSBRY, 1918

Genus *Orcula* HELD, 1838

- *Orcula dolium dolium* (DRAPARNAUD, 1801) – CH

Genus *Sphyradium* CHARPENTIER, 1837

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – CH

Genus *Pagodulina* CLESSIN, 1876

- *Pagodulina austeniana adamii* (WESTERLUND, 1887) – CH

Familia Argnidae HUDEC, 1965

Genus *Argna* COSSMANN, 1889

- *Argna ferrari ferrari* (PORRO, 1838) – CH

Familia Valloniidae MORSE, 1864
Subfamilia Valloniinae MORSE, 1864

Genus *Vallonia* RISSO, 1826

- *Vallonia costata* (O.F. MÜLLER, 1774) – CH
- *Vallonia declivis* STERKI 1893 – CH
- *Vallonia excentrica* STERKI, 1893 – CH
- *Vallonia enniensis* (GREDLER, 1856) – CH
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – CH

Subfamilia Acanthinulinae STEENBERG, 1917

Genus *Acanthinula* H. BECK, 1847

- *Acanthinula aculeata* (O.F. MÜLLER 1774) – CH

Genus *Zoogenetes* MORSE, 1864

- *Zoogenetes harpa* (SAY, 1824) – CH

Familia Pupillidae TURTON, 1831

Genus *Pupilla* FLEMING, 1828

Subgenus *Pupilla* FLEMING, 1828

- *Pupilla (Pupilla) alpicola* (CHARPENTIER, 1837) – CH
- *Pupilla (Pupilla) bigranata* (ROSSMÄSSLER, 1839) – CH
- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – CH
- *Pupilla (Pupilla) sterrii* (VOITH, 1840) – CH
- *Pupilla (Pupilla) triplicata* (S. STUDER, 1820) – CH

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

Genus *Pyramidula* FITZINGER, 1833

- *Pyramidula pusilla* (VALLOT, 1801) – CH

Familia Chondrinidae STEENBERG, 1925

Subfamilia Granariinae KOKSHOORN & E. GITTENBERGER, 2010

Genus *Granopupa* O. BOETTGER, 1889

- *Granopupa granum* (DRAPARNAUD, 1801) – CH

Genus *Granaria* HELD, 1838

- *Granaria frumentum frumentum* (DRAPARNAUD, 1801) – CH
- *Granaria frumentum illyrica* (ROSSMÄSSLER, 1835) – CH
- *Granaria variabilis* (DRAPARNAUD, 1801) – CH

Genus *Solatopupa* PILSBRY, 1917

- *Solatopupa similis* (BRUGUIÈRE, 1792) – CH

Subfamilia Chondrininae STEENBERG, 1925

Genus *Abida* TURTON, 1831

- *Abida secale secale* (DRAPARNAUD, 1801) – CH

Genus *Chondrina* REICHENBACH, 1828

- *Chondrina arcadica clienta* (WESTERLUND, 1883) – CH
- *Chondrina avenacea avenacea* (BRUGUIÈRE, 1792) – CH
- *Chondrina generosensis* H. NORDSIECK, 1962 – CH
- *Chondrina megacheilos megacheilos* (DE CRISTOFORI & JAN, 1832) – CH

Familia Vertiginidae FITZINGER, 1833

Subfamilia Vertigininae FITZINGER, 1833

Tribus Truncatellinini STEENBERG, 1925

Genus *Columella* WESTERLUND, 1878

- *Columella aspera* WALDÉN, 1966 – CH
- *Columella columella* (G. VON MARTENS, 1830) – CH
- *Columella edentula* (DRAPARNAUD, 1805) – CH

Genus *Truncatellina* R.T. LOWE, 1852

- *Truncatellina callicratis* (SCACCHI, 1833) – CH
- *Truncatellina claustralis* (GREDLER, 1856) – CH
- *Truncatellina cylindrica* (A. FÉRUSAC, 1807) – CH
- *Truncatellina monodon* (HELD, 1837) – CH

Tribus Vertiginini FITZINGER, 1833

Genus *Vertigo* O.F. MÜLLER, 1773

Subgenus *Vertigo* O.F. MÜLLER, 1773

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – CH
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – CH
- *Vertigo (Vertigo) genesii* (GREDLER, 1856) – CH
- *Vertigo (Vertigo) geyeri* LINDHOLM, 1925 – CH
- *Vertigo (Vertigo) heldi* (CLESSIN, 1877) – CH
- *Vertigo (Vertigo) modesta arctica* (WALLENBERG, 1858) – CH
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – CH
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – CH
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – CH
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – CH

Subgenus *Vertilla* MOQUIN-TANDON, 1856

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – CH

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)

Familia Enidae B.B. WOODWARD, 1903 (1880)

Subfamilia Eninae B.B. WOODWARD, 1903 (1880)

Tribus Enini B.B. WOODWARD, 1903 (1880)

Genus *Jaminia* RISSO, 1826

- *Jaminia quadridens quadridens* (O.F. MÜLLER, 1774) – CH

Genus *Ena* TURTON, 1831

- *Ena montana* (DRAPARNAUD, 1801) – CH

Tribus Multidentulini SCHILEYKO, 1978

Genus *Merdigera* HELD, 1838

- *Merdigera obscura* (O.F. MÜLLER, 1774) – CH

Tribus Chondrulini WENZ, 1923

Genus *Zebrina* HELD, 1838

- *Zebrina detrita detrita* (O.F. MÜLLER, 1774) – CH

Genus *Chondrula* H. BECK, 1837

- *Chondrula tridens tridens* (O.F. MÜLLER, 1774) – CH

Subordo **** (unnamed)

Superfamilia Achatinoidea SWAINSON, 1840
Familia Ferussaciidae BOURGUIGNAT, 1883

Genus *Cecilioides* A. FÉRUSSAC, 1814
Subgenus *Cecilioides* A. FÉRUSSAC, 1814

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – CH
- *Cecilioides (Cecilioides) veneta* (STROBEL, 1855) – CH

Subordo Sigmurethra PILSBRY, 1900
Superfamilia Clausilioidea J.E. GRAY, 1855
Familia Clausiliidae J.E. GRAY, 1855
Subfamilia Alopiinae A.J. WAGNER, 1913
Tribus Cochlodinini LINDHOLM, 1925 (1923)

Genus *Cochlodina* A. FÉRUSSAC, 1821
Subgenus *Cochlodina* A. FÉRUSSAC, 1821

- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – CH

Subgenus *Stabilea* DE BETTA, 1870

- *Cochlodina (Stabilea) fimbriata fimbriata* (ROSSMÄSSLER, 1835) – CH

Subgenus *Cochlodinastra* H. NORDSIECK, 1977

- *Cochlodina (Cochlodinastra) comensis comensis* (L. PFEIFFER, 1850) – CH

Subgenus *Paracochlodina* H. NORDSIECK, 1969

- *Cochlodina (Paracochlodina) orthostoma orthostoma* (MENKE, 1828) – CH

Tribus Delimini R. BRANDT, 1956

Genus *Charpentieria* STABILE, 1864
Subgenus *Charpentieria* STABILE, 1864

- *Charpentieria (Charpentieria) dyodon dyodon* (S. STUDER, 1820) – CH
- *Charpentieria (Charpentieria) dyodon studeri* (PINI, 1884) – CH
- *Charpentieria (Charpentieria) itala albopustalata* (DE CRISTOFORI & JAN, 1832) – CH

Subfamilia Clausiliinae J.E. GRAY, 1855
Tribus Clausiliini J.E. GRAY, 1855

Genus *Ruthenica* LINDHOLM, 1924

- *Ruthenica filograna filograna* (ROSSMÄSSLER, 1836) – CH

Genus *Macrogastra* W. HARTMANN, 1841
Subgenus *Macrogastra* W. HARTMANN, 1841

- *Macrogastra (Macrogastra) ventricosa ventricosa* (DRAPARNAUD, 1801) – CH

Subgenus *Pyrostoma* VEST, 1867

- *Macrogastra (Pyrostoma) attenuata lineolata* (HELD, 1836) – CH
- *Macrogastra (Pyrostoma) attenuata sabaudina* (BOURGUIGNAT, 1877) – CH

- *Macrogaster (Pyrostoma) plicatula plicatula* (DRAPARNAUD, 1801) – CH
- *Macrogaster (Pyrostoma) plicatula superflua* (CHARPENTIER, 1852) – CH

Genus *Clausilia* DRAPARNAUD, 1805

Subgenus *Clausilia* DRAPARNAUD, 1805

- *Clausilia (Clausilia) bidentata bidentata* (STRØM, 1765) – CH
- *Clausilia (Clausilia) cruciata cruciata* (S. STUDER, 1820) – CH
- *Clausilia (Clausilia) cruciata cuspidata* HELD, 1836 – CH
- *Clausilia (Clausilia) rugosa parvula* (A. FÉRUSSAC, 1807) – CH

Subgenus *Andraea* L. PFEIFFER, 1848

- *Clausilia (Andraea) dubia dubia* DRAPARNAUD, 1805 – CH

Genus *Neostyriaca* A.J. WAGNER, 1920

- *Neostyriaca corynodes saxatilis* (W. HARTMANN, 1843) – CH
- *Neostyriaca strobil* (STROBEL, 1850) – CH

Subfamilia Baleinae A.J. WAGNER, 1913

Genus *Laciniaria* W. HARTMANN, 1842

- *Laciniaria plicata plicata* (DRAPARNAUD, 1801) – CH

Genus *Balea* J.E. GRAY, 1824

- *Balea perversa* (LINNAEUS, 1758) – CH

Genus *Alinda* H. & A. ADAMS, 1855

Subgenus *Alinda* H. & A. ADAMS, 1855

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – CH

Genus *Bulgarica* O. BOETTGER, 1877

Subgenus *Strigilecula* KENNARD & B.B. WOODWARD, 1923

- *Bulgarica (Strigilecula) cana cana* (HELD, 1836) – CH

Superfamilia Testacelloidea J.E. GRAY, 1840

Familia Testacellidae J.E. GRAY, 1840

Genus *Testacella* LAMARCK, 1801

Subgenus *Testacella* LAMARCK, 1801

- *Testacella (Testacella) haliotidea* DRAPARNAUD, 1801 – CH

Superfamilia Punctoidea MORSE, 1864

Familia Punctidae MORSE, 1864

Genus *Punctum* MORSE, 1864

Subgenus *Punctum* MORSE, 1864

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – CH

Familia Helicodiscidae H.B. BAKER, 1927

Genus *Lucilla* R.T. LOWE, 1852

- *Lucilla scintilla* (R.T. LOWE, 1852) – CH
- *Lucilla singleyana* (PILSBRY, 1889) – CH

Familia Discidae THIELE, 1931 (1866)

Genus *Discus* FITZINGER, 1833

Subgenus *Discus* FITZINGER, 1833

- *Discus (Discus) ruderatus ruderatus* (W. HARTMANN, 1821) – CH

Subgenus *Gonyodiscus* FITZINGER, 1833

- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – CH

Superfamilia Gastrodontoidea TRYON, 1866

Familia Pristilomatidae T. COCKERELL, 1891

Genus *Vitrea* FITZINGER, 1833

- *Vitrea contracta* (WESTERLUND, 1871) – CH
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – CH
- *Vitrea diaphana diaphana* (S. STUDER, 1820) – CH
- *Vitrea subrimata* (REINHARDT, 1871) – CH

Familia Euconulidae H.B. BAKER, 1928

Subfamilia Euconulinae H.B. BAKER, 1928

Genus *Euconulus* REINHARDT, 1883

Subgenus *Euconulus* REINHARDT, 1883

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – CH
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – CH
- *Euconulus (Euconulus) trochiformis* (MONTAGU, 1803) – CH

Familia Gastrodontidae TRYON, 1866

Genus *Zonitoides* LEHMANN, 1862

Subgenus *Zonitoides* LEHMANN, 1862

- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – CH

Familia Oxychilidae P. HESSE, 1927 (1879)

Subfamilia Daudebardiinae KOBELT, 1906

Genus *Daudebardia* W. HARTMANN, 1821

Subgenus *Daudebardia* W. HARTMANN, 1821

- *Daudebardia (Daudebardia) brevipes* (DRAPARNAUD, 1805) – CH
- *Daudebardia (Daudebardia) rufa* (DRAPARNAUD, 1805) – CH

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

Genus *Oxychilus* FITZINGER, 1833

Subgenus *Oxychilus* FITZINGER, 1833

- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – CH
- *Oxychilus (Oxychilus) draparnaudi draparnaudi* (H. BECK, 1837) – CH
- *Oxychilus (Oxychilus) mortilleti mortilleti* (L. PFEIFFER, 1859) – CH

Subgenus *Ortizius* FORCART, 1957

- *Oxychilus (Ortizius) alliaris* (J.S. MILLER, 1822) – CH
- *Oxychilus (Ortizius) clarus* (HELD, 1838) – CH
- *Oxychilus (Ortizius) navarricus helveticus* (BLUM, 1881) – CH

Genus *Morlina* A.J. WAGNER, 1914

- *Morlina glabra glabra* (ROSSMÄSSLER, 1835) – CH

Genus *Mediterranea* CLESSIN, 1880

- *Mediterranea adamii* (WESTERLUND, 1886) – CH
- *Mediterranea depressa* (STERKI, 1880) – CH

Subfamilia Godwiniinae C.M. COOKE, 1921

Genus *Aegopinella* LINDHOLM, 1927

- *Aegopinella minor* (STABILE, 1864) – CH
- *Aegopinella nitens* (MICHAUD, 1831) – CH
- *Aegopinella pura* (ALDER, 1830) – CH

Genus *Retinella* P. FISCHER, 1877

Subgenus *Retinella* P. FISCHER, 1877

- *Retinella (Retinella?) hiulca* (ALBERS, 1850) – CH

Genus *Nesovitrea* C. M. COOKE, 1921

Subgenus *Perpolita* H.B. BAKER, 1928

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – CH
- *Nesovitrea (Perpolita) petronella* (L. PFEIFFER, 1853) – CH

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)

Familia Milacidae ELLIS, 1926

Genus *Milax* J.E. GRAY, 1855

- *Milax gagates* (DRAPARNAUD, 1801) – CH

Genus *Tandonia* LESSONA & POLLONERA, 1882

- *Tandonia budapestensis* (HAZAY, 1880) – CH
- *Tandonia nigra* (K.L. PFEIFFER, 1894) – CH
- *Tandonia rustica* (MILLET, 1843) – CH

Superfamilia Limacoidea LAMARCK, 1801

Familia Vitrinidae FITZINGER, 1833

Genus *Semilimax* J.E. GRAY, 1847

- *Semilimax semilimax* (J. FÉRUSAC, 1802) – CH

Genus *Hessemilimax* SCHILEYKO, 1986

- *Hessemilimax kotulae* (WESTERLUND, 1883) – CH

Genus *Vitrinobrachium* KÜNKEL, 1929

- *Vitrinobrachium breve* (A. FÉRUSAC, 1821) – CH
- *Vitrinobrachium tridentinum* FORCART, 1956 – CH?

Genus *Eucobresia* H.B. BAKER, 1929

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – CH
- *Eucobresia glacialis* (FORBES, 1837) – CH
- *Eucobresia nivalis* (DUMONT & MORTILLET, 1854) – CH
- *Eucobresia pegorarii* (POLLONERA, 1884) – CH

Genus *Vitrina* DRAPARNAUD, 1801

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – CH

Genus *Phenacolimax* STABILE, 1859

- *Phenacolimax major* (A. FÉRUSAC, 1807) – CH

Genus *Oligolimax* P. FISCHER, 1878

- *Oligolimax annularis* (S. STUDER, 1820) – CH

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

Genus *Boettgerilla* SIMROTH, 1910

- *Boettgerilla pallens* SIMROTH, 1912 – CH

Familia Limacidae LAMARCK, 1801
Subfamilia Limacinae LAMARCK, 1801

Genus *Limax* LINNAEUS, 1758

- *Limax albipes* DUMONT & MORTILLET, 1853 – CH
- *Limax alpinus* A. FÉRUSAC, 1821 – CH
- *Limax cinereoniger* WOLF, 1803 – CH
- *Limax dacampi* MENEGAZZI, 1854 – CH
- *Limax maximus* LINNAEUS, 1758 – CH
- *Limax punctulatus* SORDELLI, 1870 – CH?
- *Limax redii* GERHARDT, 1933 – CH
- *Limax sarnensis* HEIM & NITZ, 2009 – CH
- *Limax subalpinus* LESSONA, 1880 – CH

Genus *Limacus* LEHMANN, 1864

- *Limacus flavus* (LINNAEUS, 1758) – CH

Genus *Malacolimax* MALM, 1868

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – CH

Genus *Lehmannia* HEYNEMANN, 1863

- *Lehmannia marginata* (O.F. MÜLLER, 1774) – CH
- *Lehmannia rupicola* LESSONA & POLLONERA, 1882 – CH

Familia Agriolimacidae H. WAGNER, 1935
Subfamilia Agriolimacinae H. WAGNER, 1935

Genus *Deroceras* RAFINESQUE, 1820

Subgenus *Deroceras* RAFINESQUE, 1820

- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758) – CH
- *Deroceras (Deroceras) klemmi* GROSSU, 1972 – CH
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – CH
- *Deroceras (Deroceras) panormitanum* (LESSONA & POLLONERA, 1882) – CH
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – CH
- *Deroceras (Deroceras) rodnae* GROSSU & LUPU, 1965 – CH
- *Deroceras (Deroceras) sturanyi* (SIMROTH, 1894) – CH

Superfamilia Arionoidea J.E. GRAY, 1840
Familia Arionidae J.E. GRAY, 1840

Genus *Arion* A. FÉRUSSAC, 1819

Subgenus *Arion* A. FÉRUSSAC, 1819

- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – CH
- *Arion (Arion) rufus* (LINNAEUS, 1758) – CH

Subgenus *Mesarion* P. HESSE, 1926

- *Arion (Mesarion) atripunctatus* DUMONT & MORTILLET, 1853 – CH
- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – CH

Subgenus *Carinarion* P. HESSE, 1926

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – CH
- *Arion (Carinarion) fasciatus* (NILSSON, 1823) – CH
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – CH

Subgenus *Kobeltia* SEIBERT, 1873

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – CH
- *Arion (Kobeltia) hortensis* A. FÉRUSSAC, 1819 – CH
- *Arion (Kobeltia) intermedius* NORMAND, 1852 – CH
- *Arion (Kobeltia) obesoductus* P. REISCHÜTZ, 1979 – CH

Superfamilia Helicoidea RAFINESQUE, 1815
Familia Bradybaenidae PILSBRY, 1934 (1898)
Subfamilia Bradybaeninae PILSBRY, 1934 (1898)

Genus *Fruticicola* HELD, 1838

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – CH

Familia Helicodontidae KOBELT, 1904

Subfamilia Helicodontinae KOBELT, 1904

Genus *Helicodonta* A. FÉRUSAC, 1821

- *Helicodonta angigyra* (ROSSMÄSSLER, 1834) – CH
- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – CH

Genus *Drepanostoma* PORRO, 1836

- *Drepanostoma nautiliforme* PORRO, 1836 – CH

Familia Hygromiidae TRYON, 1866
Subfamilia Monachinae WENZ, 1930 (1904)
Tribus Euomphaliini SCHILEYKO, 1978

Genus *Euomphalia* WESTERLUND, 1889

- *Euomphalia strigella strigella* (DRAPARNAUD, 1801) – CH

Tribus Monachini WENZ, 1930 (1904)

Genus *Monacha* FITZINGER 1833

Subgenus *Monacha* FITZINGER 1833

- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – CH

Subfamilia Geomitrinae C. BOETTGER, 1909
Tribus Trochoideini H. NORDSIECK, 1987

Genus *Xerocrassa* MONTEROSATO, 1892

Subgenus ?

- *Xerocrassa* (subg. ?) *geyeri* (SOÓS, 1926) – CH?

Subfamilia Ciliellinae SCHILEYKO, 1970

Genus *Ciliella* MOUSSON, 1872

- *Ciliella ciliata* (W. HARTMANN, 1821) – CH

Subfamilia Hygromiinae TRYON, 1866
Tribus Trochulini LINDHOLM, 1927

Genus *Trochulus* CHEMNITZ, 1786

Subgenus *Trochulus* CHEMNITZ, 1786

- *Trochulus (Trochulus) alpicola* (EDER, 1921) – CH
- *Trochulus (Trochulus) biconicus* (EDER, 1917) – CH
- *Trochulus (Trochulus) caelatus* (S. STUDER, 1820) – CH
- *Trochulus (Trochulus) clandestinus clandestinus* (W. HARTMANN, 1821) – CH
- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – CH
- *Trochulus (Trochulus) montanus* (S. STUDER, 1820) – CH
- *Trochulus (Trochulus) piccardi* M. PFENNINGER & A. PFENNINGER, 2005 – CH
- *Trochulus (Trochulus) plebeius* (DRAPARNAUD, 1805) – CH
- *Trochulus (Trochulus) sericeus* (DRAPARNAUD, 1801) – CH
- *Trochulus (Trochulus) striolatus striolatus* (C. PFEIFFER, 1828) – CH
- *Trochulus (Trochulus) villosus* (DRAPARNAUD, 1805) – CH

Genus *Petasina* H. BECK, 1847

Subgenus *Petasina* H. BECK, 1847

- *Petasina (Petasina) unidentata unidentata* (DRAPARNAUD, 1805) – CH
- *Petasina (Petasina) unidentata subalpestris* (POLIŃSKI, 1929) – CH

Subgenus *Edentiella* POLIŃSKI, 1929

- *Petasina (Edentiella) edentula edentula* (DRAPARNAUD, 1805) – CH
- *Petasina (Edentiella) edentula helvetica* (POLIŃSKI, 1929) – CH

Tribus Helicellini IHERING, 1909

Genus *Helicella* A. FÉRUSAC, 1821

- *Helicella itala itala* (LINNAEUS, 1758) – CH

Genus *Candidula* KOBELT, 1871

- *Candidula unifasciata unifasciata* (POIRET, 1801) – CH

Tribus Hygromiini TRYON, 1866

Genus *Hygromia* RISSO, 1826

Subgenus *Hygromia* RISSO, 1826

- *Hygromia (Hygromia) cinctella* (DRAPARNAUD, 1801) – CH

Genus *Cernuella* SCHLÜTER, 1838

Subgenus *Xerocincta* MONTEROSATO, 1892

- *Cernuella (Xerocincta) neglecta* (DRAPARNAUD, 1805) – CH

Tribus Leptaxini C. BOETTGER, 1909

Genus *Monachoides* GUDE & B.B. WOODWARD, 1921

- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – CH

Tribus incerta

Genus *Xerolenta* MONTEROSATO, 1892

- *Xerolenta obvia obvia* (MENKE, 1828) – CH

Familia Helicidae RAFINESQUE, 1815

Subfamilia Ariantinae MÖRCH, 1864

Genus *Arianta* TURTON, 1831

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – CH
- *Arianta arbustorum alpicola* (A. FÉRUSAC, 1821) – CH

Genus *Helicigona* A. FÉRUSAC, 1821

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – CH

Genus *Chilostoma* FITZINGER, 1833

Subgenus *Chilostoma* FITZINGER, 1833

- *Chilostoma (Chilostoma) adelozona adelozona* (STROBEL, 1857) – CH
- *Chilostoma (Chilostoma) adelozona rhaeticum* (STROBEL, 1857) – CH
- *Chilostoma (Chilostoma) zonatum zonatum* (S. STUDER, 1820) – CH
- *Chilostoma (Chilostoma) zonatum foetens* (S. STUDER, 1820) – CH

Subgenus *Cingulifera* HELD, 1838

- *Chilostoma (Cingulifera) cingulatum cingulatum* (S. STUDER, 1820) – CH

Genus *Isognomostoma* FITZINGER, 1833

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – CH

Genus *Causa* SCHILEYKO, 1971

- *Causa holosericea* (S. STUDER, 1820) – CH

Subfamilia Helicinae RAFINESQUE, 1815

Tribus Helicini RAFINESQUE, 1815

Genus *Cepaea* HELD, 1838

Subgenus *Cepaea* HELD, 1838

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – CH
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – CH

Subgenus *Austrotachea* G. PFEFFER, 1930

- *Cepaea (Austrotachea) sylvatica* (DRAPARNAUD, 1801) – CH

Genus *Cornu* BORN, 1778

- *Cornu aspersum* (O.F. MÜLLER, 1774) – CH

Genus *Helix* LINNAEUS, 1758

Subgenus *Helix* LINNAEUS, 1758

- *Helix (Helix) pomatia* LINNAEUS, 1758 – CH